

A  
VVay to get  
VVEALTH,  
Containing six Principall Vocations, or  
Callings, in which every good Husband or House-  
wife, may lawfully imploy themselves.

AS

1. The natures, ordering, curing, breeding, choice, use, and feeding of all sorts of Cattel, and Fowl, fit for the service of man: As also the riding and dieting of Horses, either for War or Pleasure.
2. The knowledge, use, and laudable practice of all the Recreations meet for a Gentleman.
3. The Office of a House-wife, in Physick, Chyrurgery, extraction of Oyles, Banquets, Cookery, ordering of Feasts, preserving of Wine, corrected Secrets, Distillations, Perfumes, ordering of Wooll, Hemp, Flax, Dying, use of Dayies, Making, Brewing, Baking; and the profit of Oats.
4. The enrichment of the Weald in Kent.
5. The Husbanding and enriching of all sorts of barren Grounds, making them equal with the most fruitfull: With the preservation of Swine: And a computation of men and Cattles labours, &c.
6. The making of Orchards, Planting and Graffing, the Office of Gardening and the Ornaments, with the best Husbanding of Bees.

The first five books gathered by G. M. The last by  
Master W. L. for the benefit of Great-Brittain.

---

*The Eleventh time Corrected, and Augmented by the Author.*

---

L O N D O N,  
Printed by William Wilson, for George Saw-  
bridge, at the Bible on Ludgate-hill,  
neer Fleet-bridge. 1660.

19192. e.2

5203

HTJAFVY

and much volume. The





*Enter*  
*Cheap and Good*

# HUSBANDRY,

FOR

The well-Ordering of all Beasts and Fowls,  
and for the general Cure of their diseases.

Containing the Natures, Breeding, Choice, Use, Feeding, and  
Curing of the Diseases of all manner of Cattel, as Horse,  
Ox, Cow, Sheep, Goats, Swine, and tame Conies.

Shewing further the whole Art of Riding great Horses, with the  
breaking and ordering of them, and the dyeting of the Running,  
Hunting, and Ambling Horse, and the manner how to use them in  
their Travel.

Also, approved Rules for the Cramming, and fatting all sorts of  
Poultry, and Fowls, both tame and wild, &c. And divers good  
and well approved Medicines, for the Cure of all the Diseases in  
Hawks, of what kind soever.

Together with the use and profit of Bees, the manner of Fishponds,  
and the taking of all sorts of Fish.

Gathered together for the generall good and profit of the Common-  
wealth, by exact and assured experience from English practices, both cer-  
tain, easie, and cheap; differing from all former and forrain experiments,  
which either agreed not with our Climate, or were too hard to come by, or  
over-costly, and to little purpose; all which herein are avoided. Newly  
corrected and enlarged with many Excellent Additions.

---

*The Eleventh Edition.*

---

LONDON,

Printed by *W. Wilson*, for *George-Sambridge*, at the Bible  
on Ludgate-hill near Fleet-bridge 1664.

19192. e. 2


Cheap and Good

HUSBANDRY

The well known and famous  
and the most approved

and the most approved  
and the most approved

and the most approved  
and the most approved



and the most approved  
and the most approved

and the most approved  
and the most approved

and the most approved  
and the most approved


and the most approved  
and the most approved

and the most approved  
and the most approved

and the most approved  
and the most approved



TO THE  
*Right Honourable,*  
And most enobled with all inward,  
and outward Vertues,  
**RICHARD SACKVILE,**  
Baron of *Buckhurst*, and Earle of *Dorset*, &c.

 *Although the monstrous shapes of  
Books ( Right Honourable, and  
best enobled Lord ) have, with  
their disguised and unprofitable  
wisardlike faces, half scar'd even  
Vertue her self from that anti:nt  
Defence and Patronage, which in former Ages most  
Nobly she employed, to preserve them from Envy:  
Yet so much I know, the largeness of your Worthy  
Brest is indued with Wisdom, Courage, and Boun-  
ty, that notwithstanding the vanities of our ignorant  
Writers, you will be pleased w: of your Noble Spirit,  
favourably*

## The Epistle Dedicatory.

favorably to behold whatsoever shall bring a publick good to our Countrey, at which end I have only aymed in this small Book: In which, though I have run far from the way or tract of other Writers in this nature, yet I doubt not but your Honour shall find my path more easie, more certain, and more safe than any, nay by much less difficult or dangerous to walk in. I must confess, something in this nature I have formerly published, as namely of the Horse only, with whose nature and use I have been exercised and acquainted from my Childhood, and I hope, without boast, need not yeeld to any in this Kingdom: Yet in this Work, I hope your Lordship, and all other Princely maintainers of that worthy and serviceable Beast, shall find, I have found out, and herein explained, a nearer and more easie course for his preservation and health, than hath hitherto been found or practised by any, but my self only: whatsoever it is, in all humbleness I offer it as a sacrifice of my Love and service to your Honour, and will ever whilst I have breath to be

Your Honours

in all dutifull service,

G. M.



TO THE COURTEOUS  
READER.



Here is no Artist, or man of Industry  
( Courteous and Gentle Reader )  
which mixeth judgment with his  
experience, but findeth in the tra-  
vel of his labours better and neerer  
courses to make perfect the beauty  
of his work, than were at first  
presented to the eye of his knowledge : for the  
mind being pre-occupied, and busied with a virtu-  
ous search, is ever ready to catch hold of whatso-  
ever can adorn or illustrate the Excellency of the  
thing, in which he is employed ; and hence it hapneth,  
that my self, having seriously bestowed many years to  
find out the truth of these knowledges, of which I have  
entreated in this Book, have now found out the infal-  
lible way of curing all diseases in Cattle ; which is by  
many degrees more certain, more easie, less difficult,  
and without all manner of cost and extraordinary char-  
ges, than ever hath been published by any home-born  
or forrain practicer. Wherein ( friendly Reader ) thou  
shalt find that my whole drift is to help the needfull  
in his most want and extreanity. For having many  
times

times in my journeying, seen poor and Rich-mens Cartell fall suddenly sick; some travelling by the way, some drawing in the Plough or Draught, and some upon other employments; I have also beheld those Cartell or Horses dye, ere they could be brought either to a Smith, or other places where they might receive Cure: Nay, if with much pains they have been brought to the place of Cure, yet have I seen Smiths so unprovided of Apothecaries Simples, that for want of a matter of six-pence a Beast hath died worth many Angells. To prevent this, I have found out those certain and approved Cures, wherein if every good Horse-lover, or Husbandman, will but acquaint his knowledge with a few herbs, or common-Weeds, he shall be sure in every Field, Pasture, Meadow, or Land-furrows; nay, almost by every high-way-side, or blind Ditch, to find that which shall preserve and keep his Horse from all sudden extremities. If thou shalt find benefit, think mine hours not ill wasted; if thou shalt not have occasion to approve them, yet give them thy gentle passage to others, and think me, as I am,

*Thy Friend,*

*G. M.*

**TO**



## A short Table Expounding all the hard words in this Book.

### A



*Auri-pigmentum*, or *Orpment*, is a yellow hard substance to be bought at the Apothecaries.

*Aristolochia-longa*, otherwise called red *Mader*, is an Herb growing almost in every field.

*Aristolochia-rotunda*, is the Herb called *Galingale*.

*Agrimony*, or *Egremony*, is an usuall and known Herb.

*Ameos*, *Cominroyal*, is an Herb of some called *Bulwort*, *Bishopsweed*, or *Herb-William*.

*Anise*, is that Herb that beareth *Anise-seeds*.

*Avet*, of some called *Dill*, is an Herb like *Fennell*, only the seeds are broad like *Orange-seed*.

*Agnus-Castus*, of some called *Tulesain*, is an Herb with redish leaves, and sinewy, like *Plantain*.

*Egyptiacum*, is a redish *Unguent*, to be bought at the Apothecaries, and is soveraign for *Fistulaes*.

*Assafetida*, a stinking strong Gum, to be bought at the Apothecaries.

*Adrases*, or *Adarces*, is that *Salt* which is ingendred on the Marishes, by the violence of the Suns heat after the tide is gone away.

*Asterion*, is an Herb growing amongst stones, as on walls, or such like; it appeareth by night, it hath yellowflowers like Fox-gloves, and the leaves are round and blewish.

*Aloes*, is a bitter Gum, to be bought at the Apothecaries.

### B

**B** *Eten*, or *Beets*, is an Herb with long broad leaves indented, and grows in hedge-rows.

*Bolearmoniack*, is a red hard earthy substance, to be bought at the Apothecaries, and is of a cold and binding nature.

### B

*Broom*



## A Table of hard words.

*Broom-wort*, is an Herb with brown coloured leaves, and beareth a blew flower, and most commonly grows in Woods.

### C

**C***resses*, are of two kinds, *Water-Cresses*, and *Land-Cresses*: they have broad-smooth leaves, and the first grows in moist places, the latter in Gardens, or by high-ways.

*Coinin*, see *Aweos*.

*Carthamus*, is an Herb in tast like *Saffron*, and is called *Bastard Saffron*, or *Mock-Saffron*.

*Calamint*, is an ordinary Herb, and groweth by Ditches sides by high-ways, and sometimes in Gardens.

*Coriander*, is an Herb which beareth a round little seed.

*Chives*, are a small round Herb growing in Gardens, like little young *Onions*, or *Scallions*, not above a week old.

### D

**D***lapente*, a soveraign powder made of five equal simples, as *Bayberries*, *Ivory*, *Aristolochia-rotunda*, *Mirth*, and *Genianna*, may be bought of the Apothecary.

*Betony*, is an Herb called *Pepper-wort*, or *Horse-radish*, and grows in many open fields.

*Dragon*, is an Herb common in every Garden.

### E

**E***Lecampane*; is an Herb of some called *Horse-helm*, and grows almost in every field, and every Garden.

*Eie-bright*, is an Herb growing in every Meadow.

### F

**F***Enugreek*, is an Herb which hath a long slender trayling stalk, hollow within, and sown in Gardens, but easiest to be had at the Apothecaries.

*Fernsmund*, is an Herb of some called *Water-Fern*, hath a triangular stalk, and is like *Polypody*, and it grows in Bogs and hollow grounds.

### G

**G***Alingale*, see *Aristolochia-rotunda*.

### H

**H***Orse-mint*, is an Herb that grows by water sides, and is called *Water-mint* or *Brook-mint*.

*Hors-*

## *A Table of hard Words.*

*Horse-helm*, see *Elecampana*.

*House-leek*, is a Weed which grows upon the tops of Houses that are Thatched, and are like unto a small *Hartichoke*.

*Herb Robert*, hath Leaves like *Herb Bennet*, and small Flowers of a purple Colour, and grows in most common Fields and Gardens.

I.

**I***Vory*, is the shaving of the *Elephants* tooth, or the old *Harts* or *Stags* horn, being the smooth white thereof.

K.

**K***Not-grass*, is a long round Weed, with little round smooth Leaves, and the Stalks very knotty and rough, winding and wreathing one Seam into another very confusedly, and groweth for the most part in very moist places.

L.

**L***ettice*, is a common Saller in every Garden.

**L***ollium*, is that Weed which we call *Cockel*, and groweth amongst the Corn in every Field.

*Liverwort*, is a common Herb in every Garden.

M.

**M***ayh*, is a Weed that grows amongst Corn, and is called of some *Hogs-fennel*.

*Myrrhe*, is a Gum to be bought at the Apothecaries.

*Man-drake*, is an Herb which grows in Gardens, and beareth certain yellow Apples, from whence the Apothecaries draw a soveraign Oyl for broken Bones.

N.

**N***epe*, see *Calamint*.

O.

**O***rigannum*, is an Herb called *Wild-Marjoram*, and grows both in open Fields, and in low Copes.

*Orifice*, is the mouth, hole, or open passage of any Wound or Ulcer.

*Oppopanax*, a Drug usual to be bought at the Apothecaries.

P.

**P***itch of Burgundy*, is *Rozen*; and the Blacker the better.

*Plantain*, is a fat Leaf and sinewy, growing close to the ground, and it is called *Whay-bred Leaf*.

## A Table of hard words.

*Pliol-royal*, is an Herb that groweth both in Fields and Gardens, and is best when it Flowreth.

*Patch-grease*, is that Tallow which is gotten from the Boyling of Shoo-makers threads.

*Q.*  
**Q***uinque-folio*, of some called *Cinque-foyl*, is that Herb which is called *five-leaved Grass*.

*R.*  
**R***ed-Oker*, is a hard red Stone, which we call *Raddle*, *Orel*, *Marking-stone*.

*S.*  
**S***elendine*, or *Tetter-wort*, is a Weed growing in the bottom of Hedges, which being broke, a Yellow juice will drop and run out of it.

*Sherwit*, is an Herb with many small Leaves, and grows most in Gardens.

*Stubwort*, is an Herb which grows in Woody places, and is called *Wood-Sorrel*.

*Sanguis Draconis*, is a hard red Gum to be bought at the Apothecaries.

*Sperma Ceti*, is the Seed of the *Whale*, excellent for inward Bruises, and to be bought at the Apothecaries.

*Stone-crop*, is a green Weed growing on the Tops of Walls.

*Sal-armoniack*, is a Drug to be bought at the Apothecaries.

*T.*  
**T***ussilaginis*, is that Weed which we call *Celts-foot*.  
*Triapharmacum*, a Composition made of three Simples, and to be bought at the Apothecaries.

*Turnmerick*, is a yellow Simple, of strong Savour, to be bought at the Apothecaries.

*V.*  
**V***erdigrease*, is a green fatty Gum drawn from Copper, and is to be bought at the Apothecaries.

*W.*  
**W***ood-rose*, or *wild Eglantine*, is that small thin Flower which grows upon Briars, in Woods, or Hedges.

*T.*  
**Y***arrow*, is an Herb called the *water Violet*, and grows in Lakes, or Marsh grounds. THE



# THE GENERAL CURE

And Ordering of all Horses : As also the  
 whole Art of Riding great Horses ; with the  
 Breeding, Breaking, and Ordering of them :  
 Together with the manner how to use the  
 Running, Hunting, and Ambling  
 Horse, before, in, and  
 after their Travel.

## CHAP. I.

*Of the Horse in General ; his Choice for every several use ; his  
 Ordering, Diet, and best preservation in Health, both in  
 Travel, and in Rest.*



THE full scope and purpose of this Work, is  
 in few, plain, and most undoubted true  
 Words, to shew the Cure of all manner of  
 Diseases belonging to all manner of neces-  
 sary Carrel, nourished and preserved for the  
 use of Man, making by way of Demont-  
 ration, so easie and plain a passage to the un-  
 derstanding and accomplishment of the same,  
 that not the Simplest which hath priviledge to be esteemed no  
 Idiot, nor the Poorest, if he can make two Shillings, but shall both  
 understand how to profit himself by the Book, and at the Cheapest  
 rare purchase all the Receipts and Simples declared in the whole  
 Volume. For in Sober truth, this Book is fit for every Gentle-  
 man,

man, Husbandman, and good Mans pocket, being a memory which a Man carrying about him, will, when he is call'd to account, give a Man full satisfaction; whether it be in the Field, in the Town, or any other place where a Man is left unprovided.

Nature of  
Horses.

And now forasmuch as the Horse of all Creatures is the noblest, strongest, and aptest to do a Man the best and worthiest Services both in Peace and War; I think it not amiss first to begin with him. Therefore of his Nature in general, he is Valiant, Strong, and Nimble; and above all other Beasts most apt and able to indure the extremest Labours; the moist quality of his Composition being such, that neither extreme heat doth dry up his Strength, nor the violence of Cold, freeze the warm temper of his moving Spirits; but that where there is any temperate Government, there he withstandeth all effects of Sickness, with an uncontroled constancy. He is most gentle and loving to the Man, apt to be taught, and not forgetfull, when an Impression is fixed in his Brain. He is Warchfull above all other Beasts, and will indure his Labour with the most empy Stomack; he is Naturally given to much Cleanliness; is of an excellent Scent, and offended with nothing so much as evil Savours.

The choice  
of Horses, and  
their shapes.

Now for the Choice of the best Horse, it is divers, according to the use for which you will employ him. If therefore you would have a Horse for the Wars, you shall chuse him that is of a good tall Stature, with a comely lean Head, an out-swelling Fore-head, a large sparkling Eye, the White whereof is covered with the Eye-brows, and not at all discerned, or if at all, yet the least is best; a small thin Ear, short and pricking; if it be long, well carried, and ever moving, it is Tolerable; but if dull, or hanging, most Harefull: a deep Neck, large Crest, broad Breast, bending Ribs, broad and strait Chine, round and full Bortock, with his Huckle-bones hid, a Tail high and broad, free on neither too thick, nor too thin; for too much Hair shows slowness, and too little too much Coler and Heat: a full swelling Thigh, a broad Flat, and lean Leg, short Pastern'd, strong Joynted, and hollow, Bones, of which the Long is best, if they be not Wier'd, and the Broad round the Worst.

Colours of  
Horses.

The best Colours are Brown-bay, Dipple-gray, Roand, Bright-bay, Black, with a white neer Foot behind, white far Foot before, white

white Rache, or white Star, Chestnut or Sorrel, with any of those marks, or Dun with a black list: And of these Horses for the Wars the Coursers of *Naples* is accounted the best, then the *Almain*, the *Sardinian*, or the *French*.

If you would chuse a Horse for a Princes Seat, any supream Horses for a Magistrate, or for any great Lady of State, or woman of eminence, Princes Seat,

you shall chuse him that is of the finest shape, the best rein, who naturely bears his head in the best place, without the help of the mans hand; that is of nimblest and easiest pace, gentle to get upon, bold without making affrights, and most familiar and quiet in the company of other Horses: his colour would ever be milk-white, with red frains, or without; or else fair dapple gray with white Mane, and white tail: of these the *English* is best, then the *Hungarian*, the *Sweathland*, the *Poland*, the *Irish*.

If you will chuse a Horse only for travel, ever the better shape the better hope, especially look that his head be lean, eyes swelling outward, his neck well risen, his chine well risen, his joyns very strong; but above all his pasterns short and straight, without bending in his going, and exceeding hollow and tough hoofs: let him be of temperate nature, neither too furious, nor too dull, willing to go without forcing, and not desirous to run when there is no occasion.

If you would chuse a Horse for hunting, let his shape in general be strong and well knit together, making equal proportions; for as unequal shapes shew weakness, so equal members assure strength and indurance. Your unequal shapes are a great head to a little neck, a big body to a thin buttock; a large limb to a little foot, or any of these contraries, or where any member suits not with the whole proportion of the body, or with any limb next adjoining. Above all let your hunting Horse have a large lean head, wide nostrils, open chould, a big weasand, and the wind-pipe straight, loose, well covered, and not bent in the pride of his Reining: The *English* Horse bastardized with any of the former Races first spoke of, is of all the best.

If you chuse a Horse for running, let him have all the finest shape that may be; but above all things, let him be nimble, quick and fiery, apt to fly with the least motion: long shapes are sufferable, for though they shew weakness, yet they assure sudden speed.



speed. And the best Horse for his use, is the *Arabian, Barbary*, or his bastard; Jennets are good, but the Turks are better.

**Coach-Horse.** If you will chuse a Horse for the Coach, which is called the swift draught, let his shape be tall, broad, and well furnishr, not gross with much flesh, but with the bigness of his bones, especially look if he have a strong neck, a broad breast, a large chine, sound clean limbs, and tough hoofs: and for this purpose, your large English Geldings are best, your Flemish Mares next, and your strong ston'd Horses tolerable, *Flemish* or *Frisons*.

**Pack-Horse.** If you will chuse a Horse for portage, that is, for the Pack or Hampers, chuse him that is exceeding strong of Body and Limbs, but not tall, with a broad back, out ribbs, full shoulders and thick withers; for if he be thin in that part, you shall hardly keep his back from galling: be sure that he take a strong stride with his feet, for their pace being neither trot nor amble, but only a foot pace, he which takes the largest strides goes at the most ease, and rides his ground fastest.

**Cart-Horse.** Lastly, if you will chuse a Horse for the Cart or Plough, which is the slow draught, chuse him that is of most ordinary height, for Horses in the Cart unequally sorted never draw at ease, but the tall hang up the low Horse. Let them be of good strong proportion big breasted, large bodied, and strong limb'd, by nature rather inclin'd to crave the whip than to draw more than is needfull. And for this purpose Mares are most profitable; for besides, the effecting of your work, they yearly bring you forth increase: therefore, if you furnish your draught with Mares to breed, observe in any wise, to have them fair forehanded, that is, good head, neck, breast, and shoulders; for the rest it is not so regardfull, only let her body be large; for the bigger room a Foal hath in the dams belly, the fairer are his members. And above all things observe never to put your draught beasts to the Saddle, for that alters their pace, and hurts them in their labour.

**Of Mares.**

Now for the ordering of these severall Horses: first for the Horse for service, during the time of his teaching, which is out of the Wars; you shall keep him high and lustily; his food, no Straw but good Hay, his provender clean dry Oats, or two parts Oats and one part Beans, or Pease, well dried and hard; the quantity of half a peck at a watering, morning, noon, and evening, is sufficient.

In



In his days of rest, you shall dress him betwixt five and six in the Morning, Water betwixt seven and eight, and Feed from nine till after eleven: in the Afternoon, you shall Dress betwixt three and four, Water betwixt four and five, and give Provender till six, then Litter at eight, and give Food for all Night. The night before he is Ridden, you shall at nine of the Clock at Night take away his Hay from him; at four of the Clock in the Morning give him a handfull or two of Oats, which being Eaten, turn him upon his Snaffle, rub all his Body and Legs over with dry Cloaths, then Saddle him, and make him fit for his Exercise. Soon as he is call'd for to be Ridden, wash his Bit in fair water, and put it into his Mouth with all other things necessary, draw up his Girths, and see that no Buckles hurt him: then lead him forth, and as soon as he hath been Ridden, all Sweating as he is, lead him into the Stable; and first Rub him quickly over with dry Wisps, then take off his Saddle, and having Rubb'd him all over with dry Cloaths, put on his housing Cloth, then set on the Saddle again, and girt it: then lead him forth, and walk him up and down in gentle manner an hour or more, till he be Cold: then set him up, and after two or three hours fasting, turn him to his Meat: then in the Afternoon, curb, rub, and dress him; then water him, and order him as is aforesaid.

For ordering of the Horse for a Prince, or great Ladies Seat, *let it be in his time of rest, like unto the Horse for Service: and in his time of Labour, like the Travelling Horse, as shall be shewed instantly: only because he is to be more Choicely kept, I mean in the Beautifullest manner, his Coat lying smooth, and shining, and his whole Body without any stain or ill-favouredness; you shall ever when he hath been Ridden, and cometh in much Sweating, presently have him into the Stable, and first Rub him down with clean Wisps; then taking off his Saddle, with a Sword-blade, whose Edge is rebated, you shall stroke his Neck and Body clean over, leaving no Sweat nor Filth that can be gotten out; then Clouth him up, and set on the Saddle, and walk him forth as aforesaid.* After, order and Dye him as you do other Travelling Horses: dry Oats is his best Provender, if he be fat and full; and Oats and Beans, if he be poor, or subject to lose his Flesh quickly.

For your Travelling Horse, you shall Feed him with the finest

C

Hay

Ordering of  
Horses for a  
Princes seat.

Ordering of  
Travelling  
Horses.

Hay in the Winter, and the sweetest Graſs in Summer : His Provender will be dry Oats, Beans, Peaſe or Bread, according to his Stomack : in the time of Reſt, half a peck at a Watering is ſufficient ; in the time of his Labour, as much as he will Eat with a good Stomack. When you Travel, water him two hours before you Ride ; then Rub, Dreſs, and laſtly Feed ; then B idle up, and let him ſtand an hour before you take his Back. Travel moderately in the Morning till his Wind be rack'd, and his Limbs warmed, then after do as your Affairs require. Be ſure at Night to water your Horſe two miles before you come to your Journeys end, then the warmer you bring him to his Inn, the better : walk not, nor waſh not at all ; the one doth beget Colds, the other Foundring in the feet or body : but ſet him up warm, well ſtopt, and ſoundly rubb'd with clean Litter. Give no Meat whiſt the outward parts of your Horſe are hot or wet with Sweat, as the Ear roots, the Flanks, the Neck, or under his Chaps : but being dry, rub and feed him according to the goodneſs of his Stomack. Change of Food begetteth a Stomack, ſo doth the waſhing of the Tongue or Noſtrils with Vinegar, Wine and Salt, or warm Urine. Stop not your Horſes forefeet with Cows dung, till he be ſufficiently Cold, and that the Blood and Humours which were diſperſed, be Setled into their proper places. Look well to his Back, that the Saddle hurt not ; to the Girths, that they Gall not ; and to his Shooes, that they be large, faſt, and eaſie.

Ordering of  
hunting Hor-  
ſes.

For the ordering of your hunting Horſe, let him in the time of his reſt have all the quietneſs that may be, much Litter, much Meat, and much Dreſſing, Water ever by him, and leave him to Sleep as long as he pleaſeth. Keep him to dung rather ſoft than hard, and look that it be well Coloured, and Bright, for Darkneſs ſhews Greafe, and Redneſs inward Heating. After exerciſes, let Maſhes of ſweet Malt be his uſual Scourings ; and let Bread of clean Beans, or Beans and Wheat equally mixt, be his beſt Food, and Beans and Oats the moſt ordinary.

Ordering of  
running Hor-  
ſes.

For the ordering of your running Horſe, let him have no more Meat than to ſuffice nature, Drink once in four and twenty hours, and Dreſſing every day once, at Noon only. Let him have much moderate Exerciſe, as Morning and Evening aytings, or the fetching of his Water, and know no Violence but in his Courſes only.

Let

Let him stand dark and warm, have many cloaths, and much litter, being wheat straw only. If he be very fat, scour oft; if of reasonable stature, scour seldom; if lean, then scour but with a sweet mash only. Be sure your horse be empty before he course; & let his food be the finest, lightest, and quickest of digestion that may be: the sweats are more wholesome that are given abroad, and the cooling the most natural which is given before he come into the stable. Keep his limbs with cool ointments, and by no means, let any hot spices come into his body: if he grow dry inwardly, with't meat is very wholesome: If he grow loose, then give him straw in more abundance. Burning of sweet perfume in the stable is wholesome; and any thing you either do about your horse, or give unto your horse, the more near, cleanly, and sweet it is, the better it nourisheth.

For ordering the Coach-horse, let him have good dressing twice a day, Hay and Provender his belly full, and Litter enough to tumble on, and he cannot chuse but prosper. Let him be walk't and with't after travel, for by reason of their many occasions to stand still, they must be inur'd to all hardnes, though it be much unwholesome. Their best food is sweet Hay, and well dried Beans and Oats, or Bean bread: Look well to the strength of their shooes, and the galling of their Harnesse. Keep their leggs clean, especially about the hinder feet-locks, and when they are in the house, let them stand warm clothed.

Ordering of  
Coach-horses.

For the ordering of the Pack-horse, or the Cart-horse, they need no washing, walking, or hours of fasting; only dress them well, look to their shooes and backs, and then fill their bellies, and they will do their labour. The best food is sweet Hay, Chaff, or Pease or Oat huls and Pease, or chopt straw, and Peas mixt together; once a week to give them warm Grains and Salt, is not amiss, for their labour will prevent the breeding of worms, or such like mischiefs.

Ordering of  
the Pack and  
Cart-horse.

Now for the general preservation of Horses health, it is good whilst a Horse is in youth and strength to let him blood twice in the year, that is, beginning of the Spring, and beginning of the Fall, when you may best afford him a weeks rest. After you have let him blood, two days after, give him a comfortable drench, as two spoonfulls of *Diapente*, or such like, which is called *Horse-Mishri-*

For the pre-  
servation of all  
Horses.

*Use*, in a quart of strong Ale. Use oft to perfume his head with Frankincense, and in the heat of Summer use oft to swim him. Let a fat Horse drink oft, and a little at once, and a lean Horse whensoever he hath appetite. Much rubbing is comfortable, and cheareth every member. Be sure to let your Horse eat grafs once in a year, for that cooleth the blood, scours away gross humours, and gives great strength and nourishment to the body. If notwithstanding all these principles, your Horse fall into sickness and disease, then look into the Chapters following, and you shall find the truest, best approved, and the most familiar medicines for all manner of infirmities that ever were known or published, except my *Master-piece*.

## C H A P. II

*Of Riding in general, and of the particular knowledges  
belonging to the Art of Riding of a great  
Horse, or Horse for Service,  
or Pleasure.*

*The pleasure  
of Riding.*

**H**AVING spoken something already of Horses, it now follows, we say something of the commendable exercise of riding great Horses, which in the very action it self speaketh Gentleman to all that are performers or doers of the same. And though our English Gentry, from a sloath in their industry, aim for the most part at no more skill than the riding of a ridden and perfect Horse, which is but only the setting forth of anothers mans vertue, and thereby making themselves richer in discourse than action: yet our English Husbandman, or good-man whom I seek to make exact and perfect in all things, shall not only recreate himself by riding the Horses whom the other men have made perfect, but shall by his own practice bring his Horse, from utter ignorance, to the best skill that can be desired in his motions: wherein he shall find a two-fold pleasure; the one, an excellent Contentment to his mind, that he can performe so worthy an action, without the chargeable assistance of others; and the other a healthfull support to his body, when by such recreation, his spirits

Spirits and inward faculties are revived and inflamed.

But now me-thinks, I hear some say, that I have utterly taken away the tune of this string, I have stricken so oft upon it, and that indeed there can be no delight where there is no variation: and that surely I cannot vary any more upon this plain Song, but the World would find discord either in this, or my former descants. But let them not deceive themselves, for my building standeth on a firm Rock, and I know both shall be worthily justifiable: only this I must inform all men, that in time past, long since, when our first rules of Horsemanship were given unto us, our Masters were not so skilfull in the abilities of Horse-performances as we are, but measured them by the proportions of their own weaker natures, and thence became so too much tender over them, that they respected neither the greatness of their own labours, nor the length of time before they arrived to their desires, so in the end they might aspire to their wishes with safety and full satisfaction: whence it came to pass, that in those times, and even now in these, chiefly amongst those which are meerly Riders, and no Keepers, there is no less time allowed, to the making up of a perfect Horse, than two years; when we know, and my self from experience can justify the same, that if the Rider can keep as well as Ride, that is, give as well directions for the preservation of a Horses health, and the avoidance of sorances and sickness, as put in practice artfully, every violence to be used in his Lessons, he may very well make up a perfect Horse in three Moneths, fit either for pleasure or battell, which is the full scope and end of this Treatise: wherein I would not have any man expect either new Rules, or contradiction of any already set down by men of practice and knowledge in the Art, but only a straightning or drawing of them together into a much narrower compass, giving satisfaction to our desires, and finishing up our work with speed, which before was almost lost or neglected, with the length of our labours, as you shall fully perceive by this discourse which followeth.

First, then to speak of the taming of a young Colt, which is as it were the preface or introduction to the art of riding: You shall, after he hath been in the house a week or a fortnight, and is familiar with the man, and will withall patiently indure currying,

The Riders  
Apology.

The taming of  
a young Colt.

His Sadling  
and Bridling.

ring, combing, rubbing, clawing and handling in every part and member of his body, without any shew of rebellion or knavishness, which you shall compass by all gentle and easie means; doing nothing about him suddenly or rashly, but with leisure and moderation: then you shall offer him a Saddle, which you shall set in the manger before him, that he may smell to it, and look upon it, and you shall gingle the girths and stirrups about his ears, to make him careless of the noise, then with all gentleness after you have rubb'd his sides therewithall, you shall set it on his back, and gird it gently on, and then place his Crooper with all ease; which done, you shall take a sweet watring trench, wash't, and anointed with honey and salt, and put it into his mouth, placing it to hang directly above his tush, and as it were a little leaning thereupon: this you shall do in the morning as soon as you have dress'd him, and then thus saddled and bridled, you shall lead him forth, and water him in your hand abroad: then bringing him in, and after he hath stood a little reined upon his trench at least or more, take away his bridle and saddle, and let him go to his meat till the Evening: then lead him forth as before with the saddle to the water; then when he is set up gently, take off his saddle and cherish him, and then dress him, and cloath him up for all night.

The first  
Backing.

The next day saddle him and bridle him as before said, and put on him a strong mustrole of writhen Iron, or a sharp Cavezan and Martingal, which you shall buckle at such length, that he may no more but feel it when he jerketh up his head; and then lead him forth into some new plowed field, or soft ground; and there, after you have made him trot a good space about in your hand, and thereby taken away from him all his wantonness and knavish distractions, you shall offer your foot to the stirrup; at which if he shew any distaste, either in body or countenance, you shall then course him about again: then offer again, and with leisure rise half way up; and go down again; at which if he shrink, correct him as before, but if he take it patiently, then cherish him, and somount into the saddle; which done, after cherishing alight down again, and give him bread or grass to eat: then look that your girths be well girded and streight; that the Crooper be strong and of just length; that the bridle hang even, and



and in his due place, without inward or outward Offence; that your Stirrups be fit, and generally all things, without Offence either to your Self or to the Beast; and then, as before, mount his Back, seat your Self just and even in the Saddle, make the Reins of your Bridle of equal length, carry your Rod without offence to his Eye in your Right hand, the point either directly upright, or thwarted towards your left Shoulder: Then having cherishd him, let the Groom which before led him, having his hand on the Chaff halter, lead him forward a dozen or twenty paces, then gently straining your hind, with the help of the Foot-man make him stand still; then cherish him, and lead him forward again, and do this five or six times one after another, till by continual use, you make him of your own accord, (without the Foot-mans help) by giving your Body, and thrusting your Leggs forward, go forward; which as soon as he doth, you shall stay him, and cherish him, and then sitting on his Back, let your Foot-man lead him home, and bring him to the Block, where after you have cherishd him, you shall gently alight, and cause him to be Set up, and well Drest and Meated. The next day you shall bring him forth as before, and in all points, take his Back, as aforesaid, and so, by the help of the Foot-man, trot fore-right half a Mile at least; then let the Foot-man lay off his hand, and walk by him, till you have of your Self trotted him forth another half Mile; then cherish him, and make the Foot-man give him some Grass or Bread to Eat, and then taking a large Compass, trot him home, and bring him to the Block as before, and there alight, and so Set him up.

The third Day let your Foot-man light upon some spare Jade, and then bringing your Colt to the Block, take his Back gently; and after you have cherishd him, the other Riding before you, follow him forth-right a Mile, ever and anon at the end of twenty or thirty score, stopping the Colt gently, cherishing him, and making him yield, and go back a step or two, and then putting him forward again, till he be so perfect, that with the least motion he will go forward, stop and retire, which will be effected in two Days more; in which space, if he chance at any time to strike or rebell, you shall make him which Rides before you take the spare Reyn, and lead him forward, whilst you give him two or three good Lashes under the Belly, and then being in his way, take the spare



spare Reyn to your Self again : and thus you shall do, till all fautes be amended : Then you shall spare your Horfe-man, or Guide, and only by your Self, for three or four days more, trot him every Morning and Afternoon, at least a Mile or two forward, using him only to stop or retire, and bringing him home a contrary way to that you went forth, till he be so perfect and willing, that he will take his way, how or in what manner your Self pleaseth ; ever observing to mount and dismount at the Block only, except some special Occasion constrain you to the contrary.

This you may very well bring to pass, the first Week of the Horses riding.

The three  
main points  
of a Horse-  
mans Skill.

As soon as you see your Horfe will receive you to his Back, trot forth-right, stop, and retire, and do all this with great patience and obedience ; you shall then call into your mind the three main points of a Horsemans Knowledge, which are helps, corrections, and cherishings. And for helps, they consist in these: First, the Voice, which Soundeth sharply and cheerfully, crying, *via, bow, hey*, and such like, adds a Spirit and Liveliness to the Horfe, and lends a great help to all his Motions : then the Bridle, which restrained, or at liberty, helps him how to do, and shews which way to do.

Then the Rod which being only shewed, is a help to direct ; being only moved, helps the quickness and nimbleness of the Motion ; and being gently toucht withall, helps the Loftiness of a Horses Salts and Leaps, and makes him as it were gather all his Strength into one point ; and lastly, the Calves of the Leggs, Stirrop-leathers, and Strirrops, which, moved by the Horses side, helps him to Nimbleness, Swiftnes, and Readiness in turning. Some to these helps, add the help of the Spur, chiefly in high Salts or Boundings, but it must be done in a just and true time, and with such gentle Bitterness, that the Horfe may understand it for a help ; or else he will take Distaste, and finding it savour like Correction, instead of bettering his doings, do with more Disorder ; as to Spraule with his Fore-feet in advancing, to Yerk out with one or both his hinder Feet in the Corveit or Bounding, shaking of his Head, and such like, as will appear in practice.

Of Correcti-  
ons, and which  
they be.

Now of, Corrections, the most principle is the Spur, which  
must

must not at any time be given triflingly, or itchingly, but soundly and sharply, as oft as just occasion shall require : then the Rod, which upon disorder, sloath, or miscarriage of the Members, must be given also soundly : then the Voice which being delivered sharply and roughly, as *ha villian, carridro, diablo*, and such like Threatnings, terrifieth the Horse, and maketh him afraid to Disobey : and lastly, the Bridle, which now and then stricken with a hard Check in his Mouth, reformeth many Vices and Distemperatures of his Head : yet this last must be done seldome, and with great discretion ; for to make a Custom thereof, is the ready way to spoil a Horses mouth.

Now of Cherishings, there are generally in use but three ; as first the Voice, which being delivered smooothly and lovingly, as Crying, *holl a so Boy, there Boy there*, and such like, gives the Horse both a Cheerfulness of Spirit, and a Knowledge that he hath done well ; then the hand, by clapping him gently on the Neck or Buttock, or giving him Grass, or other Food to Eat, after he hath pleased you : and lastly, the big end of the Rob, by Rubbing him therewith upon the Withers or Main, which is very pleasing and delightfull to the Horse.

Of cherishing

Now after these ordinary and usual Helps, Corrections, and Cherishings ; you shall have respect to the Mustrole, or Cavezan, and Martingale, which carry in them all the three former, both severall, and unite ; for it is first an especial help and guide to every well disposed Horse, for setting of his Head in a true place, forming of his Rein, and making him appear comely and gallant in the Eyes of the beholders ; then it is a sharp Correction when a Horse yerketh out his Nose, or disordereth his Head any way, or striveth to plunge or run away with his Rider : And lastly, it is a great Cherishing unto the Beast, when he yieldeth his Head to your hand, by shrinking from his Face, and so leaving any more to torment him, but when he Offendeth : whence it comes, that more from this than any thing else, the Horse first gaineth the Knowledge of his Masters will, and is desirous to perform it : therefore you shall be very carefull in the placing of this upon the Horse ; as first, that it hang somewhat low, and rest upon the tender Gristle of the Horses Nose, whereby the Corrections may be the sharper when occasion requires it ; then that it be loose,

Of the Mustrole and Martingale.

and not strait, whereby the Horse may feel, upon the yielding in of his Head how the Offence goeth from him, and so know that only his own Disorder is his Punishment. Lastly, he shall be carefull to note how he winneth the Horses head, and by those degrees to draw his Martingale straiter and straiter, so as the Horse may ever have a gentle feeling of the same, and no more, till his Head and Rein be brought to that perfection that you desire, and then there to stay; and keep the Martingale constantly in that place only, which you shall perform in those few days which you trot your Horse forth-right, being before you bring him to any Lesson, more than the Knowledge of your Self, and how to receive you to his Back, and trot forth Obediently with you.

Of treading  
the large ring.

Choice of  
ground.

When your Horse is brought unto some certainty of Rein, will trot forth-right with you at your pleasure, and by your former Exercise therein is brought to breath and delight in his Travel, *which will grow and encrease upon him, as you grow and encrease in your Labour*; then you shall bring him to the Treading forth of the large Rings in this manner: First, *if he be of heavy and sluggish nature, sloathfull and dull, and albeit he hath strength and sufficiency of body, yet you find him slovenly and unapt*; then you shall trot him in some new plowed field, soft and deep: But *if he be of quick and of fiery spirit, apt, nimble, and ready to learn*; then you shall trot him in some sandy or gravelly place, where is strong and firm foot-hold, and there you shall mark out a spacious large Ring, at least three score or four score paces in compass; and having walked him six or seven times about the same on your right hand, you shall then by a little straitning of your right Reine, and laying the calf of your left leg to his side, making a half-circle within your Ring, upon your right hand, down to the center or mid-poynt thereof; and then by straitning your left Reine a little, and laying the calf of your right legg to his side, making another half-circle to your left hand from the center to the outmost verge, which two half-circles contrary turned, will make a perfect Roman S. within the Ring; then keeping your first large circumference, walk your Horse about on your left hand, as oft as you did on your right; and then change within your Ring as you did before to your right hand again, and then trot him first

on the right hand, then on the left, so long as you shall think convenient: And although our ancient Matters in this Art have prescribed unto us certain numbers of Ring-turnes, and how oft it is meet to go about on either hand, as if all Horses were of one eaven ability; yet I would wish you to neglect those Rules, and only to practise your Horse in this Lesson, according to his strength of his body; sometimes applying him therein an hour, sometimes two, and sometimes three, more or less according to your discretion; for the space of time can neither bring weariness nor tiring: and for your change of hands, you shall do it as oft as shall seem best to your self, being ever very carefull to give him the most exercise, and that hand, on which he is ever most unwilling to go; and in this lesson be carefull also that he do it cheerfully, lustily, and nimbly, quickning and inflaming his spirits by all the means possible; and when you find that he will trot his large rings perfectly, which will questionless be in less than a weeks space, being well applied therein, for you must not fore-slow any morning except the Sabbath, hardly any afternoon also, if you find him sloathfull and heavy; for there is no greater hinderance than the Riders too much tenderness, nor any greater furtherance then a continuall moderate exercise. Therefore as I said, when he will trot his Rings well, then **Of gallopping large Rings.** in the same manner, and with the same changes, you shall make him gallop the same Rings, which he shall do also with great dexterity, lightness, and much nimbleness, without losing the least part or grace of his best rein: Nay, so carefull you shall be thereof, that in this gallopping, you shall, as it were, gather his body together, and make his Reine rather better than it was, and make him take up his feet so truly and loftily, that not any eye may see or perceive a falshood in his stroke, but that his inward feet play before his outward, and each of a side follow the other so directly, that his gallop may appear as the best grace of all his motions: neither shall you enter him into this lesson rashly and hastily, but soberly, and with discretion, making him first gallop a quarter of the Ring, then half, then three parts, and lastly the whole Ring: neither shall you force him into his Ring with violence or the sharpness of spurs, but with spirit and mettall, making him by the lightness and cheerfullness of your own body,

pass of his own accord into his gallop, and especially in his changes, where you may let him feel your leg, and shew him your Rod on the contrary side: and herein is to be noted, that continually those changes (in as much as they are made in a much straiter compass) must be done ever with great quickness, and more stirring nimbleness than intire lessons.

Helps in the  
large Ring-  
turns.

Now for the helps necessary in these large Ring-turns, they consist generally in the *Voice*, *Rod*, *Calves* of your *Leggs*, and the *Bridle*; In the *Voice* by quickning him up, and reviving his spirits when he grows sloathfull, with these words, *How, hey, or via*: In the *Rod*, by shewing it him on the contrary side, or laying it on the contrary shoulder, and some times by shaking it over his head, which is a kind of threatening, chiefly when you make your changes. In the *calves* of your legs, when you clap them hard to the contrary side to which he turneth, or by springing and jerking your legs forward, hard upon your stirrop leathers, which will quicken him and make him gather up his limbs better than the spur by many degrees: And lastly, in the *bridle*, by drawing it in a little straiter, and holding it with some more constancy, when you put any of your former helps in use, or do anything with more life or courage, for that maketh him draw his limbs together, and so straiten his Rings with gracely comeliness.

Corrections  
in the Ring-  
turns.

For the Corrections in these large Rings, they be divers; as namely, the *Bridle*, the *Spur*, and the *Rod*, and sometimes the *voice*, yet that but seldome; for the *bridle*, you shall correct your Horse therewith if he carry his head or chips awry, making as it were mouths and ill favoured countenances, giving him now and then a little check in the mouth, and awaking him from such forgetfull passions, or now and then drawing the trench to and fro in his mouth, which will reform the error; then the spur which must be laid sharp and hard to his sides, when you find your helps will do no good, but that his sloath rather more and more increaseth, or when he presseth and hangereth hard upon your hand or looseth the rutch of his rein, or such like vices; for the *Rod*, when you find that he neglecteth the shewing or shaking of it, or when he disordereth any of his hinder parts and will not gather them up comely together, then you shall therewith give him a sound lash or two under the belly, or over the contrary shoulder; and to any of these former Corrections you

you shall ever accompany the threatning of your voice, when the fault is too much foul, and no otherwise, because there should be ever an entire love berwixt the Horse and the Horseman, which continuall chiding will either take away or at least root out the apprehension thereof.

Now for your Cherishings, they are those which I formerly spake of; only they must be used at no time but when your Horse doth well, and hath pleased your mind, both with his cunning and tractableness: and although the time for the same be when he hath finish'd his lessons, yet there is a secret pleasing and cherishing of a Horse with the bridle, which must be exercised in the doing of his Lessons, and that is the sweetning of his mouth by a little ceasing of your bridle hand, and gently drawing it up back again, letting it come and go with such an unperceiving motion, that none but the beast may know it.

*Cherishings  
in his Ring-  
turns.*

When your Horse can trot and gallop these large Rings with all perfectness, which with good industry will be perfected in less than a fortnights exercise, you shall then proceed to make him stop fair, comely, and without danger, which you shall do in this manner: First, as soon as you have taken his back, cherish him, put him gently forward, and bring him into a swift trot: after you have trotted him forty or threescore yards forward, you shall by drawing in your bridle hand straitly and suddenly, make him gather his hinder-leggs and fore-leggs together, and so in an instant stand still, which as soon as he doth immediately you shall ease your hand a little, yet not so much as may give him liberty to press forward, but rather to yeeld backward, which if you find he doth, you shall give him more liberty, and cherish him, and then having paused awhile, draw in your bridle-hand, and make him go back two or three paces, at which if he strike, instantly ease your hand, and draw it up again, letting him come and go till he yeeld and go backward, which (for the most part) all Horses at the first will do: but if it be that your Horse rebell and will not go back with this gentle admonition, you shall then cause a footman standing by to put him back with his hand, and in this motion you shall cherish him, that he may understand what your will is. And thus every time you make him stop, you shall make him retire back, till in one space of time you have made both Lessons perfect: and this practice you shall use both till you come

*Of stopping  
and going  
back.*



come to your large Rings, and at every time you finish your lesson, or give the Horse breath or ease; whereby you shall perceive that your Horse shall learn to trot and gallop the large Rings, to stop and retire back, all in one space of time, because you see successively they follow one another, and are to be done (though three) but as one intire lesson.

**Helps.**

Now for the helps in these Lessons, the best for stopping is the choice of ground, as by making your Horse ever to stop down the slope of some hill, or descending ground, whereby he may be compell'd to couch his hinder loyns the better, and so make him stop most comely, and to observe that the ground be firme and hard, without danger of sliding, lest the Horse, finding such an imperfection, grow fearfull, and so refuse to do your will out of his own danger. In retiring you shall help him with your rod; by putting it before his breast, or shaking it before his knees, to make him remove his feet more quick and nimbly.

**Corrections.**

For corrections in stopping, it most sometimes be done by your self, as with the even stroke of your spurs, when in his stop he disordereth his head, or with any one single spur, when he casteth out his hinder loyns, and will not stop right in an even line; and sometimes it must be done by another by-stander, where he refuseth to stop at all, who standing at the place of stop, as soon as you draw up your hand, shall with his rod threaten the Horse and make him not dare to press forward, or if he do press forward, to make him retire swiftly back so much ground as he gained, both your self and the by-stander rating him with your voices extreamly: for correction in retiring, they are the even strokes of both your spurs, when he sticks, or presses upon your hand, and will not yield back; and also your rod struck sharply on his knees and breast, and the rod of a by-stander struck upon his breast, knees, and face, when his stubbornness is too violent.

**Cherishings.**

But for his cherishings, they be all formerly spoke of, when your will is comely and obediently performed, besides the addition of some other, as the present easing of your bridle hand, and the suffering and cherishing of your by-stander, and so offering him to stand and recover breath a good space after.

When



When your Horse can stop and retire well, which may be done in the same space that you teach him in his large Ring-turnes, for it is as it were three lessons learn'd in one; you shall then teach him to advance before when he stoppeth, which is very comely and gracefull to the beholders: and you shall do it in this manner; After you have stopp'd your Horse, without giving your hind any ease, you shall lay the calves o both your leggs hard to his sides, and add thereto the noise of the shaking of your Rod, and your voyce by crying *up, up*, which will at first (peradventure) but a little amaze him, because he understandeth not your meaning: Therefore you shall put him forward again, and do as before, and that with a little more strength, continuing the practice of the same till you perceive he taketh one foot from the earth, then cherish him a little, and so to the lessons again, till he taketh up both his leggs from the ground, which when he doth, orderly or disorderly, yet cherish him exceedingly, that he may come to the knowledge of your meaning, without which all your labour is lost; then to your former practice again, till you have brought him to that perfectness, that he will, with all readiness, advance as oft as you will give him the calves of your leggs to his sides, be it less or more times together: This done, you shall look to the orderly and comeliness of his advancing; As first, that he takes up his legs both even together, and bend them inward towards his body; then that he advance not too high (for fear of coming over upon you,) but couch his hinder loyns close to the ground; then that he spraulerh not, nor pawerh with his feet forward; and lastly that he advance not for his own pleasure, but when you command him by your own direct and orderly motions; for the contrary is a foul fault in Horsemanship.

Of advancing, before.

For helps in this Lesson, they are the calves of your leggs, the Helps. shaking of your Rod over his head, and your voice, as is before said, and the descent of some hanging ground, which will make his hinder loyns close to couch the better.

The Corrections are according to the nature of offences, as Corrections. the even stroke of your spurs, or a good lash with your Rod, when you see he fixeth his feet to the ground, and stubbornly applies himself to disobey you, or will take up his feet one after another,

ther, and not both together. If he do advance too high, so as he is ready to come over upon you, or if he Sprawle or Paw forth with his Feet, you shall not then only give him both your Spurs hard together, but also a good Jerk or two with your Rod between his Ears: but if he advance when you would not have him, you shall then in the same instant Jerk him over both the Knees with your Rod; and if he advance again, Jerk him again, not ceasing till he fix his Feet to the ground, or go backward; and then cherish him.

**Cherishings.** For particular Cherishings in this Lesson, they are no other than those former spoken of, only they must be done with a more ready Watchfulness, in the very instant and moment of time, in which he performeth any thing well, that the Horse may understand why, and wherefore he receiveth such contentment, and thereby be encouraged to continue in his goodness, and be more ready to apprehend his Riders pleasure.

**The use of  
advancing.**

For the use of Advancing, it is two-fold; as namely, to give a grace to his other Lessons, and to bring his Body to Nimbleness: yet for the most part, it is only us'd at the stop; where, when you have finish'd any Lesson, if then concluding with the stop, you make him Advance once, twice, or thrice, it will be both a grace to the Beast, and shew much art in the Horseman; also it maketh a Horse apt and ready to turn well, and maketh him trust to his hinder Legs, whereby his fore-parts may be directed and governed at the Horsemans pleasure.

**Of yerking  
behind.**

Next to Advancing, you shall teach your Horse to Yerke behind, in this manner: When at any time you have made him stop, you shall presently with your Rod give him a good Jerk under the Belly near to his Flank, which though at the first he apprehend not, yet by a continuall and constant use thereof, you shall in the end bring him to Yerke out his hinder Legs; at the first doing whereof, you shall Cherish him, for that is the only Language by which he knoweth he doth your Will; and then having paused a little, make him to do it again, encreasing it every Day, and doubling his doings till he be so ready, that when you please to give the Jerk, he will then give the Yerke; and then you shall look to the Comeliness of his doings, that is to say, that he Yerke not out his hinder Leggs, till his Fore-leggs be above the ground,

ground, then that he yerke not one leg farther out than the other, but both eaven together; then that he yerke not too high; and lastly, that he yerke not one leg out whilst the other is on the ground, all which are errors of great grossness. Therefore to make the Horse more perfect in this lesson, it shall be good to teach him to yerke out behind, when he standeth in the stable, by jerking him on the buttocks with your rod, and not ceasing to molest him till he raise up his rump above the ground, and then to cherish him, and so to apply him, without any ease and rest, till he do your will; then when he is perfect, to put the same in practice when you are in the field on his back, by turning your rod in your hand to his buttock-ward, and touching him therewith, to make him yerke as aforesaid.

For the helps, they are the constant staying his mouth on the bridle, the stroke of your rod under his belly, or the gentle touching him upon the rump with the same. Helps.

The corrections are only the eaven stroak of your Spurs, when either he refuseth to yerke, or yerketh out disorderly, or out of malice; or the single Spur on that side on which he yerketh out most disorderly: and lastly, a restless holding of him to the lesson, nor giving him any rest or ease, till he do it in that manner which you can wish. Corrections.

Then for his cherishings, they are all those formerly mentioned, being bestowed upon him in the very instant of his well-doing. Cherishings.

When your Horse is perfect, in all the lessons formerly spoken of, and understandeth the helps and corrections belonging to the same; you shall then teach him to turn readily on both hands, by straitning his large rings, and bringing them into a much less compass, and although amongst Horse-men, and in the Art of Horsemanship, there are divers and sundry turns; some high and lofty, as the turn upon the *Corvet*, *Capriole*, or on bounds; some close and near the ground, as the turn *Terra*, *Terra*, or these we call *Coragolo*, *Serpegiare*, and such like; and some swift and flying, as the *Incalvalare*, *Chambetta*, and such like; yet sith they all labour but to one end, which is to bring an horse to an exact swiftness and readiness in turning, I will, in as brief and plain manner as I can, shew you how to compass the same. First, therefore, you shall mark out a ring some three or four yards in compass

pass, and in the same, with all gentleness, a while walk your Horse, suffering him to go the same at his own pleasure, gathering his head up by little and little, and making him take pleasure in the same, till you find that he taketh knowledge of the Ring, and will with all willingness make about the same, covering rather to straiten it, than enlarge it; which perceived, you shall then carry your bridle hand constant and somewhat strait, yet the outmost rein ever somewhat more strait than the inmost, making the Horse rather look from the Ring than into the Ring, and the calf of your leg (as occasion shall serve) somewhat near to the outward side of the Horse, and then you shall trot him about the ring, first on the one side, and then on the other, making your changes within that strait Ring, as you did before within the large ring.

And in this sort without ceasing, you shall exercise your Horse a full hour together, then stop him, make him advance twice or thrice together, then retire in an even Line, and so stand still a pretty while, and cherish him; then when he hath taken fresh breath, to him again, and do as before, continually labouring by raising up your bridle-hand, and thrusting forward your Legs and body, to bring his trot to all the swiftness and looseness that may be, and in your changes to do them so readily and roundly as may be: also, making him to lap his outmost leg so much over his inmost leg, that he may cover it more than a foot over, and thus you shall exercise him a whole forenoon at least a week together, only doing his former lessons but once over in a morning and no more; and in this practice you teach him perfectly three lessons together, that is, the turn *Terra, Terra*, the *Incavalare*, and the *Chambetta*: the turn *Terra, Terra*, in the outmost circle of the strait Ring, and the *Incavalare* and *Chambetta* in the changes, wherein he is forc'd to lap one leg over another, or else to lift up the inmost leg from the ground, while he brings the outmost over it: and surely in this Ring and these changes, consisteth all the main Art of turning, and the chiefest glory both of the Horse and the Horse-man; and therefore it is meet for every Rider to think this lesson never perfectly learnt, and therefore continually to practise his Horse in the same, making him not only tread and trot narrow rings, but also gallop them, and from galloping

galloping them to pass them about in ground-falks, as by taking up his fore-leggs from the ground both together, and bringing his hinder feet into their place, and so passing the Ring about once or twice or thrice, at your pleasure, or as oft as the Horses strength and courage will allow: And this is the true turn, called *Terra, Terra*, and of greatest request with Horse-men, and likewise with Souldiers; and this will every Horse naturally and easily be brought unto, only by a continuall trotting and galloping of these narrow Rings. Thus you see the perfectness of your large Rings, brings your Horse to an easie use of the strait Rings; and the easie knowledge of the strait Rings brings a Horse to the perfection of turning, which is the ground and main summe of this Art; a stopping begets retiring, and retiring advancing. Thus every lesson, as it were a chain, is linkt one to another.

The helps belonging to turning, are all whatsoever are formerly spoken of, because it is a Lesson, which besides that it containeth in it self all other Lessons, so it must be done with more courage, Art, and nimbleness, then any else whatsoever; and therefore the Horse had need of all the assistance that can possibly be given him.

Helps.

The corrections are the spurs given on the utmoſt side, when the Horse sticks, and is harder to come about on the one side than on the other, and the Rod stricken hard on the outmoſt side of the offending member, as also a continuall labour, when the Horse sheweth either unwillingness or disobedience; touching the unnimbleness of his turning, when he beats one legg against another, or treads one foot upon another, the raps and hurts he doth himself are sufficient corrections; and will both make him know his fault and amend it.

Corrections.

For his cherishings, they are also the former already spoken of, yet to be used (if possibly) with greater earnestness, in as much as this Lesson being most cunning, would, for the performance thereof, ever receive the most comfort.

Cherishings.

Your Horse being brought to this perfection, that he will perfectly tread his large rings, stop, retire, advance before, yerk behind, and turn readily on either hand, you shall then take away his musſole and trench, and in stead thereof put upon his head a gentle Covezan or two joynts and three peeces, with a

chap-band underneath, which you shall buckle close, but not straight; and be sure that the cavezan lye upon the tender gristle of the Horses nose, somewhat near to the upper part of his nostrils; then to the chap-band you shall fasten the Martingale; and lastly to the rings on each side the cavezan, you shall fasten long divided reins, more than a yard and a half in length a piece; then into his mouth you shall put a sweet smooth cannon bit, with a plain watering chain, the cheek being of large size, so as it may arm a little above the point of his shoulder; and the kirble shall be thick, round, and large, hanging loosely upon his nether lip, and enticing the Horse with his lips to play with the same. Thus armed you shall take his back, and casting the left reine of your cavezan over the Horses right shoulder, you shall bear it with your thumb, with the reins of the bit in your left hand; and the right reins of the cavezan you shall cast over the Horses left shoulder, and bear it with your rod in your right hand, and so trot him forth the first morning out-right a mile or two in the highway, making him only feel and grow acquainted with the bit, and only making him now and then stop and retire, and gathering up his head in a due place, and fashioning his reine with all the beauty and comeliness that may be: which done, the next day you shall bring him to his large rings, and as was before shewed, there make him perfect with the bit as you did with the snaffle; first in trotting, then in galloping of the same, then make him stop, retire, advance, jerk behind, and come upon your hand with a great deal more perfectness, and more grace than was formerly done with the trench, which is an easie labour, in as much as the bit is of much better command, and brings more comeliness to the Horses motions, is also a greater help, a sharper correction, and a cherisher of more comfort than any before used. And thus as in the first moneth you may make any Horse perfect upon the trench in the lessons before spoken of, so in the second moneth you may make the same lessons a great deal more perfect upon the bit, and so presume in two moneths to have a perfect ground Horse, fit either for Souldier or Schollar that hath any good rules of Horfman-ship in him.

Of the turning Post.

Now for as much as the Art in turning in Horses is of great difficulty, and ought of all Lessons to be most elaborate, I will speak



Speak a little further thereof, and shew you the practice of these present times, for the best accomplishment of the same, without stirring up evil motions in the Horse, whence Restiveness, and other vile errors do grow; for it is certain that every Horse naturally desireth neither offence, nor to offend; but the rash indiscretion of ignorant Horsemen, which will compell a Horse to do, before he know what, or how to do, is the begetting of those evils which are hardly or never reclaimed: for a Horse is like an ill brought up boy, who having learnt drunkenness in his youth, will hardly be sober in his age, and having once got a knavish quality, though he be never so much punished for the same, will yet now and then shew that the remembrance is not utterly extinguished; and for as much as in this Lesson of strait turns, there is so much curious hardness that a Horse is most subject to rebell, and learn many evils thereby, therefore to prevent all those evils, you shall cause a smooth strong post to be well ram'd, and fixed in the earth in the midst of the strait ring, at the very poynt and center thereof; then causing a foot-man to stand at the post, you shall give him the right reine of your cavezan, which you shall make him hold about the post, and so walk or trot your Horse about the same on your right hand as long as you please; then taking up the right rein, give him up the left rein, and do as much upon the left hand; and thus change from hand to hand, as oft as you shall think convenient, till you have brought your Horse to the absolute perfection of every turn; the post being such a guide and bound unto the Horse, that albeit the Horseman were of himself utterly ignorant, yet it is impossible the Horse should either disorder or disobey the Riders purpose.

When your Horse can thus perfectly set every severall turn *Of managing:* either strait, or open, with his bit, you shall then teach him to manage, which is the only posture for the use of the sword on Horseback; and you shall do it in this manner: First, cause some by-stander to prick up in the earth two riding rods, about twenty or forty yards or more, as you think good, distant one from the other; then walk your Horse in a strait turn or ring about the first on your right hand, and so passing him in an even furrow down to the other Rod, walk about it also in a narrow

row Ring your left hand , then thrust him into a gentle gallop down the eaven furrow, till you come to the first Rod, and there making him ( as it were ) stop and advance without any pause or intermission of time, thrust him forward again , beat the turn *Terra, Terra*, about it on your right hand , then gallop forth right to the other Rod , and in the same manner beat the turn about on your left hand ; and thus do as oft as you shall think it convenient for your own practice and the Horses strength.

**Diversities of Manages.**

Now of these manages, our ancient Masters in Horse-manship have made divers kinds, as manage with rest , and manage without rest , manage with single turns , and manage with double turns , which indeed doth rather breed confusion than understanding in either the Horse or Horseman : Therefore for your better knowledge, I will reduce them only but to two kinds, that is manage open, and manage close : your open manage is that which I shewed you before , when you turn *Terra, Terra*, which is the most open of all strait turns ; and your close manage is when you turn upon the *Incavalare* , or *Chambetta* , which are the closest of all turns , -and may be done as before I shewed in a flying manner, eaven upon one foot, which although it be artfull, yet it is not so glorious and safe for the Souldiers practice ; only, this you may be must assured of , that when a Horse can manage upon both these turns, he may manage, without more Instruction, upon any other turn whatsoever.

**Of the Career.**

When your Horse is perfect in the manages before said , you may then pass a *career* , at your pleasure , which is to run your Horse forth-right at his full speed , and then making him stop quickly , suddenly, firm , and close on his buttock : in which lesson there needeth little instructions, but only some few observations , as first, that you make not your *career* too long, whereby the Horse may be weakened ; or too short, whereby his true wind and courage may be undiscover'd , but competent and indifferent , as about four or fivescore yards at the most : then that you start him gently with out afright ; and lastly , that you first give him a little warning with your bridle-hand , and then stop him firmly and strongly ; which place of stop, if it be a little bending down wards , it is a great deal the better. And thus in these lessons already shewed you consisteth all the full perfection

fection of a Horse for service in the Warrs, which any painfull man may bring his Horse well unto, in less than three monerhs; how ever our Ancients in former times have been blind, and in the same practice have wasted two years ere they brought it to perfection.

Now for as much as to the Art of riding belong divers other salts and leaps, right pleasant and curious to behold; and though not generally used in the warrs, yet not utterly useles for the same; and sith they are many times very needfull for the health of mans body, I will by no means abridge our English Husband-man of the same, but proceed to the lessons which are meet for Horses of pleasure: Of which the first is to make a Horse bound aloft with all his four feet from the ground, and you shall do it in this manner; When you have trotted your Horse forthright a dozen or twenty yards, you shall stop him, and, when he hath advanced once or twice, you shall a little straiten your bridle-hnd, and then give him the eaven stroke of both your spurs together hard, which at first will but only quicken and amaze him, but doing it again and again, it will breed other thoughts in him, and he being of spirit and mettall, (as it is lost labour to offer to teach a Jade such motions) he will presently gather up his body, and either rise little or much from the ground; then presently cherish him, and after some rest, offer him the like again, and thus do till you have made him bound twice or thrice, then make much of him, and do no more for that day; the next day renew his Lesson again, and double his exercise, increasing so day by day, till he come to that perfectness, that he will bound whensoever your Spurs shall command him.

Horses for  
pleasure.

Of Bound-  
ing aloft.

When your Horse can bound perfectly, then you shall teach him the Corvet in this manner: You shall at the corner where two walls joyn together, a little hollow the ground a Horses length or more, and then place a smooth strong post by the side of the hollownes, of a Horses length likewise from the wall; then over against the post fasten an Iron Ring in the wall; this done, ride your Horse into the hollow place, and fasten one of the reins of the Cavezan unto the Ring, and the other about the post, then after you have cherished your Horse, make him advance.

Of the Corvet.

advance, by the help of your calves of your legs only, twice or thrice together; then let him stand still, and cherish him, then make him to advance again at least a dozen times together, then rest, and after advance twenty or forty times together; daily increasing his advancements as he grows perfect therein, till you perceive that he hath got such a habit therein that he will by no means press forward, but, keeping his ground certain, advance both before and behinde of an equall height, and keep one just and certain time with the motion of your legs, neither doing slower nor faster, but all after one manner and leisure: but if you find that he doth not raise his hinder parts high enough, then you shall cause a foot-man to stand by you, and as you make him advance before, so the foot-man by jerking him gently upon his hinder fillers with his rod to raise up his hinder parts also; this will bring your Horse in few dayes to a perfect and brave Corvet, so that after you may do it in any place where you please, without the help either of wall or post, or other by-stander.

Of the gallop  
Galliard.

When your Horse is made perfect in the Corvet, and that he will do it readily and comely, you shall at the end of every third or fourth advancing, give him the stroke of your Spurs, and make him bound aloft; then put him to his Corvet again as before, and then make him bound again; and thus at the end of every third advancing, see you make him bound for the length of a tilt bar, or an ordinary managing furrow, according to the Horses strength, and this is called the *gallop galliard*, which if it be taught a Horse along by the side of some wall or smooth pale, it is so much the better, and a great deal fewer disorders will rise and trouble the Rider.

Of the  
Capriole.

The next lesson you shall teach your Horse after the gallop galliard, is the *Capriole*, or Goats leap, which is the same manner of motion which the Corvet is, only it is to be done forward, and much ground gained in the salt, and the Horse is to raise his hinder parts as high, or rather higher than his fore-parts, and to keep rather a swifter than slower time in doing of it; therefore when you teach your Horse to do it, you shall bring him into some hollow furrow, where the ground is a little descending, and turning his head to the descent, put him into the Corvet temperate and gently; then when you give him the calves of your  
leggs

Leggs to raise up his fore-parts, in the same instant jerk your Legg violently forward again, that he may not stick, but carry his hinder-leggs after his fore-leggs, and let some skilfull Foot-man standing by your side, jerk the Horse over the Fillets with his Rod, and make him raise up his hinder parts; and thus do without ceasing, till he perform your will nimbly and cunningly: and then forget not to cherish him, and give him all comfort possible. And this Lesson, and the other which consist of violent and quick Salts or Leaps, would ever be practised the first in the Morning, whilst a Horse is fresh and lusty; for to put him to them after his Fire-edge is taken away, will but bring him to a Loathing of his Instruction, or at best to do them but slovenly, heavily, and unwillingly.

There is also another Motion which is pleasing to the Eye, Of going though it be very Laboursome to the Body, which is to make a *afido*. Horse go side-long of which hand soever the Rider is disposed, and is very necessary in the Warrs, because it is the avoiding of any Blow coming from the Enemy. This motion when you intend to reach your Horse, you shall draw up your Bridle hand somewhat strait, and if you determine to have him go aside to your right hand, lay your left Rein close to his Neck, and the Calf of your left Legg close to his Side, and as you did in the *Incaualare*, making him lap or put his left Legg over his Right, then turning your Rod backward, and jerking him gently on the left hinder Thigh, make him bring his hinder parts to the Right side also, and stand in an eaven Line as at the first; then make him remove his fore-parts more than before, so that he may stand, as it were, cross over the eaven Line, and then make him bring his hinder parts after, and stand in an eaven Line again; and thus do, till by long practice he will move his fore-parts and hinder-parts both together, and go side-long as far as you please; then cherish him, and if you will have him go towards your left hand, do as you did before, using all your helps and corrections on the right side only. And thus much I think is sufficient to have spoken touching all the several Lessons meet to be taught to any Horse whatsoever, whether he be for Service, or for Pleasure, and which being performed artificially, carefully, and with patience, you may presume your Horse is compleat and perfect.

F

perfect, the rather sith no man can find out any invention, or teach any other motion to a Horse, which may be good and comely, but you shall easily perceive that they are received from some one of these already rehearsed.

Riding before  
a Prince.

Now if you shall be called to Ride before a Prince, you must not observe the liberty of your own Will, but the state of the Person before whom you Ride, and the grace of the Horse which you Ride; and therefore being come into the Riding place, you shall chuse your ground, so that the Person before whom you are to Ride may stand in the midst thereof, so as he may well behold both the passage of the Horse to him and from him: then being Seated in a comely order, and every Ornament about you handsome and decent, you shall put your Horse gently forth into a comely trot, and being come against the Person of state, bow your Body down to the crest of your Horse; then raising your self again, pass half a score Yards beyond him, and there marking out a *narrow Ring*, thrust your Horse into a gentle Gallop, and give him two or three Managing turns, in as short Ground as may be, to shew his Nimbleness and Readiness: then upon the last turn, his Face being toward the great Person, stop him comely and close, and make him to advance twice or thrice; then having taken Breath, put him into a *Gallop galliard*, and so pass along the length of the even *Furrow* with that Salt, making him to do it also round about the *Ring*; then his Face being towards the Prince, stop him and give him fresh Breath, then thrust him into the *Capriole*, now and then making him Yerk out behind, yet so as it may be perceived it is your Will, and not the Horses malice; and having gone about the Ring with that Salt, and his Face brought to look upon the Prince, stop him again, and give him Breath: then drawing nearer to the Prince, you shall beat the turn *Terra Terra*, first in a pretty large compass, then by small degrees straitning it a little and a little, draw it to the very Center where you may give two or three close flying turns, and then changing your hands, undo all that you did before, till you come to the Rings first largeness: then the Horses face being direct upon the Prince, stop him, and put him into a Corvet, and in that motion hold him a pretty space, making him to do it first in an even Line, first to the right hand, then to the left, now backward,

Of the Car-  
gola.



ward, then forward again : and thus having performed every motion orderly and comely, bown down your Body to the Prince, and so depart.

But if you intend to Ride only for Recreation, then you shall mark what Lesson your Horse is most imperfect in, and with that Lesson you shall ever when you Ride both begin and end ; after it you shall fall to those Lessons which are to your Self most difficult, and by the practice of them bring your Self to a perfectness, then consequently to all other Lessons, repeating (as it were) every one over more or less, lest want of use breed Forgetfulness, and forgetfulness utter Ignorance : but if your Recreation in Riding be tied to any special rules of health, and that your practice therein proceed more from the Commandment of your Physician than your Pleasure, then I would wish you in the Morning first to begin with a stirring, or rough Lesson, as the *Gallop galliard*, *bounding*, or such like, which having a little stirred your Blood, and made it warm, you shall then calm it again with a gentle Manage, or the Galloping of large Rings ; then to stir your Spirits again, to bring the Stone down, or procure Appetite, pass into the *Capriole* or *Corvet* ; and then to make quiet those moved parts, set the turn, called *Terra, Terra*, the *Incavalare*, and such like. And thus one while stirring your Blood, and another while moderately allaying such Stirring, you shall give your Body that due and proper Exercise which is most fit for health and long Life. Many other ways this Recreation may be used for the good of a Mans body, which, because particular Infirmities must give particular Rules, how, and when to use it ; I will at this time speak no further thereof, but refer the Exercise to their own pleasures, which shall practise the same, and to the good they shall find in the practice.

To Ride for Recreation.

### CHAP. III.

*Of the Breeding of all sorts of Horses, fit for the Husbandmans use.*

**T**He minds of Men being swayed with many various Motions, take delight sometimes to be Recreated rather with Contemplative delights, then with Active pleasures ; and there is

strong reason therefore, because disability of Body, or affairs of the Kingdome or Common-wealth, may take a Man from those Pre-occupations, which otherwise might stir him to more Laborious exercise; and of these contemplative Recreations, I can prefer none before that Gentlemanly and Beneficial delight of breeding Creatures, meet for the use of Man, and the good of the Common-wealth, wherein he Liverh: and of these Breedings, I cannot esteem any so Excellent as the Breeding of Horses, both for the Pleasure we gain thereby in our own particular Service, and also for the Strength, Defence, and Tillage of the Kingdome.

**The breeding  
of Horses.**

He therefore that suterh his Recreation to the breeding of Horses, must first have respect unto the Ground whereon he liverh or injoyeth; for every Ground is not meet to breed on, but some too Good, some too Bad: some too good, because they may be Exhausted to a more beneficial Commodity, Horses having a world of Casualties attending on them, and many Years before the true profit doth arise; and some too bad, because the extream Barrenness of the same will deny competent Nourishment to the thing bred, and so to the loss of time and profit add Mortality.

**Grounds to  
breed on.**

The Grounds then meet to breed Horses on, would neither be extream Fruitfull, nor extream Barren, but of an indifferent Mixture, yield rather a short sweet Burthen, then a long, rich, and fruitfull; it would rather lye high than low, but howsoever, firm and hard under the Foot; it would be full of Mole-hills, uneven Treadings, Hills, and much Cragginess, to bring Colts to Nimbleness of Foot; it would have good store of fresh Waters, an open sharp Air, and some convenient Covert: and this Ground is best, if it be severall, and inclosed, yet may be Bred upon, though it be open, and in common, only some more Carefulness to be looked for, a little before, and in the time of, Foaling. Nay, the Grounds, which are neither severall, nor common, are very good also to Breed on, and those be your reathering Grounds, which we call particular Grounds; for though they be proper commonly to one Man, yet they are not Divided, nor Eaten otherwise than at the Owners pleasure: And these reathering Grounds are as good as any Grounds, for the first Nourishing of a Foal, if they be

be amongst Corn-grounds, or any Grain, except Peate only.

If you have much Ground to breed on, you shall divide it into many Pastures; the Least and Barrenest for your Stallion to run with your Mares in; those which have least danger of Waters, are for your Mares to Foal in; the Fruitfullest, and of best Growth, for your Mares to give Milk in; and the most Spacious, and Un-evenest, to bring up your Colts in, after they are Weaned.

Division of  
Grounds.

For the choice of a good Stallion, and which is best for our Kingdome, Opinion swayeth so far, that a Man can hardly give well received Directions: yet surely, if Men will be ruled by the truth of Experience, the best Stallion to beget Horses for the Wars is the *Courser*, the *Jennet*, or the *Turky*; the best for Courting, and Running, is the *Barbary*; the best for Hunting, is the *Bastard courser*, begot of the *English*; the best for the Coach, is the *Flemish*; the best for Travel, or Burthen, is the *English*; and the best for ease, is the *Irish Hobby*.

Choice of  
Stallion, and  
which are best.

For the choice of *Mares*, you shall greatly respect their Shapes and Mettals, especially that they be Beautifully fore-handed, for they give much goodnes to their Foals: and for their Kinds, any of the *Races* before spoken of is very good, or any of them mixt with our true English *Races*, as *Bastard courser*, *Mare*, *Bastard-Jennet*, *Bastard-Turk*, *Barbary*, &c.

Choice of  
Mares.

The best time to put your Stallion and Mares together, is in the middle of *March*, if you have any Grass, as you should have great care for that purpose; and one Foal falling in *March*, is worth two falling in *May*, because he possesseth, as it were, two Winters in a Year, and is thereby so hardned, that nothing can (almost) after impair him; and the best time to take your Horse from the Mares again, is at the end of *April*, or middle of *May*, in which you shall note, that from the middle of *March*, till the midst of *May*, you may at any time put your Stallions to your Mares, and a Moneths continuance is ever sufficient: provided ever, as near as you can, that you put them together in the increase of the Moon; for Foals got in the wane are not accounted strong or healthfull.

When to put  
them together.

For covering of Mares, it is to be done two ways, out of hand, or in hand; out of hand, as when the Horse and Mares run together abroad, as is before said, or turned loose into some empty

Of covering  
Mares.

empty Barn for three Nights one after another, which is the surest and the safest way for a Mares holding; or in hand, early in a Morning, and late at an Evening, two or three days together; when you bring the Horse to the Mare, and make him cover her once or twice at a time, holding him fast in your hand, and when the act is done, lead him back to the Stable; and in this act you shall ever observe, as soon as the Horse cometh from her back, presently to cast a pail of cold Water on her hinder parts, or else to chase her swiftly up and down, for fear, by standing still, she cast out the Seed, which is very ordinary.

**To know if a Mare hold.**

To know whether your Mare hold to the Horse or no, there be divers ways, of which the best is, by offering her the Horse again at the next increase of the Moon, which if she willingly receive, it is a sign she held not before; but if she refuse, then it is most certain she is sped; or if you pour a spoonfull of cold Vinegar into her Ear, if she shake only her head, it is a sign she holds; but if she shake head, body, and all, then truly it is a sign that she doth not hold: Lastly, if after she is covered, you see her scour, her Coat grow smooth and shining, and that she doth (as it were) renew and increase in liking, it is a sign she holds; but if she hold at a stay without any amendment, then offer the Horse again, for she is not served.

**To conceive Male foals.**

To make your Mares conceive most Male Foals, you shall be sure to keep your Stallion proud, and your Mare poor, that his lust Mastering hers, he may only be predominant and chief in the action: many other rules Fancy deviseth, but they err in their ends, and I would by no means have this Discourse capable of any uncertainty.

**To provoke Lust.**

If you have any advantage given you by friendship, or otherwise, whereby you may have a Mare at the present very well covered, only yours is not yet ready for the Horse; you shall in this case, to provoke Lust in her, give her to drink good store of clarified Hony, and new Milk mixt together, and then with a Bush of Nettles, all to Nettle her privy parts, and then immediately offer her to the Horse.

**To keep Mares from Barrenness.**

To keep your Mares from Barrenness, and to make them ever apt to conceive Foals, you shall by no means feed too extreame far, but keep them in a middle state of Body by moderate Labour,

hour ; for the Leaner they are when then they come to take Horfe, the much better they will conceive.

After your Mares have been covered, and that you perceive in them the marks of conceiving, you shall let them rest three weeks or a moneth, that the substance may Knit ; then after, moderately Labour or Travel them, till you see them Spring, and then turn them abroad, and let them run till they Foal ; for to House them after, is dangerous and unwholsome.

Ordering of  
Mares after  
covering.

If your Mare be hard of Foaling, or will not cleanse after she hath Foaled, you shall take a pint of running Water, wherein good store of Fennel hath been boyled, and as much strong, old, sweet Wine, with a fourth part of the best Saller Oyl, and having mixt them well together, being but Luke-warm, pour it into her Nostrils, and then hold and stop them close, that she may strain her whole Body, and it will presently give her ease.

A help for  
Mares after  
foaling.

As soon as your Mare hath Foal'd, you shall remove her into the best Grass you have, which is fresh, and unfoyled, to make her Milk spring ; and if it be early in the Year, you shall have a care that there be good shelter in the same, and there let her nourish her Foal most part of the Summer following.

Ordering of  
Mares after  
foaling.

As touching the Weaning of Foals, though some use to Wean them at *Michaelmas*, or *Martlemas* following ; out of a supposition that the Winter milk is not good or wholsome, yet they are much deceived ; and if you can by any convenient means (saving greater losses), let your Foals run with their Dams the whole Year, even till they Foal again ; for it will keep the Foal better in health, in more lust, and least subject to tenderness.

Weaning of  
Foals.

When you intend to Wean your Foals, you shall take them from their Dams over-night, and drive them into some empty House, where they may rest ; and the Mares be free from their Noises : then on the Morning following, give to every Foal fasting a branch or two of *Saven* annointed or rold in Butter, and then having fasted two hours after, give him a little Mear, as Grass, Hay, or Garbadge of Corn, with some clear Water, and do this three days together : then seeing that they have forgotten their Dams, geld such Colt-foals as you intend to make Geldings of ; and after their Swellings are past, put them unto your other Colt-foals,

Ordering  
after the  
Weaning.

foals into a Pasture provided for them by themselves, and your Filly-foals into another by themselves: which Pastures may either be high Woods, Commons, or such like spacious pieces of Ground, where they may run till they be ready for the Saddle.

**Gelding of  
Colts.**

Now albeit, I proportion unto you this manner of Gelding of Foals, yet I would have you know, that the best and safest way to Geld them, is, if it may be, under the Dam when they Suck, as at nine, or at fifteen days of Age, if the Stones appear, or else so soon as you can by any means perceive them fall down into the Cod, for then there will be no danger of Swelling, or other Mischiefs, which commonly attend the Action. And thus much touching the Breeding of Horses, and the Observations due to the same through all the courses and passages thereof, as hath been found by ancient Practice and Experience, as appears in my *Master-piece*.

#### CHAP. IV.

*Of Horses for Travel, and how to make them Amble.*

**T**He Husbandman, whose Occupation is the general affairs of the Common-wealth, as some to the Market, some to the City, and some to the Seats of Justice, must necessarily be employed almost in continual Travel; and therefore it is meet that he be provided ever of a good and easie travelling Horse.

**The marks of  
a good travelling  
Horse.**

The marks whereby he shall chuse a good travelling Horse, are these; he shall be of good Colour and Shape, lean Headed, and round Fore-headed, a full Eye, open Nostril, wide Jaw'd, loose Thropled, deep Neckt, thin Crested, broad Breast, flat Chin'd, out Ribb'd, clean Limb'd, short Joynted, strong Hoofed, well Mettall'd, neither Fiery nor Craving, strong in every Member, and easie to mount and get up upon; he shall follow without Haling, and stand still when he is Restrained.

**To make a  
Horse amble.**

Now forasmuch as there are a world of good Horses which are not easie, and a world of easie Horses which are not good, you shall by these Directions following, make any Horse amble whatsoever: First, then you shall understand, that practice hath made divers Men believe, that divers ways they can make a Horse amble,



amble, as by gagging them in the mouths, by toyling them in deep earth, by the help of shooes, by gallopping and tying, or such like, all which are ill and imperfect; yet the truth is, there is but one certain and true way to compass it, and that is to make a strong girth web, flat and well quilted with cotten, four pasterns for the smalls of his fore-leggs, under his knees, and for the smalls of his hinder leggs somewhat below the spavins joynts: To these pasterns you shall fix strong straps of Leather, with good iron buckles to make shorter or longer at pleasure, and having placed them about his fore-leggs, you shall take two several round ropes of an easie twist, made with strong loops at either end, and not above eight handfulls in length, and these the Horse, standing to a true proportion, you shall fasten to the four straps of leather, to wit, one of them to his near fore-legg, and his near hinder legg, and the other to his far fore-legg, and his far hinder legg, which is called amongst Horse-men trammelling; with these you shall let him walk in some inclosed piece of ground, till he can so perfectly go in the same, that when at any time you offer to chase him, you may see him amble swiftly and truly; then you shall take his back, and ride him with the same trammels, at least three or four times a day till you find that he is so perfect, that no way can be so rough and uneven as to compell him to alter his stroke or go unnimble. This done, you may first take away one trammel, then after the other, and only wreath about under his fore-feet-locks thick and heavy great royls of Hay or Straw Ropes; and so ride them with the same a good space after, for it will make him amble easie; then cut them away, and ride and exercise him without any thing but the ordinary help of the bridles, and there is no doubt but he will keep his pace to your full contentment and pleasure.

Diverse ways  
of ambling.

Of trammel-  
ling.

Of whisping.

Now during this time of your teaching, if your Horse strike not a large stroke and over-reach enough, then you shall make the trammel the straiter; but if he over-reach too much, then you shall give it more liberty: And herein you shall find, that an inch straining, or an inch enlarging, will add or abate at least half a foot, an whole foot and direct stroke: And thus much touching the teaching of any Horse to amble, of what nature or quality soever he be, or how unapt or untoward soever to learn.

## CHAP. V.

*Of the ordering and dieting of the Hunting-Horse.*

**S**ome love hunting for the exercise of their own bodies, some for the chase they hunt, some for the running of the hounds, and some for the training of their Horses whereby they may find the excellency of their goodnes and indurance: Him therefore which placeth his delight in the goodnes of his Horse I would wish thus to order and dyet him, and he shall most assuredly come to the true knowledge of the best worth which is within him; and if in these rules, which I now shew, I be less curious than formerly I have been, let no man wonder thereat, but know, that time (which is the mother of experience) doth in our labours shew us more new and more near wayes to our ends, than at the first we conceived: And though when I first practised this Art, I knew not how to bring a very fat Horse from *Michaelmas* till *Christmas*, to shew his utmost perfection, I know now in two moneths (though never so foul) how to make him any wager, daring now boldly to adventure on that, with which before I thought almost present death to offer; thus doth observation and labour find out the darkest secrets in Art.

Taking up of  
the Hunting  
Horse.

To begin then with the first ordering of a Hunting Horse, you shall know that the best time to take him from grass is about *Bartholomew-tide*, the day being fair, dry, and pleasant, and as soon as he is taken up to let him stand all that night in any vast house to empty his body, the next day stable him, and give him wheat straw, if you please, but no longer in any wise; for though the old rule is to take up Horses bellies with straw, yet it straineth the guts, heats the liver, and hurteth the wind: Therefore let only moderate exercise, as riding him forth to water morning and evening, and other airings, do what you expect straw should; and for his food let it be hay that is sweet though rough, and either old, or at least well swear in the Mow.

Cloathing the  
Horse.

After his belly is emptied, you shall cloath him first with a single cloth, whilest the heat indureth, and after with more, as you see occasion require, and when you begin to cloath the Horse, then shall you dress, curry, and rub him also. Now, for as much as it is a rule with ignorant Horsemen, that if they have  
but

but the name of keeping an Hunting horse, they will with all care (without any reason) lay many cloaths upon him, as if it were a speciall Physick, you shall know they are much deceived therein, and may sooner do hurt than good with multiplicity of cloaths; therefore to cloath a horse right, cloath according to the weather, and the temper of his body; and thus if you see your Horse be sleight, smooch and well coloured, then cloath him temperately, as with a single cloath of canvase or sackcloth at the most; and if then, as the year grows colder, you find his hair rise or stare about his neck, flanks, or outward parts, then you shall add a woollen cloath, or more if need require, till his hair fall smooth again, holding it for your rule, that a rough coat shews want of cloath, and a smooth coat cloathing enough; yet if your Horse have been clean fed, taken exercise sufficient, and hath not much glut within him, if then you find that in the night he sweareth in his cloaths, then it is a sign he is overfed; but if he be foul inwardly, or hath no sweat formerly, and now sweats comming to good feeding, then you shall augment rather than diminish any cloathing for his foulness, but then breaketh out, and being evacuated, he will come to dryness of body again and so continue all the year after; and surely for an ordinary proportion of cloaths, I hold a canvase cloath, and a cloath of House-wife woollen to be at full sufficient for a Hunting Horse.

A Hunting horse would be drest, in his dayes of rest, twice a day, that is, before he go to his morning watering, and before he go to his evening watering; for the manner of his dressing, after he is unclothed, you shall first curry him from the tips of the ear to the setting on of his tail, all his whole body most intirely over, with an iron comb, his leggs under the knees and cambrels only excepted; then you shall dust him, then curry him again all over with a round brush of Bristles, then dust him the second time, then rubb all the loose hairs away with your hands wet in clean water, and so rub till the Horse be as dry as at the first, then rub all his body and limbs over with an hair cloath; lastly, rub him over with a fine white linnen rubber, then pick his eyes, nostrils, sheath, cods, tuell, and feer, very clean, and so cloath him, and stop him round with wisps, if you

Of dressing  
the Hunting  
Horse.

water within the house; otherwise saddle him after his body is wrapt about in a woollen cloath, and so ride him forth to the water.

Of watering  
the hunting  
horse.

The best water for a hunting Horse, is either a running River, or a clear Spring, remote from the stable a mile, or a mile and an half at most, and near unto some plain piece of ground, where you may scope and gallop after he hath drank; and as soon as you bring your Horse to the water, let him take his full draught without trouble or interruption; then gallop and scope him up and down a little, and so bring him to the water again, and let him drink what he please, and then gallop him again: And thus do, till you find he will drink no more; then having scop'd him a little, walk him with all gentleness home, and there cloath him up, stop him round with great soft wisps, and so let him stand an hour upon his bridle, and then feed him.

Of feeding  
the hunting  
horse.

To speak first for the food of hunting Horses; the most ordinary is good sweet sound Oats, either thoroughly dyed with age, or else at the Kiln, or in the Sun; and if your Horse be either low of flesh, or not of perfect stomach, if to two parts of those Oats you add a third part of clean old Beans, it shall be very good and wholesome; and if your Horse be in diet for a match, and have lost his stomach, if then you cause these beans to be spelted upon a mill, and so mixt with Oats, it will recover him. The next food, which is somewhat stronger and better, is bread thus made, take two bushels of good clean beans and one bushel of wheat, and grind them together; then through a fine Range, bould out the quantity of two pecks of pure meal, and bake it in two or three loaves by it self, and the rest sift through a meal sieve; and knead it with water and good store of barme, and so bake it in great loaves, and with the courser bread feed your Horse in his rest, and with the finer against the dayes of sore labours. Now for the hours of his feeding, it shall be in the morning, after his coming from water, an hour after high noon, after his coming from his evening water, and at nine or ten of the clock at night, upon the dayes of his rest; but upon the days of his exercise, two hours after he is thoroughly cold inwardly and outwardly, and then after according as before mentioned. Lastly, for the proportion of food, you shall keep no certain quantity, but according

according to the Horses stomach, that is to say, you shall feed him by a little at once, so long as he eats with a good appetite; but when he begins to trifle or fumble with his meat, then to give him no more. Now for his hay, you shall see that it be dry, short, uplandish hay; and, so it be sweet, respect not how coarse or rough it is, sith it is more to scour his teeth, and cool his stomach, than for any nourishment expected from it.

Touching the Horses exercise, *which is only in the following of the hounds*, you shall be sure to train him after those which are most swift and speedy; for so you shall know the truth, and not be deceived in your opinion. Touching the dayes, *it shall be twice a week at least, but most commonly thrice*; as for the quantity of his exercise, it must be according to his foulness or cleanness: For if he be very foul, *you must then exercise moderately to break his grease*; If half foul, half clean, *then somewhat more to melt his grease*; And if all together clean, then you may take what you please of him (provided, that you do nothing to discourage his spirit, to abate his mettal, or to lame his limbs), and after every days exercise, be assured either to give him the same night, or the next day following, something by way of scouring, or otherwise, to take a way the grease formerly melted, by means whereof you shall be ever sure to keep your horse in all good health and perfection.

The exercise  
of the horse.

The best and most excellent way to scour or purge your Horse from all grease, glut, or filthiness within his body, which is a secret hitherto was never either sufficiently taught, or perfectly learned, is to take of Anniseeds three ounces, of Cummin-seeds six drams, of Carthamus a dram and an half, of Fenugreek-seed one ounce two dramt, of Brimstone one ounce and an half; beat all these to a fine powder, and searse them; then take of Sallet-oyl a pint and two ounces, of honey a pound and a half, and of white-wine four pints; then with as much fine white meal as will suffice, make all into a strong stiff paste, and knead and work it well: This paste keep in a clean cloath, for it will last long, and after your Horse hath been hunted, and is at night, or in the morning, exceeding thirsty, take a ball thereof as big as a mans fist, and wash and dissolve it in a gallon or two of cold water, and it will make the water look white like milk: then offer  
it

The scouring  
of the horse.

it the Horse to drink in the dark, lest the colour displease him : if he drink it, then feed him ; but if he refuse to drink it, yet care not, but let him fast without drink till he take it, which assuredly he will do in twice or thrice offering, and after once he hath taken it, be then assured he will forsake any other drink for it ; of this drink, your horse can never take too much nor too oft, if he have exercise : Or otherwise it feeds too sore. For all inward infirmities whatsoever it is a present remedy : Therefore I would not wish any horsemen of vertue at any time be to without it ; and being once made, it will last three or four moneths at least.

Ordering of a  
Horse after  
exercise.

After your Horse hath been exercised either with Hunting, running train-sets, or otherwise ; You shall ever cool him well in the fields before you bring him home : But being come to the stable you shall neither walk nor walk, but instantly house him, give him store of fresh litter, and rub him therewith, and with dry cloaths, till there be not a wet hair about him ; then cloath him with his ordinary cloaths, and wisp him round : Then cast another spare cloath over him which you may bate at your pleasure, and so let him stand till it be time to feed him. And thus you may keep any hunting horse either for march or otherwise, in as good state and strength as any Horseman in this Nation, though he exceed you far both in reputation and experience.

#### C H A P. VI.

*Of the ordering and dieting of the Running Horse.*

**I**F any Husbandman have his mind taken up only with the delight of running Horses ; which is a noble sport, and though not of so long indurance, yet equall with any before spoke of ; he shall, for the bettering of his knowledge, give to his memory these few rules following, by which he shall rightly order and direct him.

Of his taking  
up.

First, for his taking up from grass ( for there, for order sake, we must first begin ) it shall be at the same time of the year, and after the same manner, that you took up your hunting horse ; and till you have enseamed him, hardned his flesh, taken away his inward grease, and brought him to a good perfectness of wind, you shall cloath him, dress him, water him, feed him, exercise him



him, purge him, and order him after labour, in all poynts and in all thing as you did your hunting Horse.

When he is thus clean of body and wind, you shall then lay on some more cloaths than you did on your hunting Horse, to him, Of cloathing purge his body a little more, and to make him the more apt to sweat, and evacuate humors as they shall grow: The ordinary quantity whereof, would be a warm narrow wollen cloath about his body on either side his heart, then a fair white sheet, a woollen cloath about it, and a canvase cloath or two above it, and before his breast a woollen cloath atleast two double: he would continually stand upon a clean litter, and have his stable very dark, and perfumed with Juniper, when as the strength of his dung shall annoy it,

For his dressing it shall be in all poynts done as you did to your hunting Horse, only to dress him once a day is sufficient, and that ever in the afternoon: but for rubbing his limbs or body with dry cloaths or wisps, you shall do as often as you come into the stable, provided that you turn but his cloaths up, but not take them from his body. Of dressing him.

You shall water your running Horse as you watered your hunting Horse, and give him the same exercise after it, only you shall not bring him into the stable of at least an hour and more after he is watered. Of watering him.

The best food for your running Horse, is either good sweet Oats well dried, sunned, and beaten, or bread made of two parts whear, and but one part beans, and boulded, and sifted, and knodden, as was before shewed; only if you adde to your better sort of bread the whites of twenty or thirty Eggs, and with the barm a little Ale also, it will be much the better; for you shall not respect how little water you use at all: The hours you feed in, and the quantity of the food shall be the same, and in the same manner, as was mentioned before, for the hunting horse; yet with these observations, that if your horse be very lean, sickly, and have a weeky stomach, that then you may, as before shewed, give him with his Oats a few spelted beans, or else wash his Oats in strong Ale, or Beer, or in the whites of a couple of Eggs. Of feeding him.

Touching his exercise, it consisteth in two kinds, the one is airing, the other coursing; airing is a moderate and gentle exercise which Of his exercise by airing.

which you shall use morning and evening, by riding or leading your Horse a foot pace (but riding is better and less in danger of cold) in the morning after his water up to the hills, and in the evening after his water by the River-side, by the space of an hour or two together; and before you lead him forth to ayre, you shall be sure to give him a rere Egg broken into his mouth as soon as his bridle is put on, for it will increase wind: and this ayring you shall by no means forbear, but upon his dayes of purging or sweating, or when it much raineth, for then to ayre is unwholsome. Again, if your Horse be very fat, you shall air before Sun rise, and after Sun set; but if he be lean, then you shall let him have all the strength and comfort of the Sun you can devise: and during this airing, you shall be sure that your Horse be cloathed very warm, especially before the breast, and on each side the heart, for cold to a running Horse is mortall.

Exercise by  
courling.

You shall course your Horse according to his strength and ability of body, that is to say, twice a week, thrice, or as oft as you see cause; and you shall course him sometimes in his cloaths to make him sweat, and consume his grease; and that must be done moderately and gently; and sometimes without his cloaths, to increase wind, and that shall be done sharply and swiftly: You shall, by keeping your Horse fasting the night before, be sure that his body be empty before he do course, to wash his tongue and nostrils with vinegar, or to piss in his mouth ere you take his back, is very wholsome: You shall lead him in your hand well and warm cloathed to the course, and there uncloath him and rub his limbs well: Then having courst him, after a little breath taking, cloath him again, and so ride him home, there rub him thoroughly, and let him stand till he be fully cold, which perceived, let his first meat you give him, be a handfull or two of the ears of Pollard Wheat: then after, his ordinary food as afore-said.

Of sweats.

There is also another exercise for your running Horse which is, sweats in his cloaths, either abroad or in the house; for sweats in his cloaths abroad, they are those which are taken upon the course, and are formerly spoken of, that they must be given by a moderate galloping, no man running; and as soon as your Horse hath past over his course, and is in a high sweat, you shall instantly

instantly have him home, and there lay more Cloaths upon him, and keep him stirring till he have Sweat so in the Stable an hour or more; then abate his Cloaths by little and little, till he be perfectly cooled and dried, which you must further, by rubbing him continually with dry Cloaths, and by laying dry Cloaths on, and taking the wet away. But for Sweats in his Cloaths, without any Exercise abroad, you shall give them either when the Weather is so much unseasonable, that you cannot go forth, or when your Horse is so much in danger of Lameness, that you dare not strain him; and you shall do it thus: First take a Blanket folded and warmed very hot, and wrap it about his Body, then over it lay two or three more, and wisp them round, then over them as many Cover-lids, and pin them fast and close; then make the Horse stir up and down the Stable till he begin to Sweat; then lay on more Cloaths, and as the Sweat trickleth down his face, so rub it away with dry Cloaths till he have Sweat sufficiently; then (as before is shewed) abate the Cloaths by little and little, and rub him in every part, till he be as dry as at first.

After every Course or Sweat, you shall scour or purge your Horse in the same manner, and with the same Medicine that you did your Hunting-horse; for it is the best that can by Art be invented, being both a purge and a Restorative, cleansing and comforting all the parts of a Horses body: but if you think it purgeth not enough, then you shall take twenty Raisins of the Sun, the Stones pickt out, and ten Figgs stir in the midst, boyl them in a pottle of fair running Water, till it come to be thick; then mix it with Powder of Licoris, Anniseeds, and Sugar-candy, till it come to a stiff Paste: then make pretty round Balls thereof, and roul them up in Butter, and give your Horse three or four of them the next Morning after his Sweat or Course, and Ride him an hour after, and then ser him up warm.

After your Horse hath been Courst or Sweat, and is as before said cold and dry, you shall then unbridle him, give him some few Wheat ears, and then at an hour or two after give him a very sweet Mash, then some Bread after; then at his due hour dress him, and give him when you find him thirsty some cold Water, with a Ball of your Leaven dissolved into it, and so let him stand till you feed him for all Night.

H

Course

Of scouring him.

Ordering after exercise.

**General rules** for a Running Horse. Course not your Horse sore for at least four or five days before you run your Match, lest the soreness of his Limbs abate him of his Speed.

Except your Horse be a very foul Feeder, muzzle him not above two or three Nights before his Match, and the Night before his Bloody courses.

Give your Horse as well his gentle Courses, as his sharp Courses, upon the Race he must run, that he may as well find Comfort as Displeasure thereon.

In training your Horse, observe not the number of the Miles, but the Labour fit for your Horse.

Be sure upon the Match day, that your Horse be empty, and that he take his Rest untroubled, till you prepare to lead him forth.

Shooe your Horse ever a Day before you Run him; that the pain of the Hammers knocks may be out of his feet.

Saddle your Horse on the Race day in the Stable before you lead him forth, and fix both the Pannel and the Girths to his Back and Sides with Shooe-makers wax, to prevent all dangers.

Lead your Horse to his Course with all Gentleness, and give him leave to smell to other Horses Dung, that thereby he may be inticed to stale and empty his Body as he goes.

When you come to the place where you must Start, first Rub his Limbs well, then Uncloath him, then take his Back, and the word given, Start him with all gentleness and quietness that may be, lest doing any thing rashly, you happen to choak him in his own Wind.

And thus much for the Ordering and Dyering of the Running Horse, and the particularities belonging to the same.

## CHAP. VII.

### *The Ordering of the Travelling Horse.*

**General rules** for a Travelling Horse. **N**OW for our Husbandmans travelling Horse, which is to carry him in his Journeys, and about his business in the Country, he shall first feed him with the best sweet Hay, dry Oats, or dry Beans and Oats mixt together: in his Travel he shall feed him according to his Stomach, more or less; and in his Rest, at a certain

certain proportion, as half a Peck at each Watering is utterly sufficient.

If you Travel feed your Horse early, that he may take his Rest soon.

In Travel by no means wash nor walk your Horse, but be sure to rub him clean.

Water him a Mile before you come to your Inn, or more, as shall lye in your Journey; or if you fail thereof, forbear it till next Morning; for Water hath often done hurt, want of Water never did any.

Let your Horse neither Eat or Drink when he is extream hot, for both are unwholsome.

When the Days are extream hot, labour your Horse morning and evening, and forbear high-noon.

Take not your Saddle off suddenly, but at leisure, and laying on the Cloath, lay on the Saddle again till he be cold.

Litter your Horse deep, and, in the days of his Rest, let it also lye under him.

Dress your Horse twice a day when he Rests, and once when he Travels.

If the Horse be Stoned, let him go to the Soil, and be purged with Grass in *May*; a Months time is long enough, and that Grass which grows in Orchards under Trees is best.

Let him Blood Spring and Fall, for they are the best times to prevent Sickneses.

In your Journeying light at every steep Hill, for it is a great refreshing and comfort to your Horse.

Before you Sleep, every Night in your Journey see all your Horses feet stoppt with Ox-dung, for it taketh away the heat of Travel, and Surbating.

Many other necessary Rules there are, but so depending upon these already shewed, that who so keepeth them shall not be ignorant of any of the rest; for they differ more in Name than Nature.

## CHAP. VIII.

*How to Cure all general inward Sicknesſes in Horſes, which trouble the whole Body; of Fevers of all ſorts, Plagues, Infections, and ſuch like.*

**S**ickneſſes in general are of two Kinds, one offending the whole Body, the other a peculiar Member: the firſt hidden and not Viſible, the other apparent and known by his outward Demonſtration. Of the firſt then, which offend the whole Body, are Fevers of all ſorts, as the Quotidian, the Tertian, the Quartan, the Continual, the Hictique, the Fevers in Autumn, in Summer, or in Winter, the Fever by Surfeit, Fever Peſtilent, Fever Accidental, or the general Plague; they are all known by theſe Signs, much Trembling, Panting, and Swearing, a ſullen Countenance that was wont to be Cheerfull, hot Breath, faintneſs in Labour, decay of Stomach, and coſtivenes in the Body; any, or all of which when you perceive, firſt let the Horſe bleed, and after give him this Drink: Take of *Selladine*, Roots, Leaves, and all, a good handfull as much *Worm-wood*, and as much *Rew*, waſh them well, and then bruife them in a Morter; which done, Boyl them in a quart of Ale well, then ſtrain them, and add to the Liquor half a pound of ſweet Butter; then being but Luke-warm, give it the Horſe to drink; or half an ounce of *Diapente*, in a pint of Muſcadine.

The Cure.

## CHAP. IX.

*Of the Head-ach, Frenzie, or Staggers.*

**T**He ſigns to know theſe Diſeaſes, which indeed are all of one Nature, and work all one effect of Mortality; are hanging down of the Head, watry Eyes, Rage and Reeling. And the Cure is, to let the Horſe bleed in the Neck three Mornings together, and every Morning to take a great quantity; then after each morning Blood-letting, to give the Horſe this Drink: Take a quart of Ale, and boyl it with a big White-bread cruſt, then take it from the Fire, and diſſolve three or four Spoonfulls of Honey in it; then luke-warm give it the Horſe to drink, and cover his Temples over with a Plaſter of Pitch, and keep his Head exceeding warm; let his Meat be little, and his Stable dark: but to give him

The Cure.



him the former quantity of *Diapente*, either in Muskadine, or Honey water, is the best Cure.

## CHAP. X.

*Of the Sleeping evil.*

**T**He Sleeping Evil, or Lethargy, in Horses, proceeds from cold Fleamy moist humors, which bind up the Vital parts, and makes them dull and heavy. The signs are continual Sleeping, or desire thereunto. The Cure is, to keep him much Waking, and twice in one Week to give him as much sweet Sope (in nature of a Pill) as a Ducks Egg, and then after give him to Drink a little new Milk and Honey, which is the only Cure at the first for this Disease. But to be certain, I pray look in my Master-piece, and there you shall find the Infirmary more largely discoursed of; this being but a general Cure of all Cattel, and not particularly handled of Horses, as that is.

The Cure.

## CHAP. XI.

*Of the Falling-evil, Planet-strook, Night-mare, or Palsey.*

**T**Hough these Diseases have several Faces, and look as though there were much difference between them; yer they are in Nature all one, and proceed all from one Offence, which is only cold Flegmatick humors, ingendred about the Brain, and benumbing the Senses, weakning the Members; sometimes causing a Horse to fall down, and then it is called the Falling-evil; sometimes weakning but one Member only, then it is called Planet-strook; sometimes oppressing a Horses stomach, and making him Swe it in his Sleep, and then it is called the Night-mare; and sometimes spoiling an especial Member, by some strange Contraction, and then it is called a Palsey. The Cure for any of these Infirmities, is to give the Horse this purging Pill: Take of *Tar* three Spoonfulls, of sweet Butter the like quantity, beat them well together with the Powder of *Licorae*, *Aniseeds*, and *Sugar-candy*, till it be like Paste; then make it into three round Balls, and put into each Ball two or three Cloves of Garlick, and so give them unto the Horse, observing to warm him both before and after, and keep him fasting two or three hours likewise, both before and after.

The Cure.

CHAP.

## CHAP. XII.

*Of the general Cramp, or Convulsion of Sinews.*

The Cure.

**C**Ramps are taken to be the Contraction or drawing together of the Sinews of any one Member: but Convulsions are, when the whole Body, from the setting on of the Head to the extreamest Parts, are generally contracted and stiffned. The Cure of either is, first to chafe and rub the Member contracted with Vinegar and common Oyl, and then to wrap it all over with wet Hay, or rotten Litter, or else with wet woollen Cloaths, either of which is a present remedy.

## CHAP. XIII.

*Of any Cough or Cold whatsoever, wet or dry, or for any Consumption or Putrefaction of the Lungs whatsoever.*

**A** Cold is got by unnatural Heats, and too suddain Coolings, and these Colds ingender Coughs, and those Coughs Putrefaction or Rottenness of the Lungs. The Cure therefore for them all in general, is to take a handfull or two of the white and greenish Moss which grows upon an old Oke-pole, or any old Oke-wood, and boyl it in a quart of Milk, till it be thick, and being cold turned to a Jelly, then strain it, and give it the Horse luke-warm every Morning till his Cough end; or else take three quarters of an ounce of the Conserve of *Elicampane*, and dissolve it in a pint of Sack, and luke-warm give it the Horse fasting; then Ride him after it, and set him up warm, feed as at ordinary times: thus do three Mornings together.

## CHAP. XIV.

*Of the running Glaunders, or the mourning of the Chine.*

**T**AKE of *Auripigmentum* two Drams, of *Tussilaginis* made into Powder as much, then mixing them together with Turpentine till they be like Paffe, and making thereof little Cakes, dry them before the Fire; then take a Chafing-dish and Coals, and laying one or two of the Cakes thereon, cover them with a Tunnel, and then the Smoak rising, put the Tunnel into the Horses Nostriils,

Nostrils, and let the smock go up into his Head; which done, Ride the Horse till he sweat: Do thus once every Morning before he be Watered, till the running at his Nostrils cease, and the Kernels under his Chaps wear away.

## CHAP. XV.

*Of Hide-bound, or Consumption of the Flesh.*

**H**ide-bound, or Consumption of the Flesh, proceeds from unreasonable Travel, disorderly Dyet, and many Surfeits. It is known by a general Distike and Leanness over the whole Body, and by the sticking of the Skin close to the Body, in such sort that it will not rise from the Body. The Cure is, first to let the Horse blood, and then give him to Drink, three or four Mornings together, a quart of new Milk, with two Spoonfulls of Honey, and one Ounce of *London Treacle*: then let his Food be either sodden Barley, warm Grains and Salt, or Beans spelted in a Mill; his Drink Mashies.

The Cure.

## CHAP. XVI.

*Of the Breast pain, or any other Sickness proceeding from the Heart, as the Anticor, and such like.*

**T**hese Diseases proceed from too rank Feeding, and much Fatness; the signs are a faulting in his Fore-leggs, a disableness to bow down his Neck, and a trembling over all his Body. The Cure is, to let him Blood, and give him three Mornings together two Spoonfulls of *Diapent* in a quart of Ale or Beer; for it alone putteth away all Infection from the Heart.

The Cure.

## CHAP. XVII.

*Of Tyred Horses.*

**I**F your Horse be Tyred either in Journeying, or any Hunting match, your best help for him is to give him warm Urine to Drink, and letting him Blood in the Mouth, to suffer him to lick up and swallow the same: Then if you can come where any Nettles are, to rub his Mouth, and sheath well therewith; then gently to Ride him untill you come to your Resting place, where set him up very warm, and before you go to Bed give him six Spoonfulls of *Aquaviva* to Drink, and as much Provender as he will

will Eat. The next morning rub his Leggs with Sheeps-foot Oyl, and it will bring fresh Nimblemeis unto his Sinews.

## CHAP. XVIII.

*Of Diseases in the Stomach, as Surfeits, loathing of Meat or Drink, or such like.*

**I**F your Horse with the Glut of Provender, or Eating raw Food, have given such Offence to his Stomach, that he casteth up all he Eateth or Drinketh; you shall first give him a comfortable Drench, as *Diapente*, or *Treaphamicon* in Ale or Beer; and then keeping him Fasting, let him have no Food but what he Eateth out of your hand, which would be Bread well Bakt and Old, and after every two or three Bits, a Lock of sweet Hay: and his Drink would be only new Milk, till his Stomach have gotten strength; and in a Bag you shall commonly hang at his Nose sour brown Bread steeped in Vinegar, at which he must ever Smell, and his Stomach will quickly come again to his first Strength.

## CHAP. XIX.\*

*Of Foundring in the Body.*

**F**oundring in the Body is of Surfeits the Mortallest, and soonest gotten: it proceedeth from intemperate Riding a Horse when he is Fat, and then suddenly suffering him to take Cold: than washing a fat Horse there is nothing sooner bringeth this Infirmity. The signs are sadness of Countenance, staring Hair, stiffness of Limbs, and loss of Belly: and the Cure is, only to give him wholesome strong Mear, as Bread of clean Beans, and warm Drink; and for two or three Mornings together, a quart of Ale brewed with Pepper and Cinamon, and an ounce of *London treacle*.

The Cure.

## CHAP. XX.

*Of the Hungry evil.*

**T**he hungry Evil is an unnatural and over-hasty Greediness in a Horse, to devour his Meat faster than he can Chew it, and is only known by his Greedy snatching at his Meat, as if he would devour it whole: The Cure is, to give him to drink Milk and Wheat-meal mixt together, by a quart at a time, and to feed him with Provender by a little and a little, till he forsake it.

The Cure.

CHAP.

## CHAP. XXI.

*Of the diseases of the Liver, as Inflammations, Obstructions, and Consumptions.*

**T**He Liver, which is the vessel of blood, is subject to many diseases, according to the distemperature of the blood; and the signs to know it, is a stinking breath, and a mutuell looking towards his body; and the cure is, to take *Aristolochia-longa*, and boyl it in running water, till the half part be consumed, and let the Horse drink continually thereof, and it will cure all evils about the Liver, or any inward conduits of blood.

## CHAP. XXII.

*Of the diseases of the Gall, and especially of the Yellows.*

**F**ROM the over-flowing of the Gall, or rather want of the Gall, which is the vessell of choller, spring many mortal diseases, especially the Yellows, which is an extream faint mortal sickness, if it be not prevented betime: the signs are yellowness of the eyes and skin, and chiefly underneath his upper lipp next unto his foreteeth, a sudden and faint falling down by the high way, or in the stable, and an universall swear over all the body. The cure is, first to let the horse blood in the neck, in the mouth, and under the eyes, then take two-penny-worth of *Saffron*, which being dryed and made into fine powder, mix it with sweet butter, and in manner of a pill give it in balls to the Horse, threemornings together; let his drink be warm, and his hay sprinkled with water: A quart of a strong decoction of *Selladine* helps it also.

The Cure.

## CHAP. XXIII.

*Of the Sickness of the Spleen.*

**T**He Spleen, which is the vessel of melancholly, when it is over-charged therewith, grows painfull, hard and great, in such sort, that sometimes it is visible. The signs to know it, is much groaning, hasty feeding, and a continuall looking to his left side only. The cure is *Agrimony*; and boyl a good quantity of it in the water, which the horse shall drink; and chopping the

The Cure.

the Leaves small, mix them very well with sweet *May-butter*, and give the Horse two or three good round Balls thereof, in the manner of Pills.

## CHAP. XXIV.

*Of the Dropsie, or Evil habit of the Body.*

The Cure.

**T**He Dropsie is that Evil habit of the Body, which, ingendred by Surfeits and unreasonable Labour, altereth the Colours and Complexions of Horses, and changeth the Hairs, in such an unnatural sort, that a Man shall not know the Beast with which he hath been most familiar. The Cure is, to take a handfull or two of *Worm-wood*, and boyling it in Ale or Beer, a quart or better, give it the Horse to drink luke-warm, Morning and Evening, and let him only drink his Water at Noon-time of the Day.

## CHAP. XXV.

*Of the Collick, Belly-ake, and Belly-bound.*

The Cure.

**T**He Collick, or Belly-ake, is a fretting, gnawing, or swelling of the Belly, or great Bag, proceeding from windy Humors, or from eating of green Corn, or Pulse, hot Grains without Salt or Labour, or Bread dore Bak't; and Belly-bound, is when a Horse cannot Dung. The Cure of the Collick, or Belly-ake, is, to take good store of the herb *Dill*, and boyl in the Water you give your Horse to drink: but if he cannot Dung, then you shall boyl in his Water good store of the herb called *Fennegreek*, and it will make him Loose without danger, or hurting.

## CHAP. XXVI.

*Of the Lax, or Bloody-flux.*

The Cure.

**T**He Lax, or Bloody-flux, is an unnatural Looseness in a Horses body, which being stayed, will, for want of other Excrement, make a Horse void Blood only. The Cure is, take a handfull of the herb *Shepherds-purse*, and boyl it in a quart of strong Ale, and when it is luke-warm, take the Seeds of the herb *Wood-rose* stamp, and put it therein, and give it the Horse to drink.

CHAP.



## CHAP. XXVII.

*Of the Falling of the Fundament.*

**T**His commeth through milke, and weakness; and the Cure is, take *Town-creeses*, and having dried them to Powder, with your hand put up the Fundament, and then strow the Powder thereon; after it, lay a little Honey thereon, and then strow more of the Powder, mixt with the Powder of *Comin*, and it helpeth.

The Cure.

## CHAP. XXVIII.

*Of Bots, and Worms of all sorts.*

**T**He Bots, and gnawing of Worms, is a grievous Pain; and the Signs to know them, is the Horses oft beating his Belly, and tumbling and wallowing on the Ground, with much desire to lye on his Back. The cure is, take the Leaves chopt of the herb *Saven*, and mix it with Honey and Butter, and make two or three Balls thereof, make the Horse swallow them down, and it will help him.

The Cure.

## CHAP. XXIX.

*Of the Pain in the Kidneys, Pain-piss, or the Stone.*

**A**ll these Diseases spring from one Ground, which is only Gravel, and hard Matter, gathered together in the Kidneys, and so stopping the Conduits of the Urine: The signs are only, that the Horse will often strain to Piss, but cannot. The cure is, to take a handfull of *Maiden-hair*, and steep it all Night in a quart of strong Ale, and give it the Horse to drink every Morning till he be well: this will break any Stone whatsoever in a Horse.

The Cure.

## CHAP. XXX.

*Of the Strangullian.*

**T**His is a Soreness in the Horses yard, and a hot Burning smarting when he Pisseth: the signs are, he will Piss oft, yet but a drop or two at once. The cure is, to boyl in the Water which he drinketh, good store of the herb *Mayth*, or *Hogg-s-fennel*, and it will cure him.

The Cure.

## CHAP. XXXI.

*Of pissing Blood.*

The Cure.

**T**His commeth with over-travelling a Horse, or Travelling a Horse sore in the Winter when he goeth to Grass. The cure is, take *Aristolochia longa*, a handfull, and boyl it in a quart of Ale, and give it the Horse to drink luke-warm, and give him also rest.

## CHAP. XXXII.

*Of the Colt-evil, murthering of the Yard, falling of the Yard, shedding the Seed.*

The Cure.

**A**Ll these Evils proceed from much Lust in a Horse: and the Cure is, the Powder of the herb *Aviu*, and the Leaves of *Betony*, stamp them with white Wine to a moist Salve, and anoint the Sore therewith, and it will heal all imperfection in the Yard: But if the Horse shed his Seed, then beat Venice Turpentine and Sugar together, and give him every morning a good round Ball thereof, untill the Flux stay.

## CHAP. XXXIII.

*Of the particular Diseases in Mares, Barrenness, Consumption, rage of Love, casting Foals, hardness to Foal, and how to make a Mare cast her Foal.*

**I**F you'll have your Mare barren, let good store of the herb *Agnus castus* be boyled in the Water she drinketh: If you would have her Fruitfull, then boyl good store of *Mother-wort* in the Water which she drinketh: If she loose her Belly, which sheweth a Consumption of the Womb, you shall then give her a quart of Brine to drink, *Mugwort* being boyled therein. If your Mare through pride of keeping grow into extream Lust, so that she will neglect her Food, through the Violence of her Fleishly appetite, as it is often seen amongst them; you shall House her for two or three days, and give her every morning a Ball of Butter, and *Agnus Castus* chope together: If you would have a Mare to cast a Foal, take a handfull of *Dian*, and boyl it in a quart of Ale, and it will deliver her presently: If she cannot Foal, take the herb *Horsemint*, and either dry it or stamp it, and take the Powder,

der, or the Juice, and mix it with strong Ale, and give it the Mare, and it will help her: If your Mare from former bruifings, or strokes, be apt to cast her Foals, as many are, you shall keep her at Grass very warm, and once in a Week give her a good warm Mash of drink: this secretly Knitteth beyond expectation.

## CHAP. XXXIV.

*Of drinking Venom, as Horse-leaches, Hens-dung,  
or such like.*

**I**F your Horse have drunk Horse-leaches, Hens-dung, Feathers, or such like Venemous thing, which you shall know by his Panting, Swelling, or Scouring; you shall take the herb *Sow-thistle*, and drying it, beat it into Powder, and put three Spoonfulls thereof into a quart of Ale, and give it the Horse to drink.

## CHAP. XXXV.

*Of Suppositories, Clifters, and Purgations.*

**I**F your Horse by Sicknes, strict Dyet, or too vehement Travel, grow dry and costive in his Body, as it is ordinary; the easiest means in extremitie to help him, is to give him a Suppository: The best of which, is, to take a Candle of four in the Pound, and Cut off five inches at the bigger end, and thrusting it up a good way with your hand into his Fundament, presently clap down his Tail, and hold it hard to his Tuel; a quarter of an hour, or half an hour; and then give him leave to Dung: But if this be not strong enough, then you shall give him a Clifter, and that is, take four handfulls of the herb *Anise*, and boyl it in a pottle of running water, till half be consumed; then take the Decoction, and mix it with a pint of Saller-oyle, and a pretty quantity of Salt, and with a Clifter-pipe give it, at his Tuel: But if this be too weak, then give him a Purgation thus: Take twenty Raisins of the Sun without stones, and ten Figgs slit, boyl them in a pottle of running water till it come to a Jelly; then mix it with the Powder of Licoras, Anniseeds, and Sugar-candy, till it be like Paste; then make it into round Balls, and role it in sweet Butten, and so give it the Horse, to the quantity of three Hen-eggs.

The Cure.

CHAP.

### CHAP. XXXVI. Of Neesings, and Frictions.

**T**Here be other two excellent helps for sick Horses, as Frictions, and Neesings: the first, to comfort the outward parts of the Body, when the Vital powers are astonished; the other, to purge the Head when it is stop't with phlegm, cold, or other thick humors. And of Frictions, the best is Vinegar and Parch-grease melted together, and very hot chased into the Horses body against the hair. And to make a Horse neese, there is nothing better than to take a bunch of Pellitory of Spain, and binding it unto a Stick, thrust it up a Horses nostrils, and it will make him Neese without hurt or violence.

### CHAP. XXXVII.

*Of Diseases in the Eyes, as Warry-eyes, Blood-shoten eyes, Dim eyes, Moon eyes, Stroke in the eye, Wart in the eye, Inflammation in the eye, Pearl, Pin, Web, or Haw.*

**U**Nto the Eye belong many Diseases, all which have their true signs in their names; and as touching that which is Warry, Blood-shoten, Dim, Moon, Stricken or Inflamed, they have all one Cure. The cure is, take Worm-wood, and beat it in a Morter with the Gall of a Bull, strain it, and annoint the Horses eyes therewith, and it is an approved remedy. But for the Wart, Pearl, or Pin, or Web, which are Evils grown in and upon the Eye; to take them off, take the juyce of the herb Betin, and wash his Eyes therewith; and it will wear the Spots away. For the Haw, every Smith can cut it out.

### CHAP. XXXVIII.

*Of the Impostume in the Ear, Pale-evil, Fistula, Swelling after a Blood-letting, any Gald-back, Canker in the Withers, sit fast, Wen, Navel-galls, or any hollow Ulcer.*

**T**Hese Diseases are so apparent and common, that they need no further Description but their names; and the most certain Cure, is, to take Clay of a Mud, or Lome wall, without Lime the Straws and all, and boyling it in strong Vinegar, apply it Plaster-  
wise

wise to the Sore, and it will of its own Nature search to the bottom, and heal it; provided, that if you see any dead or proud Flesh arise, then you either eat or cut it away.

## CHAP. XXXIX.

*Of the Vives.*

**F**OR the Vives, which is an Inflammation of the Kernels between the Chap and the Neck of the Horse; take Pepper one Penny-worth, of *Swines-grease* one Spoonfull; the Juyce of a handfull of Rew, Vinegar two Spoonfulls; mix them together, and then put it equally into both the Horses ears, and then tie them up with two flat Laces, then shake the Ears, that the Medicine may go down; which done, let the Horse bleed in the Neck, and in the Temple-veins, and it is a certain cure.

## CHAP. XL.

*Of the Strangle, or any Boyl, Borch, or other Impo-  
stume whatsoever.*

**A**Ll these Diseases are of one Nature, being only hard Boyls or Impostumes gathered together by evil humours, either between the Chaps, or elsewhere on the Body. The cure is, take *Southern-wood*, and dry it to Powder, and with Barley-meal, and the yolk of an Egg, make it into a Salve, and lay it to the Impostume, and it will ripen it, break it, and heal it.

The Cure.

## CHAP. XLI.

*Of the Canker in the Nose, or any other part of the Body.*

**T**O heal any Canker in white part soever it be: Take the Juyce of *Plantain*, as much *Vinegar*, and the same weight of the Powder of *Allom*; and with it annoint the Sore twice or thrice a day, and it will kill it, and cure it.

## CHAP. XLII.

*Of Stanching of Blood, whether it be at the Nose, or proceed from any Wound.*

**I**F your Horse bleed violently at the Nose, and will not be staid, then you shall take *Bistony*, and stamp it in a Morter with Bay-salt, or other white Salt, and stop it into the Horses nose, or apply  
it

it to the wound, and it will stanch it; but if you be suddenly taken, as riding by the high way, or otherwise, and cannot get this herb, you shall take any woollen cloath, or any felt thar, and with a Knife scrape a fine Lint from it, and apply it to the bleeding place, and it will stanch it presently.

## CHAP. XLIII.

*Of the diseases in the mouth, as bloody Rists, Ligs, Lampas, Camery, Inflammation, Tongue-hurt, or the Barbs.*

**I**F you find any infirmity in your horses mouth, as the bloody Rists, which are chaps or Rists in the pallat of the horses mouth; the Ligs, which are little pustels or bladders within the horses lips; the Lampas, which is an excreffion of flesh above the teeth; the Camery, which is little warts in the roof of the mouth; Inflammations, which is blisters; Barbs, which are two little paps under the tongue, or any hurt on the tongue by bit or otherwise: You shall take the leaves of Wormwood, and the leaves of *Shirt-wit*, and beat them in a mortar with a little honey, and with it annoint the sores, and it will heal them: As for the Lampas, they must be burnt away, which the ignorantest Smith can easily do.

The Cure.

## CHAP. XLIV.

*Of pain in the Teeth, or loose Teeth.*

**F**Or any pain in the teeth, take Betony and seeth it in Ale or Vinegar till a half part be consumed, and wash all the Gums therewith: but if they be loose, then only rub them with the Leaves of *Elecampane* or *Horsehelms*, after they have been let Blood, and it will fasten them.

## CHAP. XLV.

*Of the Crick in the Neck.*

**F**Or the Crick in the Neck, you shall first chase it with the Friction before specified, and then annoint and bathe it with *Sope* and Vinegar, boyled together.

CHAP.



## CHAP. XLVI.

*Of the falling in the Crest, manginess of the Main, or shedding of the hair.*

**A**LL these diseases proceed from poverty, mislike, or over-riding; and the best cure of the falling of the Crest, is bloud-letting, and proud keeping, with store of meat; for strength and fatness ever will raise up the Crest: But if the Main be maingy, you shall anoint it with butter and Brimstone, and if the hair fall away, then take Southernwood, and burn it to ashes; then take those ashes, and mixing them with common oyl, anoint the place therewith, and it will bring hair presently, smooth, thick, and fair.

## CHAP. XLVII.

*Of pain in the Withers.*

**A** Horses Withers are subject to many griefs and swellings which proceed from cold humours, sometimes from evil saddles; therefore if at any time you see any swelling about them, you shall take the herb Hearts-tongue and boyl it with the oyl of Roses, and very hot apply it to the sore, and it will assuage it, or else break it and heal it.

## CHAP. XLVIII.

*Of swaying the back, or weakness in the back.*

**T**Hese two infirmities are dangerous, and may be eased, but never absolutely cured: Therefore where you find them, take Colewort and boyl them in oyl, and mixing them with a little bean meal charge the back, and it will strengthen it.

## CHAP. XLIX.

*Of Itch in the tayl, or of the general Scab and manginess, or of the Farcy.*

**F**OR any of these diseases, take fresh greise, and yellow Afsnick, mix them together, and where the Manginess or Itch is, there rub it hard in, the fore being made raw: But if it be for Farcy, then with a Knife slit all the Knots, both hard and soft, and then rub in the medicine: Which done, tye up the horse, so as he

K

may

may not come to bite himself, and then after he hath stood two or three hours, take old piss and salt boyl'd together, provided alwayes that you first let him blood, and take good store from him, and also every morning give him a strong scouring, or a strong purge, both which are shewed before.

## C H A P. L.

*Of any halting which commeth by strain, or stroak  
either before or behind, from the shoulders  
or Hips, down to the hoof.*

**T**Here be many infirmities which make a horse halt, as pinching the shoulder, wrench in the shoulder, wrench in the nether joynt, splatting the shoulder, shoulder pight, strains in the joynts, and such like; all which, since they happen by one accident, as namely, by the violence of some slip or strain, may be cured by one medicine; and it is thus: After you have found where the grief is, as you may do by griping and pinching every severall member, then where he most complaineth, there is his most grief; You shall take (if the strain be new) Vinegar, Bole-armoniack, the whites of Eggs, and bean flowers, and having beaten them to a perfect salve, lay them very hot to the sore place, and it will cure it; but if the strain be old, then take Vinegar and Butter, and melting them together with wheat bran, make it into a pultis, and lay it to the sore as hot as may be, and it will without doubt take away the grief.

## C H A P. LI.

*Of foundring in the feet.*

**O**F foundring there be two sorts, a dry and a wet. The dry foundring is incurable, the wet is thus to be helpt. First, pare all the soles of his feet so thin, that you may see the quick, then let him blood at every toe, and let them bleed well; then stop the vein with tallow, and Rosen, and having tackt hollow shooes on his feet, stop them with Bran, Tarr, and Tallow, as boyling hot as may be, and renew it once in two dayes, for a week together; then exercise him much, and his feet will come to their true use and nimbleness,

C H A P.

## C H A P. LII.

*Of the Splent, Curb, Bode-spaven, or any knobby or bony excreffion or Ring-bone.*

**A** Splent is a bony excreffion under the Knee or the fore-legg; the Curb is the like behind the hinder hough; the Spaven is the like on the inside of the hinder hough; and the Ring-bone is the like on the coronet of the hoof. And the cure is, first upon the top of excreffion make a slit with your knife the length of a Barly-corn or a little more, and then with a fine corner raise the skin from the bone; and having made it hollow, the compass of the excreffion, and no more, take a little lint, and dip it into the Oyl of *Origanum*, and thrust it into the hole and cover the knob, and so let it bridle till you see it rot, and that nature casteth out both the medicine and the core. As for the Ring-bone you shall need to scarifie and anoynt it with the oyl only.

## C H A P. LIII.

*Of the Malander, Selander, Pain-scratches, Mellet, Mules, Crown-scabs, and such like.*

**F**Or any of these Sorances, you shall take Verdigrease and soft grease, and grinding them together to an Oyntment, put it in a Box by it self; then take Wax, hoggs-grease, and Turpentine, of each alike, and being melted together, put that salve into another Box: Then when you come to dress the sore, after you have taken off the scab and made it raw, you shall anoint it with your green salve of *Verdigrease* and fresh grease only for two or three days; it is a sharpe salve, and will kill the cankerous humor: Then when you see the sore look fair, you shall take two parts of the yellow salve, and one part of the green salve, and mixing them together anoint the sore therewith till it be whole, making it stronger or weaker as you shall find occasion.

## C H A P. LIV.

*Of an upper Attaint, or nether Attaint, or any hurt by over-reaching.*

**T**Hese attaints or strokes, are cuts by over-reaching, either on the back sinew of the fore-legg, on the heels or nether joynts and

and may be safely healed by the same former medicine and mean which healeth the Malander and Selander, in the former chapter: Only for your over-reaches, you shall before you apply your salve, lay the sore plain and open, without hollownes, and wash it with beer and salt, or Vinegar and salt.

## CHAP. LV.

*Of the infirmities of hoofs, as false quarters, loose hoofs, casting hoofs, hoof bound, hoof running, hoof brittle, hoof hurt, hoof soft, hoof hard, or generally to preserve hoofs.*

**T**He hoof is subject to many miseries: As first to false quarters, which cometh by pricking, and must be helpt by good shoeing, where the shooe must bear on every part of the foot, but upon the false quarters only. If the hoof be loose, anoint it with pitch of *Burgundy*, and it will knir it; if it be clean cast off, then pitch of *Burgundy*, and tallow molten together, will bring a new; if it be bound or strained, it must be very well opened at the heels, the soal kept moist, and the croner anointed with the fat of Bacon and Tar. If the frush of the feet run with stinking matter, it must be stoppt with Soot, Turpentine, and Bolearmoniack mixt together: If it be brittle or broken, then anoint it with pitch and Linseed Oyl, molten to a soft salve; if it be soft, then stop it with Sope, and the ashes of a burnt Felt mixt together; if the hoofs be hard, lay hot burning cinders upon them, and then stop them with tow and tallow; and generally, for the preserving of all good hoofs, anoint them daily with the swerd or rind of fat Bacon.

## CHAP. LVI.

*Of the blood-spaven, or hough-bony, or any other unnatural swelling, from what cause soever it proceedeth.*

**T**Hese two forances, or pustels, or soft round swellings, the first on the inside of the hinder hough, and the other on the very huckle on the hough behind, they are soft and very sore: And  
 The Cure. the cure is; First to take up the vein above, and let it bleed only  
 from

from below, then having knit it fast with two shoos-makers ends on both sides the slit, cut the vein in two pieces: Then take Line-feed and bruise it in a mortar, then mix it with Cow-dung and heat it in a frying-pan, and so apply it to the swelling only; and if it break and run, then heal it with a playster of pitch, and the horse shall never be troubled with Spaven more: But if the swelling come by strain or bruise, then take patch-grease, and melting it, anoint the sore therewith, holding a hot Iron near it to sink in the grease, then fold a linnen cloath about it, and it will assuage all swellings whatsoever.

CHAP. LVII.

*Of Wind galls.*

**T**Hese are little blebs, or soft swellings, on each side the Feet-lock, procured by much travell or hard and stony wayes. The cure is, to prick them and to let out the Jelly, and then dry up the sore with a playster of pitch. The Cure.

CHAP. LVIII.

*Of enterfairing, or Shackle-gall, or any gallings.*

**E**Nterfairing is hewing one legg upon another, and striking off the skinn, it proceedeth from weakness or straitness of the horses pace; and Shackle-gall is any gall underneath the Feet-lock. The cure is, to anoint them with Turpentine and Verdigrease mixt together, or Tupentine alone, if it rancle not too much. The Cure.

CHAP. LIX.

*Hurts on the Crowns, as the Quitter-bone, or Matlong.*

**T**He Quitterbone is a hollow ulcer on the top of the croner, and so is the Matlong: And the cure is; First to raint it with Verdigrease untill you have eaten out the core, and made the wound very clean; then you shall heal it up with the same salves that you heale the Scratches. The Cure.

CHAP.

## C H A P. LX.

*Of Wounds in the foot, as Gravelling, Pricking, Figge,  
Retain or cloying.*

**I**F your Horse have any wound in his foot, by what mischance soever, you shall first search it, and see that it be clear of any nayle, point, or other splint to annoy it, then wash it very well with white Wine and Salt, and after taint it with the Oynment called *Aegyptiacum*, and then lay hot upon the taint with *Flax-hurds*, *Turpentine-Oyl* and *Wax* mingled together, and anoint all the top of the hoof and cronet with *Bolearmoniack* and *Vinegar*: do this once a day untill the sore be whole.

## C H A P. LXI.

*To draw out a Stub, or Thorn.*

**T**AKE the Herb Ditany, and bruise it in a mortar with *Black-soap*, and lay it to the sore; and it will draw out the splint, iron, thorn, or Stub.

## C H A P. LXII.

*Of the Aubury, or Tetter.*

**T**HE *Aubury* is a bloody wart on any part of the horses body, and the Tetter is a Cankerous ulcer like it: The cure of both is with a hot iron to sear the one plain to the body, and to scarifie the other; then take the juyce of *Plantane*, and mix it with *Vinegar*, *Honey*, and the Powder of *Allome*, and with it anoint the Sore till it be whole.

The Cure.

## C H A P. LXIII.

*Of the Cords or String-halt.*

**T**HIS is an unnaturall bending of the sinews; which imperfection a horse bringeth into the world with him; and therefore it is certain it is incurable, and not painfull, but only an eye sore; yet the best way to keep it from worse inconvenience, is to bathe his limbs in the decoction of *Cole-worts*.

C H A P.



## CHAP. LXIV.

*Of spur-galling, or fretting the skin, and hair.*

**F**Or this there is nothing better than piss and salt, with which wash the sore dayly.

## CHAP. LXV.

*Of healing any old sore or wound.*

**F**resh butter and the herb *Ameos*, chopt and beaten together to a salve, will heal any wound, or any old sore.

## CHAP. LXVI.

*Of sinews being cut.*

**I**F the horses sinews be cut, take the leaves of wild *Nepe* or *Woodbine*, and beating them in a mortar with *May-butter*, apply it to the sore, and it will knit the sinews.

## CHAP. LXVII.

*Of eating away any dead flesh.*

**T**ake *Stubwort*, and lay it in a red dock leaf, and roast it in the hot cinders, and lay it to the sore, and it will eat away any dead flesh. So will *Verdigrease*, burnt *Allom*, or *Lime*.

## CHAP. LXVIII.

*Of Knots in the Joynts.*

**P**Arch-grease, applyed as is before shewed for swellings, will take away any hard Knots in the flesh, or upon the sinews.

## CHAP. LXIX.

*Of venomous wounds, as biting with a mad Dog, tusks of Bores, Serpents, or such like.*

**F**Or any of these mortall or venomous wounds, take *Tarrow*, *Callamint*, and the grains of *Wheat*, and beat them in a mortar with water of *Sothernwood*; and make it into a salve, and lay it to the sore, and it will heal it safely.

## CHAP. LXX.

*Of Lice or Nits.*

**T**his filthiness of Vermine is bred in a horse though unnatural dislike and poverty: the cure is, take the juice of *Beets* and

and *navelsacre*, beaten together, and with it anoint the Horses Body over, an it will make him clean.

## CHAP. LXXI.

*Of defending a Horse from flies.*

**T**AKE the juice of Pellitory of Spain, and mixing it with milk, anoint the Horses belly therewith, and no flies will trouble him.

## CHAP. LXXII.

*Of broken bones, or bones out of Joynt.*

**A**FTER you have placed the bones in their true places, take the Ferofmund, and beat it in a mortar with the oyl of Swallows, and anoint all the members; then splent it and role it up, and in fifteen days the bones will knit and be strong.

## CHAP. LXXIII.

*Of drying up sores when they be almost whole.*

**A**Llome burnt, unslackt Lime, the ashes of an old shoosole burnt, or Oyfter-shells burnt; any of these, simply by themselves, will dry up any sore, thought never so moist.

## CHAP. LXXIV.

*A most famous Receipt to make a Horse that is lean, and full of inward sicknesses, sound and fat in fourteen days having been often approved of.*

**T**AKE of wheat meal six pound, Anniseeds two ounces, Commin seeds six drammes, Carthamus one dramme and a half, Fenugreek seeds one ounce two drammes, Brimstone one ounce and a half, Saller-oyl one pint, Honey one pound and a half, white-wine four pints; this must be made into a paste, the hard simples being pounded into powder, and finely searst, and then kneaded together, and so made into balls as big as a mans fist, then every watering consume one of those balls, into his cold water which he drinketh for morning and evening, for fifteen dayes together; and if at the first he be dainty to drink the water, yet care not, but let him fast till he drink it, and after he begins to take it, he will drink it with great greediness.

CHAP.

## CHAP. LXXV.

*How to make a white Star.*

**S**Lit the Horses fore-head the length of your Star, and then raise the Skin up with a Croner, and put in a Plate of Lead as big as the Star, and let it remain so two or three days together; and then let it out, and press down the Skin with your hand, that Hair will fall away, and white will come in the place; or to scald the Face or Skin with a sower Apple roasted, will bring white hair: But to make a black Star, or a red Star in a Horses fore-head, I refer it for you to look and approve of my *Master-piece*, which belongeth only to that for to be exactly Discourfed of; this being only a general Cure of all Cattel.

*The end of the Horse.*

The general Cure and Ordering of the Bull, Cow,  
Calf, or Ox.

## CHAP. I.

*Of the Bull, Cow, Calf, or Ox, their Shape and Breed,  
Use, Choice, and Preservation.*



Orasmuch as the Male of all Creatures are the principal in the Breed and Generation of things, and that the Fruit which issueth from their Seed participateth most with their outward Shapes, and inward Qualities; I think fittest in this place, where I intend to treat of Horned Cattel, and

Near, to speak first of the choice of a fair Bull, being the Breeders principallest Instrument of profit. You shall understand then, that of our *English* Cattel, (for I will not speak of those in *Italy*, and other Foreign Countries, as other Authors do, and forget mine Own) the best are bred in *York-shire*, *Darby-shire*, *Lancashire*, *Strafford-shire*, *Lincoln-shire*, *Gloester-shire*, and *Somer-*

The Coun-  
tries for breed.

L

shire 3

shire; those that are bred in *York-shire*, *Darby-shire*, *Lanca-shire*, and *Stafford-shire*, are generally all black of Colour, and they whose Blackness is purest, and their Hairs like Velvet, are esteemed best: they have exceeding large Horns, and very White, with black Tips; they are of stately shape, big, round, and well huddled together in every Member, short joyned, and most comely to the Eye, so that they are esteemed excellent in the Market: Those in *Lincoln-shire* are for the most part Py'd, with more white than the other Colours, their Horns little and crooked, of Bodies exceeding tall, long, and large, lean and thin Thighed, strong Hooved, not apt to Surhair, and are indeed fittest for Labour and Draught: Those in *Somerset-shire*, and *Glocester-shire*, are generally of a blood red Colour, in all Shapes like unto those

Of not mixing  
and mixing of  
Races.

in *Lincoln-shire*, and fittest for their Uses. Now to mix a race of these and the black ones together is not good, for their shapes and colours are so contrary, that their issues are very uncomely: Therefore, I would with all Men to make their breeds, either simply from one and the same kind, or else to mix *York-shire* with *Stafford-shire*, with *Lanca-shire*, or *Darby-shire*, with one of the black Races, and so likewise *Lincoln-shire* with *Somerset-shire*, or *Somerset-shire* with *Glocester-shire*.

The shape of  
the Bull.

Now for the Shapes of your Bull, he would be of a sharp and quick Countenance, his Horns the larger the better, his Neck fleshy, his Belly long and large, his Fore-head broad and curled, his Eyes black and large, his Ears rough within, and Hair like Velvet, his Muzzle large and broad at the Upper-lip, but narrow and small at the Neathier, his Nostrils crooked within, yet wide and open, his Dew-lap extending from his Neathier-lip down to his Fore-booths, large Side, thin and hairy, his Breast rough and big, his Shoulders large, broad, and deep, his Ribs broad and wide, his Back strait and flat, even to the setting on of his Tail, which would stand high, his Huckle bones round and fair appearing, making his Buttocks square, his Thighs round, his Leggs strait and short-joyned, his Knees round and big, his Hoofs or Claws long and hollow, his Tail long and bush-haired, his Pisse round and also

The use of  
the Bull.

well Haired. These Bulls, as they are for Breed, so they are excellently good for the Draught, only they naturally draw better single, like Horses, than in the Yoak, like Oxen: the reason, as I suppose, being, because they can hardly be matcht in an equal manner.

Now

Now for the Cow, you shall chuse her of the same Country with your Bull, and as near as may be of one Colour, only her Bag or Udder would ever be White, with four Teats and no more; her Belly would be round and large, her Fore-head broad and smooth, and all other parts such as are before shewed in the Male kind.

Of the Cow,  
and her shape.

The use of the Cow is two-fold, either for the Dairy, or for Breed: the red Cow giveth the best Milk, and the black Cow bringeth forth the goodliest Calf. The young Cow is the best for Breed, yet the indifferent Old are not to be refused. That Cow which giveth Milk longest is best for both purposes; for she which giveth Milk long, dry, loseth half her profit, and is less fit for Teeming: for commonly they are subject to Feed, and that straineth the Womb or Matrix.

Of her use.

Now for Calves, there are two ways of breeding them; the one, to let them run with their Dams all the Year, which is best, and maketh the goodliest Beast; the other, to take them from their Dams, after their first Sucking, and so bring them up upon the Finger, with stoten Milk, the cold only being taken away and no more; for to give a young Calf hot milk, is present death, or very dangerous. If your Calf be Calved in the five days after the change, which is called the *Prime*, do not Rear it, for most assuredly it will have the Sturdy, therefore preserve it only for the Butcher; also when you preserve those Male calves, which shall be Bulls, then geld the rest for Oxen, and the younger they are Geld the better: the best time for Rearing of Calves is from *Michaelmas* till *Candlemas*. A Calf would be Nourished with Milk twelve Weeks, only a Fort-night before you wean it from Milk, let the Milk be mixt with water. After your Calf hath drunk one Moneth, you shall take the finest, sweetest, and softest Hay you can get, and putting little wisps into Cloven sticks, place them so as the Calf may come to them, and learn to eat Hay. After our Ladies day, when the weather is fair, you may turn your Calves to Grass, but by no means let it be rank, but short and sweet, so that he may get it with some Labour.

Of Calves,  
and their nourishing.

Observations.

Now of the Ox, you shall understand that the larger are the best and most profitable, both for draught or feeding, for he is the strongest to indure Labour, and best able to contain both Flesh

Of the Ox,  
and his use.

Of his food  
for Labour.

Oxen to feed  
for the But-  
cher.

316/11210

To preserve  
Cattel in  
health.

and Tallow. Now for his Shape, it differeth nothing from that of the Bull, only his Face would be smooch, and his Belly deeper. That Ox is fittest for the Yoak which is of gentle nature, and most familiar with the Man. In marching your Oxen for the Yoak, let them, as near as may be, be of one height, spirit, and strength; for the Stronger will ever wrong the Weaker, and the Duller will injure him that is of freer Spirit, except the Driver be carefull to keep the dull Ox to his Labour. Oxen for the Yoak would by no means be put beyond their ordinary Pace: for Violence in Travel hurts them, Heat breeds Surfeits, and Surfeits those Diseases which make them unapt to Feed, or for any other use of Goodness. Your Ox for the Yoak will Labour well with Barley-Straw, or Pease-Straw, and for blend Fodder, which is Hay and Straw mix'd together, he will desire no better feeding.

Now for your Ox to Feed, he would, as much as might be, be ever of lusty and young Years, or if Old, yet healthfull, and bruised, which you shall know by a good Tail, and a good Pizzle; for if the hair of one, or both be lost, then he is a Waster, and he will be long in Feeding. If you do see the Ox doth Lick himself all over, it is a good sign, that he is Marker-able, and well Fed, for it shews Soundness, and that the Beast taketh a Joy in himself; yet whilst he doth so Lick himself, he Feedeth not, for his own Pride hindreth him, and therefore the Husbandman will lay the Oxes own Dung upon his Hide, which will make him leave Licking, and fall to his Food. Now if you go to chuse a fat Beast, you shall handle his hindmost Rib, and if it be soft and loose, like Down, then it shews the Ox is outwardly well Fed; so doth soft Huckle-bones, and a big Natch, round and knotty: If his Cod be big and full, it shews he is well Tallow'd, and so doth the Crop behind the Shoulders: If it be a Cow, then handle her Navel, and if that be big, round, and soft, surely she is well Tallowed. Many other Observations there are, but they be so well known, and common in every Mans use, that they need no curious Demonstration.

Now for the preservation of these Cattel, in good and perfect health, it shall be meet that for the Young and Lusty, and indeed generally for all sorts, except Calves, to let them Blood twice in the Year, namely the Spring and Fall, the Moon being in any of the



the lower Signs, and also to give them to drink of the Pickle of *Olives*, mixed with a head of *Garlick* bruised therein; and for your Calves, be only carefull that they go not too soon to Grass, and small danger is to be feared. Now notwithstanding all a Mans carefulness, Beasts daily do get Infirmities, and often fall into mortal Extremities: peruse therefore these Chapters following, and you shall find cure for every particular Disease.

## CHAP. II.

*Of the Fever in Cattel.*

**C**attel are most subject unto a Fever, and it cometh either from Surfeit of Blood, being raw, and musty, or from flux of cold Humours ingendred by old keeping: The signs are Trembling, heavy Eyes, a foaming Mouth, and much Groaning: and the Cure is, you shall let him Blood, and then give him to drink a quart of Ale, in which is boyled three or four roots of Plantain, and two Spoonfulls of the best London Treacle, and let his Hay be sprinkled with water.

The Cure.

## CHAP. III.

*Of any inward Sicknes in Cattel.*

**F**Or any inward Sicknes, or drooping in Cattel, take a quart of strong Ale, and boyl it with a handfull of Worm-wood, and half a handfull of Rew; then strain it, and add to it two Spoonfulls of the juice of Garlick, and as much of the juice of House-leek, and as much London Treacle, and give it the Beast to drink, being no more but luke-warm.

## CHAP. IV.

*Of the Diseases in the Head, as the Sturdy, or Turning-evil.*

**T**His Disease of the Sturdy is known by a continual turning about of the Beast in one place; and the Cure is, to cast the Beast, and having made his Feet fast, to slit the upper part of his Fore-head cross-wise, about four Inches each way; then turning up the Skin, and laying the Skul bare, cut a piece out of the Skul two inches square, or more; then look, and next unto the Panicle of the Brain, you shall see a Bladder lye full of water and blood, which

The Cure.

which you shall very gently take out, and throw away; then anoint the place with warm fresh Butter, turn down the Skin, and with a needle and a little red Silk stitch it close together; then lay on a hot Plaister of Oyl, Turpentine, Wax, and a little Rozen melted together with Flax-hurds; and so folding warm woollen Cloath about the head, let the Beast rise, and so remain three or four days ere you dress it again, and then heal it up like another Wound: only observe in this Cure, by no means touch the Brain, for that is Mortal, and then the help is both common, and most easie.

## CHAP. V.

*Of Diseases in the Eyes of Cattal, as the Haw, a Stroak, Inflammation, Weeping, or the Pin or Web.*

**F**Or any general Soreness in the Eyes of Cattal, take the Water of *Eye-bright*, mixt with the Juice of *Honse-leek*, and wash them therewith, and it will recover them: but if a Haw breed therein, then you shall cut it out, which every simple Smith can do. But for a Stroak, Inflammation, Pin or Web, which breeds Excessions upon the Eyes, take a new laid Egg, and put our half the White, then fill it up with Salt, and a little Ginger, and Roast it extream hard in hot Cinders; which done, beat it to Powder, Shell and all: but before you Roast it, wrap it in a wet Cloath, and put of this Powder into the Beasts eye, and it will heal and cure it.

## CHAP. VI.

*Of Diseases in the Mouth, as Barbs under the Tongue, Blain on the Tongue, Teeth loose, or Tongue venomed.*

**T**Hose Barbs, or Paps which grow under the Tongues of Cattal, and being Inflamed do hinder them from Feeding, you shall with a Keen pair of Sheers cut away close by the Flesh, and if they bleed much, (as they will do if they be Runk) you shall then with a red-hot Bodkin sear them, and drop on the top of the Seared places a drop or two of Rozen and Butter mixt together; but if they bleed not, then only rub them with Sage and Salt, and they will heal. Now for the Blain on the Tongue, of some called the Tin-blain, it is a Blister which groweth at the  
Roors

Roots of the Tongue, and cometh through heat of the 'tomach, and much Chafing, and is oft very Morral; for it will rise so suddenly, and so big, that it will stop the wind of the Beast. The cure is, to thrust your hand into the mouth of the Beast, and drawing out his Tongue, with your Nail to break the Blister, and then to wash the sore place with strong Brine, or Sage, Salt, and Waler: If you find more Blisters than one, break them all, and wash them, and it is a present cure. Now for loose Teeth, you shall let the Beast blood in his Gums, and under his Tail; then wash his Chips with Sage, and Wood-bine leaves boyld in Urine: Lastly, if the Tongue be Venomed, which you shall know by the unnatural Swelling thereof, you shall take Plantain, and boyling it with Vinegar and Salt, wash the Tongue therewith, and it will cure it.

The Cure.

## CHAP. VII.

*Of Diseases in the Neck, as being Galled, Bruised, Swoln, out of Joynt, or having the Closh.*

**I**F any Oxes neck be Galled, Bruised, or Swoln with the Yoak, take the Leaves of round *Aristolochia*, and bearing them in a Morter with Tallow, or fresh Grease, anoint the sore place therewith, and it will not only heal it, but any strain in the Neck, even if the Bone be a little disordered. Now for the *Closh*, or *Clowse*, which causeth a Beast to pill and loose the hair from his Neck, and is bred by drawing in wet and rainy Weather; you shall take the ashes of an old burnt Shooe, and strew it upon the Neck, and then rub it over with Tallow and Turpentine mixt together.

## CHAP. VIII.

*Of the Pestilence, Gargil, or Murrain in Beasts.*

**T**His Pestilence, or Murrain amongst Beasts, is bred by divers occasions; as from rankness of Blood, or Feeding, from corruption of the Air, intemperateness of the Weather, inundation of Floods, or the infection of other Cattel: Much might be said of the Violence and Mortality thereof, which hath utterly unfurnished whole Countries; but to go to the Cure, you shall give to all your Cattel, as well the Sound as Sick, this Medicine which never failed to preserve as many as have taken it: Take of old Urine a quart, and mix it with a handfull of Hens-dung dissolved therein, and let your Beast drink it.

The Cure.

CHAP.

## CHAP. IX.

*Of the Misking, or Leanness of Beasts.*

**I**F your Beast fall into any unnatural Misklike, or Leanness, which you shall know by the Discolouring of his Hair; you shall then cause him first to be let Blood, and after take sweet Butter, and beat it in a Morter, with a little *Myrrhe*, and the shaving of *Ivory*, and being kept fasting, make him swallow down two or three Balls thereof; and if it be in the Winter, feed him with sweet Hay; if in the Summer, put him to Grass.

## CHAP. X.

*Of the Diseases in the Guts, as Flux, Costiveness, Cholick, and such like.*

**I**F your Beast be troubled with any sore Lax, or Bloody-flux, you shall take a handfull of the Seeds of *Wood-rose*, and being dried and beaten to Powder, brew it with a quart of strong Ale, and give it the Beast to drink: But if he be too dry, or costive in his Body, then you shall take a handfull of *Fenugreek*, and boyl it in a quart of Ale, and give him to drink: But for any Cholick, or Belly-ake, or Gnawing of the Guts, boyl in the water which he drinketh good store of Oyl, and it will help him.

## CHAP. XI.

*Of Pissing of Blood.*

**I**F your Beast piss Blood, which cometh either of Over-labouring, or of hard and sower Feeding; you shall take *Shepherds-purse*, and boyl it in a quart of red Wine, and then strain it, and put to it a little *Cinnamon*, and so give it the Beast to drink.

## CHAP. XII.

*Of dropping Nostriils, or cold in the Head.*

**I**F your Beasts Nostriils run continually, which is a sign of cold in the Head, you shall take *Butter* and *Brimstone*, and mixing them together, anoint two Goose-feathers therewith, and thrust them up into the Nostriils of the Beast, and use thus to do every Morning till they leave Dropping.

CHAP.

## CHAP. XIII.

*Of any swelling in a Beast, whatsoever.*

**I**F your Beast have any outward swelling, bath it with Oyl and Vinegar exceeding hot, and it will assuage it: But if the swelling be inward, then boyl round *Aristolochia* in his water.

## CHAP. XIV.

*Of the Worm in the Tail.*

**T**Here is a Worm which will breed in the tayl of a Beast, and doth not only keep him from feeding, but also eareth away the hair of the rail and disfigureth the Beast. The cure is, to wash the rail in strong *Lye* made of *Urine* and *Ash-wood-ashes*; and that will kill the Worm, and also heal and dry up the sore.

The Cure.

## CHAP. XV.

*Of any Cough, or shortness of breath in Cattell.*

**I**F your Beast be troubled with the Cough, or shortness of breath, you shall give him to drink, divers mornings together, a spoonfull or two of Tar, dissolved in a quart of new milk, and a head of Garlick cleaupill'd and bruised.

## CHAP. XVI.

*Of any Impostum, Bile, or Botch, in a Beast.*

**I**F your Beast be troubled with any Impostume, Bile, or Botch, you shall take Lilly roots and boyl them in milk till they be soft, so that you may make them like pap: Then being very hot clap them to the sore, and then when it comes to be soft, open it with a hot iron, and let out the filth, then heat it up with Tar, Turpentine, and Oyl mixt together.

## CHAP. XVII.

*Of diseases in the Sinews, as weakness, stiffness, or soreness.*

**I**F you find by the unnimble going of your Beast, that his sinews are weak, shrunk or tender: Take *Mallows* and *Chickweed* and boyl them in the Dregs of Ale, or in Vinegar, and being

very hot, lay it to the offended member, and it will comfort the sinews.

### CHAP. XVIII.

*Of the general scab, particular scab, itch, or scurf  
in Cattell.*

**I**F your Beast be troubled with some few scabs here and there on his body, you shall only rub them off, and anoint the place with black Sope and Tar, mixt together, and it will heal them. But if the scab be universall over the body, and the scabs mixt with a dry scurf, then you shall first let the Beast bloud, after rub off the scabs and scurf till the skin-bleed, then wash it with old urine and green Copperas together, and after the baching is dry anoint the body with Bores-grease and Brimstone mingled together.

### CHAP. XIX.

*Of the hide-bound, or dry skin in Cattell.*

The Cure.

**T**His grief cometh of over-much labour and evil keeping, and above all other Beasts your *Lincolnshire Oxen* are subject unto it, the signs are a discoloured and hard skin, with much leanness: The cure is, to let him blood, and to give him to drink a quart of good strong Ale brewed with *Myrrhe*, and the powder of *Bayberries*, or for want of berries the *Bay-tree* leaves; and then keep him warm, and feed him with Hay that is a little Mow burnt, and only looketh red, but is not dusty or mouldy; for that will get him an appetite to drink, and drinking will loosen his skin.

### CHAP. XX.

*Of the diseases in the Lungs, especially the Lung-grown.*

**T**He Lungs of a Beast are much subject to sickness, as may appear by much paintng, and shortness of breath, the signs being a continuall coughing; but that which is before prescribed for the Cough, will cure all these: Only for a Beast which is Lung-grown, or hath his Lungs grown to his side, which cometh through some extream drought taken in the Summer season, and is known by the cough, hoarse, or hollow coughing; you shall take a pint of *Tanners oze* and mix it with a pint of new milk, and



and one ounce of brown Sugar-Candy, and give it the Beast to drink, this hath been found a present cure; or to give him a ball as big as a mans fist, of Tar and Butter mixt together, is a very certain cure.

## CHAP. XXI.

*Of biting with a Mad-Dog, or any other venomous Beast.*

**I**F your Beast be bitten with a mad Dog, or any other venomous Beast, you shall take *Plantain*, and beat it in a Morter with *Bolus armoniac*, *Sanguis Draconis*, Barley meal, and the white of Eggs; and plaister-wise lay it to the sore, renewing it once in fourteen hours.

## CHAP. XXII.

*Of the falling down of the Pallas of a Beasts mouth.*

**L**Abour and draught will make the Pallar of a Beasts mouth to fall down, which you shall know by a certain hollow changing in his mouth when he would eat, also by his sighing, and a desire to eat but cannot. The ordinary cure is, you shall cast the Beast, and with your hand thrust it up; then let him blood in the Pallar, and anoint it with Honey and Salt; and then put him to grass, for he may eat no dry meat.

## CHAP. XXIII.

*Of any grief or pain in the hoof of a Beast, and of the Foule.*

**T**AKE *Mugwort*, and beat it in a Morter with hard *Tallow*, and apply it to the hoof of the Beast, and it will take away any grief whatsoever. But if he be troubled with that disease, which is called the *Foule*, and cometh most commonly by treading in a mans ordure which breedeth a soreness and swelling between the claws: You shall for the cure, cast the beast, and with a Hay rope rub him so hard between the same, that you make him bleed, then anoint the place with *Tar*, *Turpentine*, and *Kitchin-fee*, mixt together, and keep him out of the dirt, and he will soon be whole.

The Cure;

## C H A P. XXIV.

*Of bruising in general, on what part of the body  
soever they be.*

**T**Ake *Brooklime* the less, and fry it with Tallow, and so lay it to the bruise, and it will either expell it, or else ripen it, break it, and heal it, as hath been often approved.

## C H A P. XXV.

*Of swallowing down Hens-dung, or any poisonous thing.*

**I**F your beast have swallowed down Hens-dung, Horse-leeches, or any other poisonous thing, you shall take a pint of strong Vinegar, and half so much Oyl; or sweet butter, and two spoonfulls of *London-treacle*, and mix them together on the fire; give it the beast warm to drink, and it will cure him.

## C H A P. XXVI.

*Of killing Lice or Ticks.*

**B**Easts that are bred in Woods under dropping of Trees, or in barren and unwholesome places, are much subject to Lice, Ticks, and other Vermin. The cure whereof is, to anoint their body with fresh Grease, Pepper, Stavesacre, and Quicksilver, beaten together untill the Quicksilver be slain.

The Cure;

## C H A P. XXVII.

*Of the Demboln, or general Gargill.*

**H**OWsoever some of our English Writers are opinioned; this *Demboln*, or generall *Gargill*, is a poisonous and violent swelling, beginning at the neather part of the *Demlap*; and if it be not prevented, the swelling will ascend upward to the Throat of the Beast, and then it is incurable: therefore for the preservation of your Beast, as soon as you see the swelling appear, cast the Beast, and slit the swelled place of the *Demlap*, at least four inches in length; then take a handfull or two of *Speare-grass*, or *Knot-grass*, and thrusting it into the wound, stich it up close; then anoint it with *Butter* and *Salt*, and so let it rot and wear away of it self: If you perceive that his body be swell'd, which is a sign that the poyson is dispersed inwardly, then it shall be good

good to give him a quart of *Ale* and *Rew* boyl'd together, and so to chafe him up and down well, before and after.

## CHAP. XXVIII.

*Of the loss of the Cud.*

**A** Beast will many times, through carelessness in chewing, lose his Cud, and then mourn and leave to eat: The certain cure whereof is, to take a little sower *Leaven* and *Salt*, and beating it in a mortar with man's *Urine* and *Lome*; make a pretty big ball, and force him to swallow it down, and it will recover his Cud.

The Cure.

## CHAP. XXIX.

*Of killing of all sorts of Worms, either in the Ox, Cow, or Calfe.*

**T**Here is nothing killeth Worms in the bodies of Cattrell sooner than *Savin* chopt small, and beaten with sweet *Butter*, and so given in round balls to the beast; not any thing maketh them void them so soon as sweet *Wort* and a little black *Sope*, mixt together, and given the beast to drink.

## CHAP. XXX.

*Of the vomiting of Blood.*

**T**His disease commeth of the rankness of blood got in fruitful Pastures after hard keeping, in so much that you shall see the blood flow from their mouths. The cure is, first to let the Beast blood, and then give to drink *Bolearmoniack* and *Ale* mixt together.

## CHAP. XXXI.

*Of the Gout in Cattell.*

**I**F your Beast be troubled with the Gout, which you shall know by the sudden swelling of his joynts, and falling again; you shall take *Galingall*, and boyl it in the Dregs of *Ale* and sweet *Butter*, and Pulvis-wife lay it to the offended member.

## CHAP. XXXII.

*Of Milking of a Beast.*

**M**ilking is, when a Beast will oft fall, and oft rise, as he is at his labour, and cannot indure to stand any while together: it proceeds from some stroke or bruise, either by cudgell or other blunt weapon: And the cure is, not to raise him suddenly, but to give him *Ale*, and some stone *Pitch* mixt very well together to drink.

CHAP.

## C H A P. XXXIII.

*Of provoking a Beast to piss.*

**I**F your Beast cannot piss, steep *Smalage*, or the roots of *Radish*, in a quart of *Ale*, and give it him to drink, and it presently helpeth.

## C H A P. XXXIV.

*Of the over-flowing of the Gall in Beasts.*

**T**He over-flowing of the Gall, is ever known by the yellowness of the skin, and the eyes of a beast: And the cure is, to give him a quart of Milk, Saffron, and Turmerick mixt together, to drink after he hath been let blood, and so do three mornings together.

## C H A P. XXXV.

*Of a Beast that is goared, either with a Stake or with the horn of another Beast.*

**T**Ake *Turpentine* and *Oyl*, and heat them on the Coals, and then taint the wound therewith, and it will heal it.

## C H A P. XXXVI.

*Of a Cow that is Whethered.*

**T**His disease is, when a Cow after her calving cannot cast her cleaning, and therefore to compell her to cast it, you shall take the juice of *Betony*, *Mugwort*, and *Mallows*, of each three spoonfulls, and mix it with a quart of *Ale*, and give it the Beast to drink: And also give her to eat scorched Barley, and it will force her to avoid her burden suddenly.

## C H A P. XXXVII.

*Of drawing out stubs, or Thorns.*

**T**Ake black Snails and black Sope, and beat them to a salve, and apply them to the sore, and it will draw the grief to be apparent.

## C H A P. XXXVIII.

*Of purging of Cattel.*

**T**Here is nothing doth purge a Beast so naturally, as the green weedy grass which groweth in Orchards under trees, nor any Medicine doth purge them better than *Tar*, *Butter*, and *Sugar-Candy* mixt together, and given in balls as big as an Hens Egg.

C H A P.

## CHAP. XXXIX.

*Of being shrew-run, or shrew-bitten.*

**A** shrew-Mouse, which is a Mouse with short uneven legs, and a long head like a Swines, is venomous, and if it bite a Beast, the fore will swell and rankle, and put the Beast in danger; but if it only run over a Beast, it feebleth his hinder parts, and maketh him unable to go: The cure then for being shrew-bitten, is the same which is formerly shewed for the biting of other venomous Beasts: But if he be shrew-run, you shall only draw him under, or bear him with, a bramble which groweth at both ends in the Furrows of Corn land.

## CHAP. XL.

*Of faintness in Labour.*

**I**F your Beast in his labour, and heat of the day, chance to faint; you shall loose him, and drive him to the running stream to drink, and then give him two or three Ospines full of parch'd Barly to eat, and he will labour fresh again.

## CHAP. XLI.

*Of breeding Milk in a Cow.*

**I**F your Cow after her Calving cannot let down her Milk; you shall give her a quart of strong Posset-Ale, mixed with *Annis-seeds*, and *Coriander-seeds*, beaten to powder, to drink every morning; and it will not only make her Milk spring, but also increase it wonderfully.

## CHAP. XLII.

*Of Bones out of joynt, or bones broken.*

**I**F any Beast have a bone broken, or misplaced; after you have set it right, and in his true place, you shall wrap a plaister about it, made of *Burgundy-pitch*, *Tallow*, and *Linseed-oyl*, and then splent it, and let it remain unbound 15 days, and it will do much good.

## CHAP. XLIII.

*Of the Rot in Beasts.*

**I**F your Beast be subject to rottenness, which you may know by his leanness, mislike, and continually scouring behind: you shall take *Bay-berries*, beaten to powder, myrrhe, Ivy-leaves, Elder leaves, and Feather-sew, a good lump of dry Clay, and Bay-salt; mix these together in strong Urine, and being warm, give the

the Beast half a pint thereof to drink, and it will knit and preserve him.

#### CHAP. XLIV.

*Of the Pantas.*

**T**He Pantas is a very faint disease, and maketh a Beast to sweat, shake and pant much. The cure is, to give him Ale and Urine mixt together, a little foot and a little earning to drink two or three mornings before you labour him.

#### CHAP. XLV.

*Of all manner of Wounds in Beasts.*

**T**O cure any Wounds in beasts, given by edge-tools, or otherwise, where the skin is broke; take Hogs-grease, Tar, Turpentine, and Wax, of each a like quantity, and a quarter so much Verdigrease; and melt them all together into one salve, and apply it to the wound, by spreading it upon a Cloth, and it will heal it without any rank or dead flesh.

*The end of the Bull, Ox, Cow, and Calf, &c.*



## OF SHEEP.

#### CHAP. I.

*Of Sheep in general, their use, choice, shape, and preservation.*



**T**O enter into any longer discourse of the praise or profit of Sheep, or to shew my reading by relation of the Sheep of other Countreys, were frivolous; because I am to write much in a very little Paper; and I speak only to my Countrey-men, the *English*, who desire to learn and know their own profit. Know then that



that whoſoever will ſtock himſelf with good Sheep, muſt look into the Nature of the Soil in which he Liveth : For Sheep, according to the Earth and Air in which they Live, do alter their Nature and Properties : The barren Sheep becomming good, in good Soils, and the good Sheep barren in evil Soils. If then you deſire to have Sheep of a curious fine ſtaple of Wool, from whence you may draw a Thread as fine as Silk ; you ſhall ſee ſuch in *Hereford-ſhire*, about *Lempſter-ſide*, and other ſpecial parts of that Country ; in that part of *Worceſter-ſhire*, joyn- ing upon *Skrop-ſhire*, and many ſuch like places : yet theſe Sheep are very little of Bone, black Faced, and bear a very little Burthen. The Sheep upon *Cotſal Hills* are of better Bone, Shape, and Bur- then, but their Staple is courſer and deeper. The Sheep in that part of *Worceſter-ſhire*, which joyneth on *Warwick-ſhire*, and many parts of *Warwick-ſhire*, all *Leiceſter-ſhire*, *Buckingham-ſhire*, and part of *Northampton-ſhire* ; and that part of *Nottingham-ſhire*, which is exempt from the Foreſt of *Sherwood*, beareth a large boned Sheep of the beſt ſhape, and deepeſt Staple ; chiefly if they be paſture Sheep, yet is their Wool courſer than that of *Cotſal* ; *Lincoln-ſhire*, eſpecially in the ſalt Marſhes, hath the largeſt Sheep, but not the beſt Wool, for their Leggs and Bellies are long and naked, and their Staple is courſer than any other ; the Sheep in *Tork-ſhire*, and ſo Northward, are of a reaſonable big Bone, but of a Staple rough and hairy ; and the Welch ſheep are of all the worſt, for they are both Little, and of worſt Staple ; and indeed are praiſed only in the Diſh, for they are the ſweeteſt Mutton.

If now, knowing the natures and properties of the Sheep of every Country, you go about to ſtock your Ground, be ſure to bring your Sheep from a worſer Soil to a better, and not from a better to a worſe. The Lear, which is the Earth on which a Sheep lieth, and giveth him his Colour, is much to be reſpected : the red Lear is held the beſt ; the Duſkiſh, inclining to a little Redneſs is tolerable ; but the white or dirty Lear is ſtark nought. In the choice therefore of your Sheep, chuſe the biggeſt Boned, with the beſt Wool ; the Staple being ſoft, greaſie, well curled, and cloſe together, ſo that a Man ſhall have much ado to part it with his fingers. Theſe Sheep, beſides the bearing of the beſt Burthen, are always the beſt Butchers ware, and go ſooneſt away in the Mar-

Of the choice  
of ſheep.

Of the Lear

The shape of  
a Sheep.

ket: Therefore, in the choice of Sheep for your breed, have a principal respect to your Rams, for they ever mar or make a Flock. Let them as near as you can, have these properties or shapes: First, large of Body in every general part, with a long Body, and a large Belly, his Fore-head would be broad, round, and well rising, a cheerfull large Eye, strait short Nostrils, and a very small Muzzle; by no means any Horns, for the Dodder sheep is the best breeder, and his Issue never dangereth the Dam in Yeaning, as the Horned sheep do: Besides, those Sheep which have no horns, are of such strength of head, that they have oft been seen to Kill those Sheep which have the largest horns, and best wrinkled: A Sheep would have a large upright Neck, somewhat bending like the Neck of a Horse, a very broad Back, round Buttocks, a thick Tail, and short joynted Leggs, small, clean and nimble, his Wool would be thick and deep, covering his Belly all over, also his Face, and even to his Nostrils, and so downward to his very Knees and hinder Houghs: And thus according to the shape, properties, and soil from whence you chuse your Rams, chuse the rest of the Flock also.

When Ews  
should bring  
forth,

The best time for your Ews to bring forth their Young ones, is, if they be Pasture-sheep, about the latter end of *April*, and so untill the beginning of *June*; but if they be Field-sheep, then from the beginning of *January*, till the end of *March*, that their Lambs may be strong and able before *May* day, to follow their Dams over the rough Fallow-lands, and Water-furrows, which weak Lambs are not able to do: And although you Year thus early in the Winter, when there is no Grass springing, and the sharpness of the Weather also be dangerous, yet the Husbandman must provide Shelter and sweet Fodder, and the Shepherd with great Vigilance be stirred at all hours, to prevent Evils, for the reasons before shewed; and though the Ewe at the first be scant of Milk, yet as the warm weather increaseth, and the Grass beginneth to spring, so will her Milk spring also.

Ordering of  
Lambs.

Now for your Lambs, about *Michaelmas* you shall separate the Male from the Female; and having chosen out the worthiest, which you mean to keep for Rams, put them aside, and then Guild the rest, which every orderly Shepherd can do sufficiently; for there is no danger in Guelding young Lambs. The first Year, a male Lamb is called a Weather-hog, and a female Lamb

an Ewe-hog : the second Year the Male is a Weather, and the Female a Theaf, and then she may be put to the Ram : but if you let her go over that Year also, then she is a double Theaf, and will both her self be the goodlier Sheep, and also bring forth the goodlier Lamb ; whence it comes, that the best Sheep-masters, make more account of the double Theaf, than of any other breeder.

You shall observe, never to Shear your Lambs till they be full Hogs : you shall ever wash three days before your Shear : The best time of Shearing, is from *June* to *August*. Ews are ever good Breeders, from three Years old till their Mouths break. If you would have your Ews bring forth male Lambs, note when the North-wind bloweth, and driving your Flock against the Wind, let your Rams ride as they go, and this will make the Ews to conceive male Lambs : So likewise, if you would have female Lambs, put your Rams to the Ews when the Wind bloweth out of the South.

Needfull Observations.

Now for the general preservation of Sheep, feed them as much as you can upon high Grounds, which are dry and fruitfull, the Grass sweeter, yet so short, that it must be got with much Labour ; But if you must force-perforce Feed upon low and moist Grounds which are Infectious, you shall not bring your Sheep from the Fold ( for I now speak to the honest *English* Husbandman ) untill the Sun be risen, and that the Beams begin to draw the Dew from the Earth : then having let them forth, drive them to their place of Feed, and there with your Dog chase them up and down till they be weary, and then let them either feed, or take their rest, which they please. This Chasing, first beateth away Mill-dews, and all other Dews from the Earth, as also those Webbs, Kells, and Flakes which lying on the Earth, and a Sheep licking them up, do breed Rottenness : Also this Chasing stirreth up that natural heat in a Sheep, which drinketh up, and wasteth the abundance of moisture, which else would turn to Rottenness. Besides, a Sheep being thus chased and wearied, will fall to his Food more Deliberately, and not with such Greediness as otherwise he would, and also make choice of that Meat which is best for his health. If a Shepherd once in a Moneth, or always when he hath occasion to handle his Sheep, rub their Mouths with Bay-salt, it

is an excellent preservation against all manner of Sickness, and very comfortable for a Sheep also; for a Sheep will very well Live, and abate of his Flesh, by rubbing his Mouth once a day with Bay-salt only. Now, forasmuch as notwithstanding these Principles, a Sheep falleth into many Infirmities; hereafter follow the several Cures of all manner of Diseases.

#### CHAP. II.

*The signs to know a sound Sheep, and an unsound Sheep.*

**I**F a Sheep be sound and perfect, his Eye will be bright and cheerful, the White pure without spot, and the Strings red, his Gums also will be red, his Teeth white and even, his Skin on his Brisket will be red, and so will each side betwixt his Body and his Shoulder where Wool grows not, his Skin in general will be loose, his Wool fast, his Breath long, and his Feet not hot: But if he be unsound, then these signs will have contrary Faces; his Eyes will be heavy, pale, and spotted, his Breast and Gums white, his Teeth yellow and foul, his Wool when it is pulled with easily part from his Body; and when he is Dead open him, and you shall find his Belly full of water, his Fat yellow, his Liver putrified, and his Flesh moist and watrish.

#### CHAP. III.

*Of Sickness in general, or the Feaver amongst Sheep.*

**C**Hange of Pasture is a great Cure for sick Sheep; yet if you find any more particularly troubled than the rest, take *Puliot-royal*, and stamping it, mix the juice with Water and Vinegar, the quantity of half a pint, and give it the Sheep with a horn lukewarm; and by no means let the Sheep be much Chafed: Also in these Sicknesses, the Shepherd must have a great care to note from whence the Disease groweth; if it proceed from cold, then to drive his Sheep to shelter; if from heat, then to feed them in shady and cool places.

#### CHAP. IV.

*Of the general Scab, or Itch in Sheep.*

**T**His general Scab, or Itch in Sheep, is of all Diseases the most common among them; proceeding from rainy and wet Weather, which falling upon their Skins; if they happen to be chafed or heated after, they presently break forth into the Scabs, which you shall know by a white filthy Scurf sticking upon their

their Skins : and the most usual Medicine for the same, which all Shepherds use, is to anoint the place with Tar, and Grease, mixt together ; but if upon the first appearance of the Itch, you steep *Puliot-royal* in Water, and wash the Skin therewith, it will preserve them from running into the Scab.

## CHAP. V.

*Of killing Maggots in Sheep.*

**I**F a Sheep be troubled with Maggots, you shall take *Goose-grease*, *Tar*, and *Brimstone*, and mix them together on the Fire ; and then anoint the place therewith, and it will Kill the Maggots.

## CHAP. VI.

*Of the red Water.*

**T**He red Water is a poisonous Disease in Sheep, offending the Heart, and is indeed as the Pestilence amongst other Cattel ; Therefore, when you find any of your Sheep infected therewith, you shall first let him Blood in the Foot between the Claws, and also under the Tail, and then lay to the Sore places *Rew* or *Wormwood* beaten with Bay-salt, and it helpeth.

## CHAP. VII.

*Of Lung-sick, or any Cough or Cold.*

**I**F your Sheep be troubled with any Sicknes in his Lungs, which you shall know by his Coughing, and shortness of Breath ; you shall take *Tussilago*, or *Colts-foot*, and *Lung-wort*, and stamping them, strain the juice into a little Honey and Water, and give it the Sheep to drink.

## CHAP. VIII.

*Of the Worm in the Claw of the Sheep, or any other part.*

**T**His worm breedeth commonly before, between the Claws of the Foot : but wheresoever it breedeth, it is known by the head, which is like a Tuft of hair, and will stick forth in a bunch. The cure is, to slit the Foot, and draw out the Worm without breaking it ; and then anoint the place with Tar and Tallow mixt together, for Tar simply of it self will draw too much.

The Cure.

## CHAP. IX.

*Of the Wild-fire in Sheep.*

**T**His Disease which is called the Wild-fire, is a very infectious Sicknes, and will indanger the whole Flock ; but howsoever incurable.

incurable it is held, yet it is certain, that if you take *Chervile*, and stamping it with old *Ale*, make a Salve thereof, and anoint the Sore therewith, it will Kill the Fire, and set the Sheep safe: And though some, for this Disease, bury the first infected Sheep alive, with his heels upward, before the Sheep coat door, yet this Medicine hath been ever more effectual.

## CHAP. X.

*Of the Diseases of the Gall, as Choler, Laundise, and such like.*

**T**Hese Diseases are known by the Yellowness of the Sheeps skin: And the Cure is, to take *Plantain* and *Lettice*, and stamping them together, mix their Juice with Vinegar, and give half a pint to a Sheep to drink.

## CHAP. XI.

*Of the tough Fleam, or stopping in Sheep.*

**I**F your Sheep be stop't in the head, breast, or wessand, either with tough Fleam, or other cold Humours, which you shall know by the running of the Nostrils; then take the Powder of *Puliot-royal*, and mixing it with Clarified Honey, dissolve it in warm water, the quantity of half a pint, and give it the Sheep to drink, and it will loosen the Fleam.

## CHAP. XII.

*Of Bones broken in Sheep, or Bones out of Joynt.*

**I**F your Sheep chance to break a Legg, or have any other Bone misplaced, you shall after you have set it strait and right again, first bathe it with Oyl and Wine, and then dipping a Cloath in molten *Patch-grease*, roul it about, and Splint it as occasion shall serve, and so let it remain nine days, and dress it again; and at the end of the next nine days, the Sheep will be able to go.

## CHAP. XIII.

*Of any Sicknes in Lambs.*

**I**F your Lamb be Sick, you shall give it *Mares-milk*, or *Goats-milk*, or the own Dams milk and water, to drink, and keep it very warm.

CHAP.



## CHAP. XIV.

*Of the Sturdy, Turning-evil, or More-found.*

**T**Hese Diseases proceed from Rankness of Blood, which offendeth the Brain, and other inward parts. The cure then is, to let the Sheep blood in the Eye-veins, Temple-veins, and through the Nostrils, then to rub the places with young Nettles bruised.

The Cure.

## CHAP. XV.

*Of Diseases in the Eyes, as the Haw, Dimness, or any Soreness.*

**I**F your Sheep have any Imperfection in his Eyes, you shall drop the juice of *Selandine* into them, and it is a present help.

## CHAP. XVI.

*Of water in a Sheeps belly.*

**I**F a Sheep have Water in his Belly, between the outward Flesh and the Rim, then you may safely adventure to let it forth by making a little Hole through the Flesh, and putting in a Quil; but if it be between the Rim and the Bag, then it is Incurable, for you may by no means cut the Rim asunder: When the water is let forth, you shall stitch up the Hole, and anoint it with Tar and Butter mixed together: This water, if it remain in the Body, will rot the Sheep.

## CHAP. XVII.

*Of the Tagg'd, or Belt in Sheep.*

**A** Sheep is said to be Tagg'd, or Belt, when by a continual Squirt running out of his Ordure, he bewrayeth his Tail, in such wise, that through the heat of the Dung it Scaldeth, and breedeth the Scab therein. The cure is, with a pair of Sheers to cut away the Taggs, and to lay the Sore bare and raw; and then to throw Earth dried upon it, and after that, Tar and Goose-grease mixt together.

The Cure.

CHAP.

## CHAP. XVIII.

*Of the Pox in Sheep.*

The Cure.

**T**He Pox in Sheep are small red Pimples, like Purples, rising on the Skin, and they are Infectious. The cure is, to take Rosemary, and boyl the Leaves in Vinegar, and bathe the Sores therewith, and it will heal them: Change of Pasture is good for this Disease, and you shall also separate the sick from the sound.

## CHAP. XIX.

*Of the Wood-evil, or Cramp.*

The Cure.

**T**His Disease is weakness, or straining of the Sinews, got by Colds and Surfeits: it is very Mortal, and will run through a whole Flock. The cure is, to take *Cinque-foil*, or *Five-leaved Grass*, and boyl it in Wine, and give the Sheep a pint thereof to drink, and keep him warm, and chase his Leggs with Oyl and Vinegar.

## CHAP. XX.

*Of making an Ewe to love her own Lamb, or any other Ewe's Lamb.*

**I**F an Ewe grow unnatural, and will not take to her Lamb after she hath Yeaned it, you shall take a little of the clean of the Ewe, which is the Bed in which the Lamb lay, and force the Ewe to eat it, or at least chew it in her Mouth, and she will fall to love it naturally: but if an Ewe have cast her Lamb, and you would have her take to another Ews Lamb, you shall take the Lamb which is Dead, and with it rub and daub the live Lamb all over, and so put it to the Ewe; and she will take as naturally to it, as if it were her own.

## CHAP. XXI.

*Of Licking up Poyson.*

The Cure.

**I**F a Sheep chance to Lick up any Poyson, you shall perceive it by a sudden swelling and reeling of the Sheep. And the cure is, as soon as you see it stagger, to open the Mouth, and you shall find one or more Blisters upon the Tongue roots; you shall presently break them with your Fingers, and rub them with Earth or Sage, and then Piss into the Sheeps mouth, and it will do well.

CHAP.

## CHAP. XXII.

*Of Lambs yeaned sick.*

**I**F a Lamb be yeaned sick and weak, the Shepheard shall fold it up in his cloak, blow into the mouth of it, and then drawing the dams dugs, squirt milk into the mouth of it.

## CHAP. XXIII.

*Of making an Ewe to be easily delivered*

**I**F an Ewe can hardly bring forth or yeane her Lamb, you shall take *Balsamint* or *Horsemint*, and put either the juice or powder of it into a little strong Ale, and give it the Ewe to drink, and she will yeane presently.

## CHAP. XXIV.

*Of teeth loose.*

**I**F a Sheeps teeth be loose, let him blood in his Gums, and ander his tayl, and then rub his teeth with Earth, Salt and Sage.

## CHAP. XXV.

*Of encreasing Milk in Ews.*

**N**othing encreaseth Milk in Ewes more than change of pasture and feeding: Driving them one while unto the hills, another while to the Valleys; and where the grass is sweetest and short, and the sheep eateth with best appetite, there see you continue longest: For touching giving them *Fitches*, *Dill*, *Annis seeds*, such like, this change of ground will make Milk spring much better.

## CHAP. XXVI.

*Of the Staggers, or leaf sickness, in Lambs, or elder Sheep.*

**T**He Staggers is ingendred in Sheep by surfeiting on Oake leaves, hawthorn leaves, or such like, which Lambs are very apt unto; it is a cold corrupt blood, or flegm, gathered together about the brain: Indeed it is suddenly mortal. The best cure is, to take *Assafetida*, dissolved in warm water, and put the quantity of half a spoonfull into each ear of the sheep or Lamb, and it is a present remedy.

The Cure.

## CHAP. XXVII.

*Of Worms in the guts of Sheep or Lambs.*

**S**heep are as subject to Worms in their guts or stomachs as any other cartell whatsoever; which you shall know by beating.

The Cure.

ting their Bellies with their Feet, and by looking continually at their Bellies. The cure is, to take the leaves of *Coliander*, and to stamp them, and then mixing the juice thereof with Honey, to give the Sheep to drink; and then chase him a little, and keep him two or three hours fasting.

## CHAP. XXVIII.

*Of the loss of the Cud.*

**T**Hat which helpeth the loss of the Cud, in Ox, or Cow, the same is a present remedy for Sheep, and is spoken of before in a former Chapter.

## CHAP. XXIX.

*Of saving Sheep from the Rot.*

**T**HIS Disease of Rotteneſs is the cruellest of all other amongst Sheep, and extendeth his Violence over all the Flock: Nay, over Towns-ships, and Countries; and though it be held of most Men incurable, yet good Government, and this Receipt I shall deliver you, will not only prevent it, but preserve your Sheep safe: Therefore, as soon as you perceive that any of your Sheep are Tainted, you shall take *Adrases*, which is a certain Salt, gathered from the Salt Marshes, in the heat of Summer, when the Tide is going away, and leaving certain drops of Salt water on the Grass, then the Violent heat of the Sun turns it to Salt; and to speak briefly, all Salt made by the Violence of the Suns heat only, is taken for *Adrases*, of which there is infinite store in *Spain*: With this *Adrases* rub the Mouths of all your Sheep once a Week, and you shall never need to fear the Rotting of them; for it hath been well tried, and as I imagine, the Experiment is found out from this very Ground. It is a rule, and well known at this day in *Lincoln-shire*, and in *Kent*, that upon the Salt Marshes, Sheep did never Dye of the Rot; no other reason being known therefore, but the Licking up of that Salt: and without doubt, it is most infallible, and most easie.

## CHAP. XXX.

*A few Precepts for the Shepherds.*

**I**T is meet, that every good and carefull Shepherd know what Food is good for Sheep, what hurtfull: That following the one, and eschewing the other, he may ever keep his Cattel in good health.

health. The Grass that is most wholesome for Sheep, is that which hath growing in it good store of *Mellilot*, *Claver*, *Self-heal*, *Cinque-foyl*, *Broom*, *Pimpernel*, and white *Henband*.

The Grass which is unwholesome for Sheep, is that which hath growing amongst it, *Spare-wort*, *Penny-wort*, or *Penny-grass*, and any Weeds which grow from inundation or over-flows of Water; Likewise, *Knot-grass* is not good, nor *Mil-dewed* grass. Of all Rots, the hunger Rot is the worst, for it both putrifieth the Flesh and Skin, and this is most incident to Field-sheep; for to Pasture-sheep it never hapneth. The next Rot to it is the Pelt-rot, which cometh by great store of Rain, immediately after a Sheep is new Shorn, which, Mil-dewing the Skin, corrupteth the Body; and this also is most incident to Field-sheep, which want Shelter.

There be little white Snails which a Sheep will Lick up, and they will soon Rot him.

There will grow upon Ews teats little dry Scabs, which will stop their Milk, when the Lambs suck; the Shepherd must have a care to pull them away.

A Sheep will have a Bladder of water under his Chin sometimes, which the Shepherd must be carefull to let out and Lance, or the Sheep will not prosper.

It is not good to shear Sheep before Mid-summer; for the more he sweareth in his Wool, the better and more kindly it is.

If you will know the Age of your Sheep, look in his Mouth; and when he is one Shear, he will have two broad Teeth afore; when he is two Shear, he will have four broad Teeth afore: when he is three, he will have six; and when he is four Shear, he will have eight; and after those Years his Mouth will begin to break: For touching that Rule of the Eavenness and Uneavenness of the Mouth, it is uncertain, and faileth upon many Occasions.

*The end of the Sheep.*



Of Goats.

# CHAP. I.

Of Goats and of their Natures.

The Nature  
of Goats.

**B**eing Goats are not of any general use in our Kingdome, but only nourished in some wild and barren places, where cattell of better profit can hardly be maintained, as in the mountainous parts of *Wales*, in the barrenest parts of *Cornwall* and *Devonshire*, on *Malborn* hills, and some few about the *Peake*; I will not stand upon any large discourse, but as briefly as I can, give you the nature, and cures. You shall then know, that the Goat is a beast of a hot, strong, and lusty constitution; especially in the act of generation, that they exceed all other cattle; delight to live in mountains that be high, craggy, and full of bushes, briers, and other wood; they will feed in any plain pastures, but their special delight is in brousing upon Trees; they are so nimble of foot that they will go in places of greatest danger. The profit which comes from them is their milk, which is an excellent restorative, and their Kids which are an excellent Venison. They are in other countries, as in *Spain*, the Islands of the *Azores*, and the Islands of the *Canaries*, preserved for the chase and for hunting as we preserve our Deer both Red and Fallow, and make excellent pastime.

His shape.

For the shape of the Goat: He would have a large body, and well haired, great legs, upright joynts, not bending; A neck plain and short, a head small and slender, large horns, and bending; a big eye, and a long beard, and his colour white, black, or py'd. Some do use to shear them, to make rough mantles of; but it is not so with us in *England*. The she Goat would have large rears and big udder, hanging ears, and no horns, as they have in many places.

The ordering  
of Goats.

These Goats would be kept in small flocks, or herds, as not above



above an hundred in an herd : As they must in the heat of Summer have much shade, so in the Winter likewise much shelter ; For they can neither endure extremity of heat nor cold, especially the violence of winter, for that will make the the Goat cast her Kidd, or bring it forth untimely. These love Mast well, but yet you must give them other food to mix with it. The best time to let the Male and Female together, is about the beginning of December. If you house your Goats in the winter, let them have no litter to ly on, but the floor paved, or gravelled, for otherwise their own heat will annoy them : They must also be kept very cleanly, for they can indure no filthy favours. For the young Kids, you shall in all parts order them as you do your Lambs.

Now for their preservation, if they be suffered to go and chuse their own food, they are to themselves so good Physicians, that they will seldome or never be troubled with any inward sickness ; only the unnaturall excess of their lust maketh them grow soon old, and so both past use and profit. For those particular diseases which accidentally fall upon them, here follow the cures.

## CHAP. II.

*Of the Pestilence in Goats, or any inward and hidden sickness.*

**I**F you perceive your Goats to droop, or look with sullen or sad countenances, it is an assured sign of sickness : But if they foam or lather at the mouth, then it is a sign of the Pestilence. The cure is, first, to separate them from the sound, then to let them blood, and give them the buds and leaves of *Celadine*, with rushes and reeds to eat, and it is a present remedy.

The Cure.

## CHAP. III.

*Of the dropie in Goats.*

**G**Oats are very much subject unto the Dropie, through their excess of drinking water, the sign whereof is a great inflammation and heat in the skin : The cure is, to seeth Wormwood in Water and Salt, and give a pint thereof to the Goat to drink divers mornings; for to slit and let out the water under the shoulder, is not so certain and safe a cure.

The Cure.

## CHAP.

## CHAP. IV.

*Of stopping the Teats.*

The Cure.

**T**Here will ingender in the Teats of Goats, a certain rough hard Fleam, which will stop the Milk from Issuing: which to Cure, you shall with your Finger and your Thumb pull it away, and then anoint the place with Honey, and the Goats milk mix together.

## CHAP. V.

*Of Goats that cannot Kid.*

**G**oats, above all other Cattel, are troubled with hardness in Kidding, by reason that if they be chased or hunted their Kids will turn in their Bellies: The remedy then to preserve them from that danger, is to keep them quieter and untroubled, untill they have Kiddeed.

## CHAP. VI.

*Of the Tetters, or dry Scab in Goats.*

**T**O heal any Tetters, or dry Scab in Goats, take *Black-sope, Tar, Hoggs-grease, and Brimstone*, mix them well together, and anoint the Sores therewith; and it will heal them.

## CHAP. VII.

*Of Gelding Kids in the Summer-season.*

**K**ids being Geldt in the Summer-season, as those which are late Kiddeed must necessarily be, the Fly will be so busie with the Sore, that with their Blowings they will breed such store of Maggots in the Wound, that it will indanger their Lives: To defend them then from such annoyance of the Fly, you shall take Soor, Tar, and thick Cream, and mix them well together, and anoint the Wound therewith; and it will both heal it, and keep the Fly away.

## CHAP. VIII.

*Of the Itch in Goats.*

**I**F your Goats be troubled with any Itch, so that they cannot feed for Clawing or Biting themselves; you shall wash their Skins with old Chamber-lye, and green Copperas well boyled together, and it will Kill the Itch.

CHAP.

## CHAP. IX.

*Of the Tuel stopping in Goats.*

**G**Oats, when they are Sucking on their Damms, or when they are newly Kiddled, will commonly have a great Lax or Squirr, so that the Ordure which cometh from them, if it be not well cleansed and taken from them, it will with their own natural heat so bake and dry, that it will stop up their Tuels, so that they cannot Dung, which if it be not holpen, the Kid will Dye. The cure is, to cleanse the place, and open the Tuel, and then put into it an Inch, or thereabout, of a small Candles end dipt in Honey; and then anoint all the Tuel over with Capons grease.

The Cure.

## CHAP. X.

*Of the Staggers, or Reeling-evil in Goats.*

**I**F your Goats be troubled with the Staggers, or Reeling-evil, which is a Disease bred in them by the Violent heat of the Sun; you shall take *Bay-salt*, and *Verjuice*, and mix them together, and give the Goat half a pint thereof to drink; or else take *Honfe-leek*, and *Dragons*, of each alike; so grounds of *Ale* with a little new *Milk*: stamp the herbs, and then mingle them together, then put thereto a few *Geves* grossly beaten, and then boyl it again; then cool it, and give the sick Goat three or four Spoonfulls thereof to drink, and it will cure her. Now for any other Infirmities which shall happen unto Goats, you may cure them with the same Medicines which you cure Sheep; for their Natures do not much differ.

*The end of the Goat.**Of Swine.*

## CHAP. I.

*Of all manner of Swine, their Natures, Use, Shapes, and Preservations.*

**A**Lthough Swine are accounted Troublesome, Noisome, Unruly, and greatly Ravenous, as indeed their Natures are not much differing from such Qualities; yet the Utility, and Profit of them, will easily wipe off those Offences: for to

.small .blissed .dub .beard .speak

speake truly of the Swine, he is the Husbandmans best Sca venger, and the Huswifes most wholesome sink; for his food and living is by that which will else rot in the yard, make it beastly, and breed no good manure, or being cast down the ordinary sink in the house, breeds noysome smells, corruption and infection; for from the Husbandman he taketh pulse, chaff, barn-dust, man's ordure, garbage, and the weeds of his yard: And from the huswife her draft, swillings, Whey, washing of tubs, and such like, with which he will live and keep a good state of body, very sufficiently; and though he is accounted good in no place but the dish only, yet there he is so lovely and so wholesome that all other faults may be born with; he is by nature greedy, given much to root up grounds and tear down fences; he is very lecherous, and in that act tedious and bruisist; he is subject to much anger, and the fights of the Boars are exceeding mortal: They can by no means indure storms, winds, or foul weather: They are excellent observers of their own homes; and exceeding great lovers one of another; so that they will dye upon any beast that offendeth their fellows.

Of the choice  
and shape of  
Swine.

Now touching the choice of Swine, you shall understand that no Country in England breedeth naturally better Swine one than another: But if any have preheminence, then I must prefer *Leicestershire*, and some parts of *Northamptonshire*, and clay countries bordering on *Leicestershire*; and the reason I take to be, their great multiplicity of grain, especially beans and pulse. For in the Malt countreys, though they are good feeders, they are no large breeders, whence it comes that your wild Swine is ever your least swine, but your sweetest Bacon. But if the Race and keeping be alike, the proportion and goodness will be alike; therefore in the choice of your Swine, chiefly the boars and sows which you breed of, let them be long and large of body, deep sided, and deep bellied, thick thighs, and short legs, for though the long-legged Swine appear a goodly beast, yet he but couseneth the eye, and is not so profitable to the Butcher, high claws, thick neck, a short and strong groin, and a good thick chine well set with strong bristles: The colour is best which is all of one peece, as all white, or all fanded; the py'd are the worst and most apt to take meazles; the black is tolerable, but our Kingdome through the coldness breedeth them seldom.

The

The use and profit of Swine is only (as the husbandmen saith) for the roof, which is Bacon; for the spit, which is pork; sowse and pudding; and for breed, which is their Pigs only. To have too many Sows in a yard is not good; for their increase and bringing forth is so great, that they will for want of food eat one another: A Sow will bring forth Pigs three times a year, namely at the end of every ten weeks, and the numbers are great which they will bring forth: For I have known one Sow have twenty Pigs at one litter; twelve, fourteen, and sixteen, are very common; yet a Sow can bring up no more Pigs than she hath rears, therefore look how many she hath, and so many Pigs preserve of the best, the rest cast away, or put to other Sows which want, yet give suck. A Sow will bring pigs from one year old till she be seven years old: The pigs which you rear, after you have chosen the best for Boars or Sows to breed on, geld the rest both males and females: The males will make goodly Hogs, which are excellent bacon or pork, and the females, which are called splayed-guils, will do the like; and breed a great deal more grease in their bodies; whence it comes, that the husbandman esteems one splay-guilt before two Hogs. Young shots which are Swine of three quarters, or but one year old, are the daintiest pork.

The use and  
profit of swine.

Now for the preservation of Swine, it is contained in their government and food, and is all that belongeth to the office of the Swineherd. The orderliest feeding of swine is, (when you keep them but in good state of body, and not seek to fat them,) in the morning early when you unshoe them, to give them draff, pulse, or other garbage, with swilling in their troughs, and when they have eaten it, to drive them to the field, where they may graze and root for their food: And of grounds the soft Marsh and moorish grounds are the best, where they may get the roots of Sedge, Reeds, Rushes, Knot-grass, and such like, which is wholesome for Swine, or the Fallow or tith-field, where they root at pleasure, and by killing the weeds bring profit to the earth; and at the fall of the leaf, it is good to drive them to hedges, where they may get Haws, Hips, Sloes, Crabs, or such fruit, which is also very wholesome: And the poor sort will gather their fruits, and keep them safe to feed their Swine with all the

P

Winter

Winter. When evening cometh, you shall drive your Swine home, and then filling their troughs with draff and swillings, let them fill their bellies, and then tye them up, so shall you keep them from doing other hurts and injuries. If once in a fortnight you mix with your swillings some Radle or red Oaker, it will preserve them wonderfully from meazles, and all inward infections: And thus much for the general discourse of Swine. Now I will proceed to their particular infirmities, and other busineses.

## C H A P. II.

*Of the Feaver, or any hidden Sickness in Swine.*

The Cure.

**T**Here is no beast maketh his sickness so apparent as the Swine; for when he findeth any grief or distemperature in his body, he presently droopeth, forsakes his meat, and will not eat till he find in himself a perfect recovery: Therefore when you shall so find him to forsake his meat, you shall first let him blood under his tail, and under his ears, and if they bleed not freshly enough, you shall beat them with a small stick, and that will bring forth the blood; then wrap about the wounds the bark of an young Osier, and then keep him warm, and give him to drink warm swillings, well mixt with Barley-meal, and red Oaker.

## C H A P. III.

*Of the Murren, Pestilence, or Cather in Swine.*

The Cure.

**T**Hese diseases being all of one nature, are very much incident in Swine, and spring from many grounds; as from corruption in blood, ingendred by the eating of rotten fruit, or too much Burchers garbage, and many times by eating too rank grass, wherein is much *Hemlock*: Their particular signs are moist eyes, and their heads born on each side, but their general knowledge is their fasting and mortality: The cure is, to give them in warm wash, *Hens-dung*, and boil'd *Liver-wort*, with a little *Red Oaker*.

## C H A P. IV.

*Of the Gall in Swine.*

**S**Wine will have an over-flowing of the Gall, because cholter is much powerfull in them, which you shall know by a swelling



ling which will rise under their jaws ; and the cure is, to stamp *Gallwort* or *Saffron*, and mix it with honey and water , and then straining it , give it the Swine to drink by a pint at a time.

## CHAP. V.

*Of the Meazles in Swine.*

**T**His disease of all other is most common in Swine , and with ease helped; as thus : You shall take the oldest Urine you can get, and mix it with red Oaker till it be thick , and about the quantity of an Ale-quart, then mix it with a gallon of warm sweet Whey, and give it the Swine to drink , after he hath been kept all night fasting.

## CHAP. VI.

*Of Impostumes in any part of a Swine.*

**S**Wine will have Impostumes in any part of their bodies , as under their throats, their ears, bellies, and oft upon their sides. The cure is, if they be soft, to lance them, and let out the matter, and then heal them with Tarr and Butter ; but if they be not soft, then let the Swine blood under the tongue , and rub all his mouth chaps and groin, with Wheat-meal and Salt, and the Impostume will go away.

## CHAP. VII.

*Of Vomiting in Swine.*

**I**F your Swine do Vomit and cast up his meat, you shall give him spelted beans to eat, and they will strengthen his stomach.

## CHAP. VIII.

*Of leanness, milke, scurf and Manginess in Swine.*

**T**Hese diseases proceed from corruption of blood, ingendred by lying wet in their sties, having filthy rotten litter, or much scarcity of meat. The cure is, first to let the Swine blood under the tail, then to take a Wool-card, and to comb off all the scurf and filth from the Swines back, even till his skin bleed : Then take Tar, Hogs-grease and Brimstone, and mixing them well together, anoint the Swine therewith ; then let the stie be mended, his litter be sweet, and give him good warm food , and the Swine will be fat and sound very suddenly.

The Cure.

## CHAP. IX.

*Of the Sleeping evil in Swine.*

The Cure.

**S**Wine are much subject to this disease in the Summer time, and you shall know it by their continuall sleeping, and neglecting to eat their meat: The cure is, to house them up, and keep them fasting twenty and four hours; then in the morning, when hunger pincheth them, to give them to drink water, in which is stamped good store of *Stonecrop*, which as soon as they have drunk, they will vomit and cast, and that is a present remedy.

## CHAP. X.

*Of pain in the Milt.*

The Cure.

**S**Wine are oft troubled with pain in their Milts, or Spleens, which proceedeth from the eating of Mast, when they are first put thereunto, through their over-greedy eating thereof, and is known by a Reeling, going of one side. The cure is, to give them the juice of wormwood, in a little honied water, to drink, and it will assuage the pain.

## CHAP. XI.

*Of the unnaturalness of Sows.*

**M**Any Sows do prove so unnatural, that they will devour their Pigs when they have farrow'd them, which springeth from an unnatural greediness in them; which to help, you must watch her when she farroweth, and taketh away the Pigs as they fall; then take the wreckling, or worst Pig, and anoint it all over with the juice of *Stonecrop*, and so give it the Sow again; and if she devour it, it will make her cast and vomit so extreamly, that the pain of the surfeit will make her loath to do the like again: But of all cures, the best for such an unnatural beast, is to feed her well, and then kill her.

## CHAP. XII.

*Of the Lax or Flix in Hogs.*

**F**Or the Lax or Flix in Swine, you shall give them Verjuice and milk mixt together to drink, and then feed them with food, as spelted Beans, Acorns, or Acorn-husks. This is also excellent, and approved for young Pigs and Shots, when they have any scouring.

CHAP.

## CHAP. XIII.

*Of the lugging of Swine with Dogs.*

**I**F your Swine be extreemly lugged and bitten with dogs, to prevent the rankling and imposturation of the sore, you shall anoint it with Vinegar, Sope, and Tallow mixt together, and it will cure the same.

## CHAP. XIV.

*Of the Pox in Swine.*

**T**He Pox is a filthy and infectious disease in Swine, proceeding from corrupt blood, ingendred by poverty, wet lying, lowliness, and such like, and the Swine can never prosper which hath them. The cure is, to give him first to drink two spoonfulls of *London-treacle*, in a pint of *honied water*, which will expell the infection outwardly, then to anoint the sores with *Brimstone* and *Beares-grease* mixt together, and so separate the sick from the sound.

The Cure.

## CHAP. XV

*Of killing Maggots in the ears or other parts of Swine.*

**I**F Maggots shall breed in the ears of your Swine, which have been lugged with dogs, for want of good looking unto, as often it hapneth: You shall take either the sweetest wort you can get, or else honey, and anoint the sores therewith, and the Maggots presently will fall off and dye.

## CHAP. XVI.

*Of feeding swine exceeding fat, either for Bacon, or for Lard.*

**D**Ivers men, according to the nature of divers countries, have divers waies of feeding of their Swine, as those which live near unto woods and places where store of Mast is, turn their Swine unto the Mast for six or eight weeks, and then having got flesh and fatness on their backs do bring them home, and put them up in flies; and then feed them for ten days or a fortnight after, with old dry Pease, given them off in the day a little at once, with water as much as they will drink; for this will harden the flesh and fat, so that it will not consume when it comes to boiling; this manner of feeding is good, and not to be disliked.

The feeding of Swine in wood countries.

Now

The feeding  
of Swine in  
Champion  
Countries,

Now the feeding of Swine in champion Countrys, which are far from woods, is in this manner: First, you shall stie up those Swine which you intend to feed, and let them not come out of the same untill they be fed, but have their food and water brought unto them: Now the first two dayes you shall give them nothing; the third day you shall early in the morning give them a pretty quantity of dry Pease or Beans; at noon you shall give them as much more; at four of the clock as much more; and when you go to bed as much more; but all that day no water. The next day you shall feed them again at the same hours, and set water by them, that they may drink at their own pleasure, and twice or thrice a week, as your provision will serve you, it is good to fill their bellies with sweet Whey, butter-milk, or warm wash, but by no means scant the proportion of their Pease; and by thus doing you shall feed a Swine fat enough for the slaughter in four or five weeks.

Of feeding at  
the reek,

There be other husbandmen in champion Countrys, as in *Leicestershire*, and such like, that put their Swine to Pease reeks, or stacks, set in the field near unto water furrows or rurdles, so that they may let the water into the stack-yard, and then morning and evening cut a cutting of the stuck or reek; and spread the reaps amongst the Swine: This manner of feeding is best for small porkers, and will fat them very reasonable in three weeks or a moneth. If you feed sheep amongst your porks, it is very good, and daily by many practised; for by that means you shall not lose any of your grain; for what your sheep cannot gather up, your porkers will.

Of feeding of  
Swine in or  
about great  
Cities,

Now for such as live in or near about great Cities or Towns, as *London*, *York*, or such like, and have neither great store of Mast, or great store of grain; yet they have a manner of feeding as good, and somewhat more speedier than any of the other, only the Bacon is not so sweet or toothsome; and thus it is. They stie up their fatlings, as is before said; and then take Chandlers grains, which is the dregs and offall of rendered Tallow, as hard skins, kels, and fleshy lumps, which will not melt together with other course skins of the tallow, suet, or Kirchin fee, and mixing it in warm wash, give it the Swine to eat three or four times in the day, and it will suddenly puff him

him up with fatness; then bestow of every Swine a bushel or dry Pease to harden his flesh, and you may kill them at your pleasure. The only danger of this food is, it will at first somerimes make Swine scoure; especially young Piges if they eat it: But as soon as you perceive such a fault, give unto your elder Swine milk and verjuice, and to your sucking Pigs verjuice only.

Now lastly, the best feeding of a Swine for lard, or a Boar for brawn, is to feed them the first week with Barley sodden till it break, and sod in such quantity that it may ever be given sweet; then after to feed them with raw malt from the floor, before it be dried, till they be fat enough; and then for a week after, to give them dry Pease or Beans to harden their flesh. Let their drink be the washing of Hogsheds, and Ale-barrels, of sweet Whey, and let them have store thereof. This manner of feeding breeds the whitest, fattest, and best flesh that may be, as hath been approved by the best husbands.

Of feeding of  
Hogs for lard,  
or Boars for  
Brawn.

*The end of the Swine of all Sorts.*



## Of Conies.

### CHAP. I.

*Of the tame Rich Cony, his nature, choice, profit, and preservation.*



ALL sorts of Conies may as well be kept tame as wild, and do above other beasts delight in imprisonment and solitariness, which proceedeth from the strength of melancholy in their nature, being creatures so much participating of the earth, that their delight is to live in holes, rocks, and other dark Caverns. They are violently hot in the act of generation, and perform it with such vigor and excess, that they swoon and lye in trances a good

The nature of  
the Cony.

good space after the deed is done. The males are given to much cruelty, and would kill the young rabbits if he could come to them; whence it proceedeth, that the females after they have kindled, hide their young ones, and close up the holes, so that the buck-cony may not find them. The female or Doe-conies are wonderfull in their increase, and bring forth young ones every moneth: Therefore when you keep them tame in Boxes, you must observe to watch them, and as soon as they have kindled, to put them to the buck, or otherwise they will mourn, and hardly bring up their young ones.

Of boxes for  
tame conies.

The boxes, in which you shall keep your tame conies, would be made of thin wainscot boards, some two foot square, and one foot high; and that square must be divided into two rooms, a greater room with open windows of wire, through which the cony may feed; and a lesser room without light, in which the cony may lodge and kindle, and before them both a trough in which you may put meat, and other necessities for the Cony, and thus you may make box upon box in divers stories, keeping your Bucks by themselves, and your Does by themselves, except it be such Does as have not bred, and then you may let a Buck lodge with them; also when your Doe hath kindled one nest, and after kindleth another; you shall take the first from her and put them together in a several Box, amongst rabbits of their own age, provided that the box be not pestred, but that they have ease and liberty.

Of the choice  
of rich conies.

Now for the choice of these tame rich Conies, you shall not, as in other cattell, look to their shape, but to their richness, only elect your Bucks by the largest and goodliest Conies you can get: And for the richness of the skin; that is accounted the richest, which hath the equallest mixture of black and white hairs together, yet the black rather shadowing the white, than white any thing at all over-mastering the black; for a black skin with a few silver hairs, is much richer than a white skin with a few black hairs; but as I said before, to have them equally or indifferently mixt, is the best of all other: The fur would be thick, deep, smooth, and shining; and a black coat without silver hairs, though it be not reckoned a rich coat, yet it is to be preferred before a white, a py'd, a yellow, a dun, or gray.

Now



Now for the profit of these rich conies, ( for unless they did far away and many degrees exceed the profit of all other conies they were not worthy the charge which must be bestowed upon them ) it is this : First, every one of the rich Conies that are killed in season as from *Martlemas* untill after *Candlemas*, is worth any five other Conies, for they are of body much fatter and larger ; and when another skin is worth two pence or three pence at the most, they are worth two shillings, or two shillings and sixpence : Again, they increase oftner, and bring forth more Rabbits at one kindling then any wild cony doth ; they are ever ready at hand for the dish, Winter and Summer, without charge of Nets, Ferrets, or other Engines, and give their bodies gratis, for their skins will ever pay their Masters charge with a most large interest.

Now for the feeding and preservation of these rich conies, it is nothing so costly or troublesome as many have imagined, and as some ignorant in the skill of keeping them, have made the world think ; for the best food you can feed a cony with, is the sweetest, shortest, softest, and best Hay you can get, of which one load will serve two hundred couple a year, and out of the stock of two hundred, you may spend in your house two hundred, and sell in the market two hundred more ; yet maintain the stock good, and answer every ordinary casualty. This hay in little cloven sticks might with ease be reach'd and pull'd out of the same, yet so as they may not scatter nor waste any. In the troughs under their boxes, you shall put sweet Oats and their water, and this should be their ordinary and constant food wherewith you shall feed your Conies, for all other should be used but Physicall, as for the preservation of their health : As thus you shall do twice or thrice in a fortnight for the cooling of their bodies ; give them Greens, as Mallows, Claver-grass, Sowre-docks, Blades of corn, Cabbage, or Colwort-leaves, and such like, all which cooleth and nourisheth exceedingly : Some use to give them sometimes sweet Grains, but that must be used seldome, for nothing sooner rotteeth a Cony.

You must also have great care, that when you cut any grass for them that are weeds, that there grow no young Hemlock amongst it, for though they will eat it with great greediness yet it

Of the feeding and preservation of Conies.

is a present poyson, and kills suddainly; you must also have an especiall care every day to make their boxes sweet and clean, for the strong favour of their ordure and piss is so violent, that it will both annoy themselves, and those which shall be frequent amongst them.

**Of the Rot in Conies.**

Now for the infirmities which are incident unto them, they are but two: The first is rottenness, which cometh by giving them too much green mear, or gathering their greens and giving it them with the dew on; therefore let them have it but seldome, and then the driness of the Hay will ever drink up the moisture, knit them and keep them sound without danger.

**Of madness in Conies.**

The next is a certain rage of madness, ingendered by corrupt blood, springing from the rankness of their keeping; and you shall know it by their wallowing and tumbling with their heels upward, and leaping in their boxes. The cure is, to give them *Hare-thistle* to eat, and it will heal them. And thus much of the tame rich Cony, and his properties.

*The end of the Four-footed Beasts.*



The Second Book.

*Of Poultry.*

CHAP. I.

*Containing the ordering, fatting, cramming, and curing of all infirmities of Poultry, as Cocks, Hens, Chickens, Capons, Geese, Turkeys, Pheasants, Partridges, Quails, House-doves, and all sorts of Fowl whatsoever. And first of the Dunghill Cock, Hen, Chicken, and Capon.*



Some small thing hath been written of this nature before, but so drawn from the opinions of old writers, as Italians, French, Dutch, and such like, that it hath no coherence or congruity, with the practice and experience of English customs, both their

their Rules and Climes being so different from ours ; that except we were to live in their countries , the rules which are printed are uselesse, and to no purpose. To let pass then the opinion of strangers , and come to our own home bred knowledge which is so mixed with all profitable experiments , that it needeth not the help of other Nations, so much as men would make us believe.

You shall understand that the Dunghill cock ( for the fighting cock deserveth a much more larg and particular discourse ) is a fowl of all other birds the most manliest, stately, and majesticall, very tame and familiar with the man , and naturally inclined to live and prosper in habitable Houses : He is hot and strong in the act of generation, and will serve ten Hens sufficiently ; and some twelve and thirteen : He delighteth in open and liberall plains ; where he may lead forth his Hens into green pastures and under hedges, where they may warm and bath themselves in the Sun ; for to be pend up in walled places, or in paved courts, is most unnaturall unto them, neither will they prosper therein.

Of the Choice  
and shape of  
the Cock.

Now, of the choice and shape of the Dunghill cock , he would be of large and well sized body, long from the head to the Rump, and thick in the garth ; his neck would be long , loofe, and curiously bending it, and his body together , being straight and high up erected, as the Falcon and other birds of prey are ; his comb, wattles, and throat would be large, of great compass, ragged, and very Scarlet red ; his eyes round and great, the colour answering the colour of his plume or male, as gray with gray , red with red, or yellow with yellow ; his bill will be crooked, sharp, and strongly set on to his head, the colour being suitable with the colour of feathers on his head ; his main or neck feathers would be very long , bright , and shining , covering from his head to his shoulders ; his leggs straight and of a strong beam , with large long spurs, sharp, and a little bending ; and the colour black, yellow, or brownish ; his claws short, strong, and well wrinkled ; his tail long, and covering his body very closely ; and for the generall colour of the Dunghill cock it would be red , for that is medicinal , and oft used in cullisses and restoratives. This cock should be valiant within his own walk , and if he be a little

knavish, he is so much the better; he would be oft crowing, and busie in scratching the earth to find out worms and other food for his Hens.

Of the Hen,  
her choice  
and shape.

Now for the Hen, if she be a good one, she should not differ much from the nature of the Cock, but be valiant, vigilant, and laborous both for herself and her Chickens. In shape the biggest and largest are the best; every proportion answering those before described of the Cock; only in stead of her comb she should have upon her crown a high thick tuft of feathers: To have many and strong claws is good; but to want hinder claws is better, for they oft break the eggs, and such Hens sometimes prove unnaturall; it is not good to chuse a crowing Hen, for they are neither good breeders nor good layers. If you chuse Hens to sir, chuse the elder, for they be constant, and will sit out their times; and if you will chuse Hens to lay, chuse the youngest, for they are lusty and prone to the act of ingendring: but for neither purpose chuse a fat Hen; for if you set her, she will forsake her nest, and if you keep her to lay, she will lay her eggs without shels: Besides, a fat Hen, will wax sloathfull, and neither delight in the one, nor in the other Act of Nature, such hens then are fitter for the dish than the hen-house.

Of Setting  
Hens.

The best time to set Hens to have the best, largest, and most kindly Chickens, is in *February*, in the increase of the Moon, so that she may hatch or disclose her Chickens in the increase of of the next new Moon, being in *March*; for one brood of *March* Chickens is worth three broods of any other: You may set Hens from *March* till *October*, and have good Chickens; but not after by any means, for the *Winter* is a great enemy to their breeding. A Hen doth sit twenty one days just, and then hatcheth; but Pea-hens, Turkeys, Geese, Ducks, and other water-fowl sit thirty: So that if you set your hen, as you may do, upon any of their Eggs, you must set her upon them nine days before you set her upon her own. A Hen will cover nineteen Eggs well, and that is the most, in true rule, she should cover; but upon what number soever you set her, let it be odd, for the Eggs will lye round, close, and in even proportion together: It is good when you lay your Eggs first under your Hens, to mark the upper side of them and then to watch the Hen, to see if she busie her self to turn them from the

one side to the other ; which if you find she doth not, then when she riseth from her eggs to feed or bath her self, you must supply that office, and turn every egg your self, and esteem your Hen of so much the less reckoning for the use of breeding : Be sure that the Eggs which you lay under her, be new and sound, which you may know by their heaviness, fullness, and clearness, if you hold them up betwixt the Sun and your eye-sight ; you must by no means at any time raise your Hen from her nest, for that will make her utterly forsake it.

Now for helping a Hen to hatch her Eggs, or doing that which shall be her office ; it is unnecessary, and shall be much better to be forborne than any way used ; or to make doubt of bringing forth, or to think the Hen sitteth too long, as many curious Huswives do, if you be sure you set her upon sound Eggs, is as frivolous : But if you set her upon unsound Eggs, then blame your self both for the loss and injury done unto the Hen in her loss of labour.

A Hen will be a good sitter from the second year of her laying to the fifth, but hardly any longer ; you shall observe ever when your Hen riseth from her nest, to have meat and water ready for her, least straying too far to seek her food she let her Eggs cool too much, which is very hurtfull : In her absence you shall stir up the straw of her nest, and make it soft and handsome, and lay the Eggs in order ; as she left them. Do not, in the election of your Eggs, chuse those which are monstrous great, for they many times have two yelks ; and though some write, that such Eggs will bring out two Chickens, yet they are deceived ; for if they bring forth two, they are commonly most abortive and monstrous : to perfume the nest with brimstone is good, but with Rosemary much better. To set Hens in the Winter time in Stows or Ovens is of no use with us in England ; and though they may by that means bring forth, yet will the Chickens be never good nor profitable, but like the planting of Lemons and Pomegranat-trees, the fruits will come a great deal short of the charges. When your Hen at any time is absent from her nest, you must have great care to see that the Cock come not to sit upon the Eggs, (as he will offer to do) for he will indanger to break them, and make her love her Nest worse.

Choice of Eggs.

Afsoon

**Of Chickens.** As soon as your Chickens be hatcht, if any be weaker than other, you shall lap them in Wool, and let them have the ayr of the fire, and it will strenghten them; to perfume them with a little Rosemary is very wholsome also; and thus you may in a sieve keep the first hatcht Chickens till the rest be disclosed, ( for Chickens would have no meat for two days ) and some shels being harder than other, they will take so much distance of time in opening; yet unless the Chickens be weak, or the Hen rude, it is not amiss to let them alone under her, for she will nourish them most kindly: After two days is past, the first meat you give them should be very small Oatmeal, some dry, and some steeped in milk, or else fine wheat bread crums; and after they have got strength, then Curds, cheese parings, white bread crust soak'd in Milk or Drink, Barley-meal or Wheat-bread scalded, or any such like soft meat that is small, and will easily be divided. It is good to keep Chickens one fortnight in the house, and after to suffer them to go abroad with the Hen to Worm, for that is very wholsome; to chop green Chives amongst your Chickens meat will preserve them from the Ry, and other diseases in the head; neither must you at anytime let your Chickens want water, for if they be forced to drink in puddle, it will breed the Pip: also, to feed upon Tares, Darnel, or Cockle, is very dangerous for young chickens.

**Of feeding and cramming Chickens.** You may by these foods aforesaid, feed chickens very fat under their dams: But if you will have fat crammed chickens, you shall coop them up when the Dam forsaketh them, and the best crams for them is wheat-meal and Milk, made into dough, and then the crams steeped in milk, and so thrust down their throats; but in any case, let the crums be small, and well wet for choaking; fourteen days will feed a chicken sufficiently: And thus much briefly for your breed.

**Of preserving Eggs.** Now because eggs of themselves are a singular profit, you shall understand, that the best way to preserve or keep them long, is, as some think, to lay them in good straw, and cover them close; but that is too cold, and besides will make them musty: Others will lay them in bran; but that is too hot, and will make them putrifie: and others will lay them in salt; but that makes them waste and diminish: The best way then to keep them most sweet,  
most



most sound, and most full, is only to keep them in a heap of old Malt, close and well covered all over.

You shall gather your eggs up once a day, and leave in the nest but the nest egg, and no more; and that would ever be in the after noon, when you have seen every Hen come from her nest severally: Some Hens will by their cackling tell you when they have laid, but some will lay mute; therefore you must let your own eye be your instructor.

Of gathering Eggs.

Now touching the Capon, which is the guele Cock-chicken, you shall understand, that the best time to carve or gueld, is as soon as the Dam hath left them, if the stones be come down, or else as soon as they begin to crow: For the art of carving it self, it is both easie and common, and much sooner to be learned by seeing one carved, then by any demonstration in writing.

Of the Capon when to carve him.

These Capons are of two uses; the one is to lead Chickens, Ducklings, young Turkeys, Pea-Hens, Pheasants, and Partridges, which he will do altogether, both naturally and kindly, and through largeness of his body, will brood or cover easily thirty or five and thirty; he will lead them forth so safely, and defend them against Kits or Buzzards, more and better than the Hens: Therefore the way to make him to take unto them is, with a fine small brier, or else sharp nettles, at night, to beat and sting all his breast and neather parts, and then in the dark to set the chickens under him, whose warmth taketh away his smart; he will fall much in love with them, and whensoever he prooveth unkind, you must sting, or beat him again, and this will make him never forsake them.

A Capon to lead Chickens.

The other use of Capons is, to feed for the dish; as either at the Barn doors, with craps of corn, and the chavings of pulse, or else in pennis in the house, by cramming them, which is the most dainy: The best way then to cram a Capon (setting all strange inventions apart), is to take Barley meal reasonably sifted, and mixing it with new milk, make it into a good stiff dough, then make it into long crams, biggest in the midst, and smallest at both ends, and then wetting them in luke warm milk, give the Capon a full gorge thereof three times a day, Morning, Noon, and Night; and he will in a fortnight or three weeks, be as fat as any man need to eat.

Of feeding or cramming Capons.

As

As for mixing their crams with sweet Wort, Hogs-grease, or Sallet-oyl, they are by experience found to breed loath in the Birds; and not to feed at all: Only keep this observation, not to give your Capon new meat until the first be put over. And if you find your capon somewhat hard of digestion; then you shall list your meal finer, for the finer your meal is the sooner it will pass through their bodies. And thus much for the Capon; now for their infirmities, they follow in order.

## C H A P. II.

*Of the Pipp in Poultry.*

The Cure.

**T**He Pipp is a white thin scale, growing on in the tip of the tongue, and will make Poultry that they cannot feed: It is easie to be discerned, and proceedeth generally from drinking puddle water, from want of water, or from eating filthy meat. The cure is to pul off the scale with your nayle, and then rub the tongue with salt.

## C H A P. III.

*Of the Roup in Poultry.*

The Cure.

**T**He Roup is a filthy byle or swelling on the Rump of Poultry, and will corrupt the whole body. It is ordinarily known by the staring and turning backward of the Feathers: The cure is, to pull away the Feathers, and open the Sore, to thrust out the Core, and then wash the place with salt and water, or with brine, and it helpeth.

## C H A P. IV.

*Of the Flux in Poultry.*

The Cure.

**T**He Flux in Poultry commeth with eating too much moist meat: The cure is, to give them Pease-bran scalded, and it will stay them.

## C H A P. V.

*Of stopping in the Belly.*

**S**topping in the bellies of Poultry is contrary to the flux, so that they cannot mure; therefore you shall anoint their Vents, and then give them either small bits of bread, or corn, steeped in man's Urine.

## C H A P. VI.

*Of Lice in Poultry.*

**I**F your Poultry be much troubled with Lice, as it is a common Infirmity

infirmity, proceeding from corrupt food or want of bathing in sand, ashes, or such like: you shall take Pepper small beaten, and mixing it with warm water, wash your Poultry therein, and it will kill all other sorts of vermine.

## CHAP. VII.

*Of stinging with venomous Worms.*

**I**F your Poultry be stung with any venomous thing, as you may perceive by their lowring, and swelling; you shall then anoint them with Rew and Butter, mixt together, and it helpeth.

## CHAP. VIII.

*Of sore eyes in Poultry.*

**I**F your Poultry have sore eyes, you shall take a leaf or two of ground-Ivy, and chawing it well in your mouth, suck out the juice, and spit into the sore eye, and it will most assuredly heal it, as it hath been often tried.

## CHAP. IX.

*Of Hens that crow.*

**I**F your Hens crow, which is an ill sign and unnaturall, you shall pull their wings, and give them to eat either Barley scorched, or small wheat, and keep them close from other Poultry.

## CHAP. X.

*Of Hens that eat their Eggs.*

**I**F your Hen will eat her Eggs, you shall only lay for her nest-egg a piece of Chalk cut like an egg, at which oft picking, and losing her labour, she will refrain the evil.

## CHAP. XI.

*Of keeping an Hen from sitting.*

**I**F you would not have your Hen sit, you shall bathe her oft in cold water, and thrust a small feather through her nostrills.

## CHAP. XII.

*Of making Hens lay soon and oft.*

**I**F you feed your Hens often with roasts taken out of Ale, with Barley boyld, or spelted fitches, they will lay soon, oft, and all the Winter.

## CHAP. XIII.

*Of making Hens lean.*

**B**Ecause fat Hens commonly either lay their eggs without shels, or at the best hand lay very small eggs; to keep them lean, and in good plight for laying, you shall mix both their meat and water with the powder of tilesheards, chalk, or else tares, twice or thrice a week.

## CHAP. XIV.

*Of the Crow-trodden.*

**I**F your Hen be trodden with a carrion Crow, or Rook, as oft they are, it is mortal and incurable; and you shall know it by the staring up of her Feathers, and hanging of her wings; there is no way with her then, but presently to kill her.

## CHAP. XV.

*Of the Hen-house, and the situation.*

**N**OW for as much as no Poultry can be kept either in health or safety abroad, but must of force be housed; you shall understand that your Hen-house would be large and spacious, with somewhat a high roof, the walls strong, both to keep out thieves and vermine, the windows upon the Sun-rising, strongly lathed, and close shuts inward, round about the inside of the walls; upon the ground would be built large penns of three foot high, for Geese, Ducks, and great fowl to sit in, near to the eavings of the house would be long Pearches, reaching from one side of the house to the other, on which should sit your Cocks, Hens, Capons, and Turkies; each on severall Pearches, as they are disposed: at another side of the house, in that part which is darkest over the ground-penns would be fixed hampers full of Straw for nests, in wick your Hens shall lay their eggs; but when they sit to bring forth Chickens, then let them sit on the ground, for otherwise it is dangerous: let there be pins stricken into the wall, so that your Poultry may clime to their Pearches with ease: let the floor by no means be paved, but of earth smooth and easie: let the smaller fowl have a hole at one end of the house, made to come in and out at, when they please; or else they will seek roost in other places; and for the greater Fowl the door may be opened evening and morning. This house should be placed either

either near some Kitchin, Brew-house, or else some Kiln, where it may have air of the fire, and be perfumed with smoak, which to Pullen is delightfull and wholesome. And thus much of the Cock, Hen, Capon, and Chicken.

## C H A P. XVI.

*Of Geese, their nature, choice, and how to breed them.*

**G**eese, are a Fowl of great profit many waies, as first for food, next for their feathers, and lastly for their grease. They are held of Husbandmen to be fowl of two lives, because they live both on Land and water; and therefore all men must understand that except they have either Ponds or Stream, they can never keep Geese well. They are so watchfull and carefull over themselves, that they will prevent most dangers: grass also they must necessarily have, and the worst, and that which is the most useles is the best, as that which is morish, rotten, and unsavory for cat-tell. To good grass they are a great enemy, for their dung and treading will purrify it, and make it then barren.

Now for the choice of Geese, the largest is the best, and the colour would be white or gray, all of one pair, for pide are not so profitable, and black are worse: your Gander would be knavish and hardy, for he will defend the Gosslings the better.

The choice  
of Geese

Now for the laying of Eggs, a Goose beginning to lay in the Spring; and she that layeth earliest, is ever the best Goose, for she may have a second hatch. Geese will lay twelve, and some sixteen Eggs, some will lay more, but it is seldome, and they cannot be all well covered: you shall know when your Goose will lay, by her carrying straw up and down in her mouth, and scattering it abroad; and you shall know when she will sit, by her continuing on the nest till after she hath laid. You must set a Goose upon her own Eggs, for she will hardly or unkindly sit on another Gooses Eggs, as some imagine; but it is not ever certain: you shall in her straw, when you set her, mix nettle roots, for it is good for the Gosslings: thirty dayes is the full time that a Goose sitteth, but if the weather be fair and warm, she will hatch three or four dayes sooner; ever when the Goose riseth from her Nest, you

Of laying of  
Egs, and sit-  
ting.

**The ordering  
of Goslings.**

shall give her meat, as skegg Oats, and Bran scalded, and give her leave to bath in the water. After she hath hatched her Goslings, you shall keep them in the house ten or twelve dayes, and feed them with Curds, scalded Chippings, or Barley-meal in milk knodden and broken; also ground Malt is exceeding good, or any Bran that is scalded in water, milk, or tappings of drink. After they have got a little strength, you may let them go abroad with a Keeper five or six hours in a day, and let the dam at her leisure intice them in the water; then bring them in, and put them up, and thus order them, till they be able to defend themselves from vermine. After a Gosling is a moneth or six weeks old, you may put it up to feed for a green-Goose, and it will be perfectly fed in another moneth following: and to feed them, there is no meat better than skegg Oats boyl'd, and given plenty thereof thrice a day, Morning, Noon, and Night, with good store of milk, or milk and water mixt together, to drink.

**Of green-  
Geese, and  
their fattening.**

**Of Gander.**

Now you shall understand one Gander will serve well five Geese, and to have not above forty Geese in a flock is best, for to have more is both hurtfull and troublesome.

**Fattening of el-  
der Geese.**

Now for the fattening of elder Geese, which are those which are five or six moneths old, you shall understand, that after they have been in the stubble fields, and during the time of Harvest got into good flesh, you shall then chuse out such Geese as you would feed and put them in severall pennes which are close and dark, and there feed them thrice a day with good store of Oats, or spelted Beans; and give them to drink water and Barley-meal mixt together, which must evermore stand before them; this will in three weeks feed a Goose so far as is needfull.

**Of gathering  
Geese  
feathers.**

Now lastly, for the gathering of a Gooses feathers, you shall understand, that howsoever some Writers advise you for a needles profit to pull your Goose twice a year, March, and August: yet certainly it is very nought and ill; for first, by disabling the flight of the Goose, you make her subject to the cruelty of the Fox, and other ravenous beasts: and by uncloathing her in Winter you strike that could into her body which kills her very suddenly: therefore it is best to stay till moultring time, or till you kill her; and then you may imploy all her Feathers at your pleasure, either for beds, Fletchers, or Scriveners.

For



For the diseases and infirmities in Geese; the most and worst they are subject unto, is the *Gargill*, which is a mortal or deadly stopping of the head. And the ordinary and certain cure is, to take three or four cloves of Garlick, and beating them in a mortar with sweet butter, make little long balls thereof, and give two or three of them to the Goose fasting, and then shut her up for two hours after.

Of the Gargill  
in Geese.

The Cure.

### CHAP. XVII.

*Of Turkies, their nature, use, increase, and breeding.*

**T**urkies, howsoever by some Writers they are held devourers of Corn, strayers abroad, ever pulling for meat, and many such like fained troubles, as if they were utterly unprofitable, yet it's certain they are most delicate, either in paste, or from the Spit, and being fat, far exceeding any other House-fowl whatsoever: nay, they are kept with more ease and less cost, for they will take more pains for their food than any other Bird, only they are enemies to a garden, and from thence must ever be kept. They, when they are young, are very tender to bring up, both because they are of a straying nature in themselves, and the Dam is so negligent, that whilst she hath one following her she never respecteth the rest: therefore they must have a vigilant keeper to attend them, till they can shift for themselves, and then they will flock together, and seldom be parted. Till you fat them, you need not take care for food for them; they love to roost in trees or other high places.

Now for your choice of such as you would breed on; your *Turkey-Cock* would not be above two years old at most; be sure that he be loving to the Chickens; and for your Hen, she will lay till she be five years old, and upward. Your *Turkey-Cock* would be a Bird large, stout, proud and majesticall; for when he walketh dejected, he is never good treader.

Of the choice  
of the Turkey  
Cock.

The *Turkey-Hen*, if she be not prevented, will lay her eggs in secret places; therefore you must watch her, and bring her to her Hen-house, and there compell her to lay. They begin to lay in March, and will sit in April; and eleven Eggs, or thirteen, is the most they should cover: they hatch ever between five and twenty and thirty dayes. When they have hatcht their broods, be sure

Of the Turkey  
Hen her sitting

to keep the Chickens warm, for the least cold kills them, and feed them either with Curds, or green fresh Cheefe cut in small pieces; let their drink be new milk, or milk and water: you must be carefull to feed them oft; for the Turkey-hen will not, like the House-Hen, call her Chickens to feed them. When your Chickens have got strength, you shall feed them abroad in some close walled grass-plat, where they cannot stray, or else ever be at charge of a Keeper. The dew is most hurtfull unto them, therefore you must house them at night, and let them abroad after Sun-rise in the morning.

Of feeding  
Turkies.

Now for the fattening of Turkies, sodden Barley is excellent, or sodden Oats, for the first fortnight; and then for another fortnight cram them in all sorts as you cram your Capon; and they will be fat beyond measure. Now for their infirmities, when they are at liberty, they are so good Physicians for themselves, that they will never trouble their owners; but being coopt up, you must cure them as is before described for Pullen: Their Eggs are exceeding wholesome to eat, and restore nature decayed wonderfully.

#### CHAP. XVIII.

*Of the Duck, and such Water-Fowls.*

**T**He tame Duck is an exceeding necessary fowl for the Husbandmans yard, for she asketh no charge in keeping, but liveth of corn lost, or other things of less profit. She is once in a year a very good layer of Eggs; and when she sitteth she craves both attendance and feeding, for being restrained from seeking her food; she must be helped with a little barley or other over chaving of corn, such as else you would give unto Swine: as for her sitting, hatching, and feeding of her Ducklings, it is in all points to be observed in such manner as you did before with the Goose, only after they are abroad they will shift better for their food than Goslings will. For the fattening of Ducks or Ducklings, you may do it in three weeks, by giving them any kind of Pulse or Grain, and good store of water.

Of Wild-  
Ducks and  
their ordering.

If you will preserve Wild-Ducks, you must wall in a little piece of ground, in which is some little Pond or Spring, and cover the top of it all over with a strong net: the Pond must be set with many tufts of Oziers, and have many secret holes, and creeks

creeks, for that will make them delight and feed though imprisoned. The wild-duck when she layeth, will steal from the Drake and hide her nest, for he else will suck the Eggs. When she hath hatcht she is most carefull to nourish them, and needeth no attendance more than meat, which would be given fresh, twice a day, as scalded Bran, Oats or Fitches. The house-hen will hatch wild-Ducks-eggs, and the meat will be much the better; yet every time they go into the water, they are in danger of the Kite, because the hen cannot guard them. In the same manner as you nourish wild-Ducks, so you may nourish Teils, Widgens, Shel-drakes or green Plovers.

## CHAP. XIX.

*Of Swans, and their feeding.*

**T**O speak of the breeding of Swans, is needless, because they can better order themselves in that businesse than any Man can direct them; only where they build their nests, you shall suffer them to remain undisturbed, and it will be sufficient: but for the feeding them fat for the dish, you shall feed your Cygners in all sorts as you feed your Geese, and they will be through fat in seven or eight weeks, either coopt in the house, or else walking abroad in some private court; but if you would have them fat in shorter space, then you shall feed them in some pond, hedg'd or pal'd in for that purpose, having a little dry ground left, where they may sit and prune themselves; and you may place two troughs, one full of Barley and water, the other full of old dried Malt, on which they may feed at their pleasure; and thus doing they will be fat in less than four weeks: For by this means a Swan keepeth himself neat and clean, who being a much defiled Bird, liveth in dry places so uncleanly, that they cannot prosper, unless his attender be diligent to dress and trim his walk every hour.

## CHAP. XX.

*Of Peacocks, and Peahens, their increase and ordering.*

**P**EACOCKS, howsoever our old writers are pleased to deceive themselves in their praises, are birds more to delight the eye  
by

by looking on them, than for a particular profit; the best commodity arising from them, being the cleansing and keeping of the yard free from venomous things, as Toads, Newts, and such like, which is their daily food: whence it comes, that their flesh is very unwholsome, and used in great banquets more for the rareness than the nourishment; for it is most certain, roast a Peacock or Peahen never so dry, then set it up, and look on it the next day, and it will be bloud raw, as if it had not been roasted at all.

The Peahen loves to lay her eggs abroad in bushes and hedges, where the Cock may not find them, for, if he do, he will break them; therefore as soon as she begins to lay, separate her from the Cock and house her till she have brought forth her young, and that the coronet of feathers begin to rise at their foreheads, and then turn them abroad, and the Cock will love them, but not before. A Peahen sits just thirty dayes, and in her sitting, any grain, with water, is food good enough: before your Chickens go abroad, you shall feed them with fresh green-Cheese, and Barly-meal, with water, but after they go abroad, the Dam will provide for them. The best time to set a Peahen is, at the beginning of the Moon, and if you set Hens eggs amongst her eggs, she will nourish both equally. The Pea-chickens are very tender, and the least cold doth kill them; therefore you must have care to keep them warm, and not to let them go abroad but when the Sun shineth. Now for the feeding of them it is a labour you may well save, for if they go in a place where there is any corn stirring, they will have part; and being meat which is seldome or never eaten, it mattereth not so much for their fattening.

#### C H A P. XXI.

##### *Of the tame Pidgeon, or rough-footed.*

**T**He tame rough-footed Pidgeon differs not much from the wild Pidgeon, only they are somewhat bigger, and more familiar, apt to be tame; they commonly bring not forth above one pair of Pidgeons at a time, and those which are the least of body are ever the best breeders; they must have their rooms and boxes made cleane once a week, for they delight much in neatness

ens; and if the walls be outwardly whited or painted, they love it the better, for they delight much in fair buildings. They will bring forth their young ones once a moneth, if they be well fed, and after they be well pair'd they will never be divided. The Cock is a very loving and naturall bird, both to his Hen and the young ones, and will sit the Eggs while the Hen feedeth, as the Hen sits whilst he feedeth: he will also feed the young with as much painfullness as the Dam doth, and is best pleased when he is brooding them. These kind of Pidgeons you shall feed with white Pease, Tares, and good store of clean water. In the room where they lodge you shall ever have a Salt Cat for them to pick on, and that which is gathered from Salt-peter is the best: also they would have a good store of dry Sand, Gravel, and Pybble, to bathe and cleanse themselves withall; and above all things great care taken, that no Vermine, or other Birds come into their boxes, especially Sterlings, and such like, which are great Eggsuckers. And thus much of the tame Pidgeon.

## CHAP. XXII.

*Of nourishing and fattening Hens, Puets, Gulls, and Bitters.*

**H**Earns are nourished for two causes: either for Princes sports, to make trains for the entering their Hawk, or else to furnish on the Table at great Feasts: the manner of bringing them up with the least charge, is to take them out of their Nests before they can flye, and put them into a large high Barn, where there are many high and cross beams for them to perch on: then to have on the floor divers square boards with rings in them; and between every board, which would be two yards square, to place round shallow tubs full of water; then to the boards you shall tie great gobbets of Dogs flesh, cut from the bones, according to the number which you feed: and be sure to keep the house sweet, and shift the water oft, only the house must be made so that it may rain in now and then, in which the Hern will take much delight. But if you feed her for the dish, then you shall feed them with Livers, and the intrails of Beast, and such like, cut in great gobbets; and this manner of feeding will also feed either Gull, Puert, or Bitter: but the Bitter is ever best to be fed by the hand, because when you have fed him, you must tie his beak together; or he will cast up his meat again.

## CHAP. XXIII.

*Of feeding the Partridge, Pheasant, and Quails.*

**T**Hese three are the most daintiest of all Birds; and for the Pheasant or Partridge, you may feed them both in one room, where you may have little Boxes where they may run and hide themselves in divers corners of the room; then in the midst you shall have three wheat-sheaves, two with their ears upward, and one with the ears downward, and near unto them shallow tubs with water, that the fowl may pick wheat out of the ears, and drink at their pleasures; and by this manner of feeding, you shall have them as far as is possible: as for your Quails, the best feeding them is in long flat shallow boxes, each box able to hold two or three dozen, the foremost side being set with round pins so thick that the Quails do no more but put out her head, then, before that open side shall stand one trough full of small chilter-wheat, another with water; and thus in one fortnight or three weeks you shall have them exceeding far.

## CHAP. XXIV.

*Of Godwits, Knots, Gray-plover, or Curlews.*

**F**Or to feed any of these Fowls, which are esteemed of all other the daintiest and dearest, fine Chilter-wheat, and water given them thrice a day, Morning, Noon, and Night, will do it very effectually; but if you intend to have them extraordinary and crammed fowl, then you shall take the finest dressed wheat-meal, and mixing it with Milk make it into a paste, and ever, as you knead it, sprinkle into it the grains of small Chilter-wheat, till the paste be fully mixt therewith, then make little small crams thereof, and dipping them in water give to every fowl according to his bigness, and that his gorge be well filled: do thus as oft as you shall find their gorges empty, and in one fortnight they will be fed beyond measure, and with these crams you may feed any fowl of what kind or nature soever.

## CHAP. XXV.


*Of feeding Black-birds, Thrushes, Felfares, or any small Birds whatsoever.*

**T**O feed these Birds, being taken old and wild, it is good to have some of their kinds tame to mix among them, and then putting



ring them into great cages of three or four yards square, to have divers troughs placed therein, some filled with Haws; some with Hempseed, and some with water; that the tame teaching the wild to eat, and the wild finding such change and alteration of food, they will in twelve or fourteen dayes grow exceeding fat, and fit for the use of the Kitchin.

*The end of the Poultry.*



## OF HAWKS.

### CHAP. I.

*Of the general Cures for all Diseases and Infirmities in Hawks, whether they be short winged Hawks, or long winged Hawks; and first of Castings.*



Hawks are divided into two kinds, that is to say, short winged Hawks, as the Goshawk, and her Tercell, the Sparrow-hawk and her Musket, and such like, whose wings are shorter than their trains, and do belong to the Ostringer; and long winged Hawks, as the Faulcon gentle, and her Tercell, the Gerfaulcon and Jerkin, the Lanner, Merlin, Hobby, and divers others. Now for as much as their infirmities, for the most part, proceed from the indiscretion of their Governors, if they flye them out of season before they be inseasoned, and have the fat, glut, and filthiness of their bodies scoured and cleansed out; I think it not amiss first to speak of Hawks castings which are the naturallest and gentlest purges, or scourings, a Hawk can take, and doth the least offend the vitall parts. Therefore, you shall know, that all Ostringers do esteem plumage and the soft feathers of small birds, with some part of the skin, to be the best casting a short winged Hawk can take; and for the purging of her head, to make her tyre much upon

sheeps Rumps, the fat cut away, and the bones well covered with Parsley. But for long winged Hawks, the best casting is fine Flannel, cut into square pieces of an inch and an half square and all to be jagg'd, and so given with a little bit of meat. By these castings you shall know the soundness and unsoundness of your Hawk: for when she hath cast, you shall take up the casting, which will be like an hard round peller, somewhat long, and press it between your fingers, and if you find nothing but clear water come from it, then it is a sign your Hawk is well and lusty; if there come from it a yellowish filthy matter, or if it stinck, it is a sign of rottenness and disease; but if it be greazy or slimy on the one side, then it is a sign the Hawk is full of grease inwardly, which is not broken nor dissolved: and then you shall give her a scouring, which is a much stronger purgation; and of scourings, the gentlest, next casting, is to take four or five pellets of the yellow root of Selladine well cleansed from filth, being as big as great Pease, and give them out of the water early in the morning when the Hawk is fasting, and it will cleanse her mightily.

If you take the pellets of Selladine, and give them out of the Oyl of Roses, or out of the Sirrup of Roses, it is a most excellent scouring also; only it will for an hour or two make the Hawk somewhat sickish. If you give your Hawk a little *Aleos-Cicatrine*, as much as a bean wrapt up in her meat, it is a most soveraign scouring, and doth not only void grease, but also killeth all sorts of Worms whatsoever.

If your Hawk by over-flying, or too soon flying, be heated and inflamed in her body, as they are much subject thereunto, you shall then to cool their bodies, give them stones: These Stones are very fine white Pibbles, lying in the Sand of gravelly Rivers, the bigness whereof you may choose according to the bigness of your Hawk, as some no bigger than a Bean, and those be for Merlyns, or Hobbies; some as big as two Beans, and they are for Faulcons gentle, Lanners, and such like; and some much bigger than they, which are for Gerfaulcons, or such like. And these stones if they be full of crefts and welts, they are the better; for the roughest stone is the best, so it be smooth and not greety. And you shall understand, that stones are most proper for long-wing'd Hawks, and the number which you shall give, at the most, must

must never exceed fifteen; for seven is a good number, so is nine or eleven, according as you find the Hawks heat more or less, and these stones must ever be given out of fair water, being before very well pickt and trim'd from all durt and filthiness. And thus much of Hawks castings, scourings, and stones.

## CHAP. II.

*Of Impostumes in Hawks.*

**I**F your Hawk have any Impostume rising from her, which is apparent to be seen, you shall take sweet Raisons, and boyl them in Wine, and then crushing them, lay them warm to the sore, and it will both ripen and heal it: only it will be good to scour your Hawk very well inwardly, for that will abate the flux of all evil humours.

## CHAP. III.

*Of all sorts of sore eyes.*

**F**OR any fore eye, there is nothing better than to take the juice of ground Ivy, and drop it into the Eye: But if any Web be grown before you use this Medicine, then you shall take Ginger finely sear'd, and blow it into the Eye, and it will break the Web; then use the juice of Ivy, and it will wear it away.

## CHAP. IV.

*Of the Pantas in Hawks.*

**T**He pantas is a stopping, or shortness of wind in Hawks; and the cure is, to give her the scowring of Selladine, and the oyl of Roses, and then to wash her meat in the decoction of Coltsfoot, and it will help her.

## CHAP. V.

*Of casting the Gorge.*

**T**His is when a Hawk, either through meat which she cannot digest, or through surfeit in feeding, casteth up the meat which she hath eaten, which is most dangerous. And the only way to cure her, is to keep her fasting, and to feed her with a very little at once of warm bloody meat, as not above half a Sparrow at a time, and be sure never to feed her again, till she have indued the first.

## CHAP.

## CHAP. VI.

*Of all sorts of Worms, or Fylanders in Hawks.*

**W**orms or Fylanders, which are a kind of Worms in Hawks, are either inward or outward; inward, as in the guts or intrails; or outward, as in any joynt or member: if they be inward, the scouring of Aloes is excellent to kill them; but if they be outward, then you shall bathe the place with the juice of the Herb *Amos* mixt with Honey.

## CHAP. VII.

*Of all swelling in Hawks feet, and of the pin in the foot.*

**F**Or the pin in the sole of the Hawks foot; or for any swelling upon the foot, whether it be soft or hard, there is not any thing more soveraign, than to bathe it in *Patch-grease* moulten, and applied to, exceeding hot; and then to fold a fine Cambrick rag dipt in the same grease about the sore.

## CHAP. VIII.

*Of the breaking of a Pounce.*

**T**His is a very dangerous hurt in Hawks, especially in *Gerfaulcons*; for if you break or rive her pounce, or but coape it so short that she bleed, though it be very little, yet it will indanger her life: the cure therefore is, presently upon the hurt, with a hot wire so sear it, till the bloud staunch, and then to drop about it pitch of Burgundy, and wax mixt together, or, for want thereof, a little hard Merchants wax, and that will both heal it, and make the Pounce grow.

## CHAP. IX.

*Of bones broken, or out of joynt.*

**I**F your Hawk have any bone broken or misplaced, you shall, after you have set it, bath it with the Oyl of *Mandrake* and *Swallows*, mixt together, and then splent it, and in nine dayes it will be knit and have gotten strength.

CHAP.

## CHAP. X.

*Of inward bruifings in Hawks.*

**I**F your Hawk, either by stooping amongst Trees, or by the encounter of some fowl, get any inward bruise, which you shall know by the blackness or bloudiness of their mutes, you shall then anoint her meat every time you feed her, with *Sperma Ceta*, till her mutes be clear again, and let her meat be warme and bloody.

## CHAP. XI.

*Of killing of Lice.*

**I**F your Hawk be troubled with Lice, which is a general infirmity, and apparent, for you shall see them creep all over on the outside of her feathers if she stand but in the air of the fire. You shall bathe her all over in warm water and Pepper small beaten; but be sure that the water be not too hot, for that is dangerous; neither let it touch her eyes.

## CHAP. XII.

*Of the Rye in Hawks.*

**T**HIS disease of the Rye in Hawks proceedeth from two causes; the one is cold and pose in the head, the other is foul and most uncleanly feeding; the Faulconer being negligent to seek and cleanse his Hawks beak and nares, but suffering the bloud and filthiness of meat to stick and cleave thereunto. For indeed, the infirmity is nothing else but a stopping up of the Nares, by means whereof, the Hawk not being able to cast and avoid the corruption of her head, it turns to putrification, and in short space kills the Hawk: and this disease is a great deal more incident to a short winged Hawks than to long. The signs whereof are apparent by the stopping of the Nares. The cure is, to let your Hawk tyre much upon sinewy and bony meat, as the rumps of Mutton (the fat being taken away) or the pinions of the wings of fowl, either being well lapt in a good handfull of Parsley, and forcing her to strain hard in the tearing of the same, and with much diligence to cleanse and wash her beak clein with water after her feeding, especially if her meat were warm and bloody.

CHAP.

## CHAP. XIII.

*Of the Frounce.*

**T**He Frounce is a Cankerous Ulcer in a Hawks mouth, got by over-flying, or other inflammation proceeding from the inward parts; foul and unclean food is also a great ingenderer of this disease. The signs are a forenes in the Hawks mouth, which sore will be furr'd and cover'd over with white scurf, or such like filthiness; also if the Ulcer be deep and ill, the Hawk will wind and turn her head awry, making her beak stand upright: and the cure is to take Allom, and having beaten it to fine Powder, mix it with strong Wine-Vinegar till it be somewhat thick, and then wash and rub the sore therewith till it be raw, and that the scurf be clean taken away. Then take the juice of *Lolium*, and the juice of *Radish*, and mix it with Salt, anoint the sore therewith, and in few days it wil cure it.

## CHAP. XIV.

*Of the Rhume.*

**T**He Rhume is a continuall running, or dropping at the Hawks Nares, proceeding from a general cold, or else frm over-flying, and then a sudden cold taken thereupon; it stopperh the head, and breeds much corruption therein; and the signs are the dropping before-said, and a general heaviness, and sometimes a swelling of the head. The cure is, to take the juice of *Beets*, and squirt it oft into the Hawks nares; then when you feed her, wash her meat in the juice of *Broom-wort*, and it will quickly purge, and set her sound.

## CHAP. XV.

*Of the Fornicas in Hawks.*

**T**He Fornicas in Hawks is a hard horn growing upon the back of a Hawk, ingendered by a poysonous and Cankerous Worm, which fretting the skin and tender yellow welt between the head and the beak, occasioneth that hard horn, or excreffion to grow and offend the bird: the sign is the apparent sight of the horn: and the cure is, to take a little of a Bulls Gall, and beating it with Aloes, anoint the Hawks beak therewith morning and



and evening, and it will in very few dayes take the horn away.

## CHAP. XVI.

*Of the Fistula in Hawks.*

**T**He Fistula in Hawks is a cankerous hollow Ulcer in any part of a Hawks body, as it is in mens, beasts, or any other creature: the signs are, a continual muttering, or running of the sore, and a thin sharp water, like lie, which, as it falls from the same, will fret the sound parts as it goeth. The cure is, with a fine small **The Cure.** wire, little stronger than a Virginal-wire, and wrapt close about with a soft fleaved silk, and the point blunt and soft, to search the hollowness and crookedness of the Ulcer, which the pliantness of the wire will easily do; and then having found out the bottom thereof, draw forth the wire, and according to the bigness of the Orifice, make a tent of fine lint, being wet, which may likewise bend as the wire did, and be within a very little as long as the ulcer is deep; for to tent it to the full length is ill, and will rather increase, than diminish the Fistula, and therefore ever as the Fistula heals, you must take the tent shorter and shorter. But to the purpose, when you have made your tent fit, you shall first take strong Allom-water, and with a small Syringe squirt the sore three or four times therewith, for that will cleanse, dry, and scour every hollowness in the Ulcer; then take the tent and anoint it with the juice of the herb *Robert*, *Vinegar*, and *Allom* mixt together, and it will dry up the sore.

## CHAP. XVII.

*Of the Privy evil in Hawks.*

**T**He Privy evil in Hawks, is a secret heart-sickness, procured either by over-flying, corrupt food, cold, or other disorderly keeping; but most especially for want of stones, or casting in the due season: the signs are, heaviness of head and countenance, evil enduing of her meat, and foul black mutings. The cure is, to take morning and evening a good piece of a warm sheeps heart, and steeping it either in new Asses milk, or new Goats milk, or for want of both, the new milk of a red Cow, with the same to feed your Hawk, till you see her strength and lust recovered.

T

CHAP.

## CHAP. XVIII.

*Of wounds in Hawks.*

**H**Awks, by the cross incounters of Fowls, especially the Heron, by stooping amongst bushes, thorns, trees, and by divers such accidents, do many times catch sores and most grievous wounds, the signs whereof are the outward appearance of the same. And the cure is, if they be long and deep, and in a place that you may conveniently, first to stich them up, and then to taint them up with a little ordinary Balsamum, and it is a present remedy. But if it be in such a place as you cannot come to stich it up, you shall then only take a little lint, and dip it in the juice of the herb called *Mouf-ear*, and apply it to the sore, and it will in short space heal it. But if it be in such a place as you can by no means bind any thing thereunto, you shall then only anoint or bathe the place with the aforesaid juice, and it will heal and dry up the same in very short time: the juice of the green herb called wick us, English Tobacco, will likewise do the same; for it hath a very speedy course in healing and cleansing, as hath been approved by divers of the best Faulconers of this Kingdome, and other Nations.

## CHAP. XIX.

*Of the Apoplexie, or falling evil in Hawks.*

**T**He Apoplexy, or falling evil, in Hawks, is a certain Vertigo or dizziness in the brain, proceeding from the oppression of cold humours, which do for a certain space numb, and as it were mortifie the senses: The signs are, a sudden turning up the Hawks head, and falling from her perch without bating, but only with a general trembling over all the body; and lying so, as it were in a trance a little space, she presently recovereth, and riseth up again, but is sick and heavy many hours after. The cure therefore is, to gather the herb *Asterion* when the Moon is in the Wane, and in the Sign Virgo, and taking the juice thereof to wash your Hawks meat therein, and to feed her; and it hath been found a most sovereign medicine.

The Cure.

CHAP.

## CHAP. XX.

*Of the purging of Hawks.*

**T**Here is nothing more needfull to Hawks than purgation, and cleansings; for they are much subject to fat and foulness of body inwardly, and their exercise being much and violent, if there be neglect, and that their glut be not taken away, it will breed sickness and death; therefore it is the part of every skilful Faulconer, to understand how, and when, to purge his Hawk, which is generally ever before she be brought to flying; and the most usuallest season for the same, is before the beginning of Autumn, for commonly knowing Gentlemen will not flye at the Partridge, till Corn be from the ground; and if he prepare for the River early, he will likewise begin with that season: the best purgation then that you can give your Hawk is, *Aloes Cicatrine* wrapt up in warm meat, the quantity of a French Pease, and so given the Hawk to eat ever the next morning after she hath flown at any train, or taken other exercise, whereby she may break or dissolve the greafe within her.

## CHAP. XXI.

*For a Hawk that cannot mute.*

**I**F your Hawk cannot mute, as it is a common infirmity which happeneth unto them, you shall take the lean of Pork, being newly kill'd, whilst it is warm, to the quantity of two Walnuts, and lapping a little *Aloes* therein, give it the Hawk to eat, and it will presently help her. There be divers good Faulconers in this case, which will take the roots of Selandine, and having cleansed it, and cut it into little square pieces as big as pease, steep it in the oyl of Roses, and so make the Hawk swallow down three or four of them, and sure this is very good and wholesome, only it will make the Hawk exceeding sick for two or three hours after; neither must the Hawk be in any weak state of body, when this latter medicine is given her: Also you must observe to keep your Hawk at those times exceeding warm, and much on your fist, and to feed her most with warm birds, lest otherwise you clung and dry up her entrails too much, which is both dangerous and mortal.

## CHAP. XXII.

*The assured sign to know when a Hawk is sick.*

**H**awks are generally of such a stout, strong, and unyielding nature, that they will many times cover and conceal their sicknesses so long, till they be grown to that extremity, that no help of Physick, or other knowledg, can avail for their safety: for when the countenance, or decay of stomach, which are the ordinary outward faces of infirmities, appear, then commonly is the disease past remedy. Therefore to prevent that evil, and to know sickness whilst it may be cured, you shall take your Hawk, and turning up her train, if you see that her ruel or fundament either swelleth, or looketh red, or if her eyes or ears likewise be of a fiery complexion, it is a most infallible sign that the Hawk is sick, and much out of temper.

## CHAP. XXIII.

*Of the Feaver in Hawks.*

The Cure.

**H**awks are as much subject to Feavers, as any creatures whatsoever, and for the most part they proceed from over-flying, or other extraordinary heats, mixt with sudden colds, given them by the negligence of unskilful Keepers. And the cure is, to set her in a cool place, upon a perch, wrapt about with her cloaths, and feed her oft with a little at a time of Chickens flesh steeped in water, wherein hath been soaked Cucumber-seeds. But if you find by the stopping of her ears or head, that she is offended more with cold than heat, then you shall set her in a warm place, and feed her with the bloody flesh of Pigeons, washt either in white-wine, or in water, wherein hath been boyled either Sage, Marjoram, or Camomil.

## CHAP. XXIV.

*To help a Hawk that cannot digest her meat.*

**I**F your Hawk be hard of digestion, and neither can turn it over, nor empty her panel, which is very often seen, you shall then take the heart of a Frog, and thrust it down into her throat, and pull it back again by a thread fastned thereunto, once or twice suddenly, and it will make her cast her gorge presently.

CHAP.

## CHAP. XXV.

*Of the Gout in Hawks.*

**H**Awks, especially those which are free, and strong strikers, are infinitely subject to the Gout, which is a swelling, knotting, and contracting of a Hawks feet: The cure thereof is, to take two or three drops of blood from her thigh vein, a little above her knee, and then anoint her feet with the juice of the herb Hollihock, and let all her pearch be anointed also with tallow, and the juice of that herb mixt together. Now if this disease (as oft it hapneth) be in a Hawks wing, then you shall take two or three drops of blood from the vein under her wing, and then anoint the pinions and inside thereof with *Unguentum de Althea* made very warm, which you may buy of every Apothecary.

The Cure.

## CHAP. XXVI.

*Of the Stanching of blood.*

**I**T is a known experience amongst the best Faulconers, that if the Gerfaulcon shall but lose two or three drops of blood it is mortal, and the Hawk will die suddenly after; which to prevent, if the blood proceed from any pounce, which is most ordinary, then upon the instant hurt, you shall take a little hard Merchants wax, and drop it upon the fore, and it will presently stop it; if it be upon any other part of the Hawks body, you shall clap thereunto a little of the soft down of a Hare, and it will immediately stanch it; without these two things a good Faulconer should never go, for they are to be used in a moment. And thus much of the Hawk and her diseases.

*Of Bees.*

## CHAP. I.

*Of the nature, ordering, and preservation of Bees.*

**O**F all the creatures which are behoveful for the use of man, there is nothing more necessary, wholesome, or more profitable, than the Bee, nor any less troublesome, or less chargeable. To speak first of the nature of Bees, it is

The Nature  
a of Bees.

a creature gentle, loving and familiar about the man, which hath the ordering of them, so he come near, sweet and cleanly amongst them ; otherwise, if he have strong and ill smelling savours about him, they are curst and malicious, and will sting spitefully : they are exceeding industrious, and much given to labour, they have a kind of government amongst themselves, as it were a well-ordered Common-wealth, every one obeying and following their King or Commander, whose voice ( if you lay your ear to the hive ) you shall distinguish from the rest, being louder and greater, and beating with a more solemn measure. They delight to live amongst the sweetest herbs and flowers, that may be, especially Fennel, and wall Gilly-flowers, and therefore their best dwellings are in Gardens : And in these Gardens, or near adjoining thereunto, would be divers Fruit trees growing, chiefly Plum-trees, or Peach-trees ; in which, when they cast, they may knit, without taking any far flight, or wandering to find out their rest : this Garden also would be well fenced, that no Swine nor other Cattel may come therein, as well for overthrowing their hives, as also for offending them with other ill savours. They are also very tender, and may by no means endure any cold ; wherefore you must have a great respect to have their houses exceeding warm, close, and tight, both to keep out the frost and snow, as also the wet and rain ; which, if it once enter into the hive, is a present destruction.

Of the Bee  
hive.

To speak then of the Bee-hive, you shall know there be divers opinions touching the same, according to the customes and natures of Countries ; for in the champaign Countries, where there is very little store of Woods, they make their Hives of long Rye straw, the rowls being sowed together with bryers ; and these hives are large and deep, and even proportioned like a Sugar-loaf, and cross-barr'd within, with flat splints of wood, both above and under the midst part. In other champion Countries where they want Rye straw, they make them of Wheat-straw, as in the West Countries, and these hives are of a large compass, but very low and flat, which is naught, for a hive is better for his largeness, and keepeth out the rain best when it is sharpest. In the wood Countries, they make them of cloven hasels, wattled about broad splints of Ash, and so formed, as before I said, like a Sugar-loaf.

And



And these hives are of all other the best, so they be large and smooth within, for the straw hive is subject to breed mice, and nothing destroyeth Bees sooner than they; yet you must be governed by your ability, and such things as the soyl affords.

Now for the Wood hive which is the best, you shall thus trim Of the trimming of the Hive. and prepare it for your Bees. you shall first make a stiff mortar of lime and Cow dung, mixed together; and then having cross barred the hive within, daub the out-side of the hive with the mortar, at least three inches thick, down close unto the stone; so that the least air may not come in: then taking a Rye-sheaf, or Wheat-sheaf, or two, that is baled, and not thrashed, and chusing out the longest straws, bind the ears together in one lump, put it over the hive, and so as it were thatch it all over, and fix it close to the hive with an old hoop, and this will keep the hive inwardly as warm as may be: also, before you lodge any Bee in your hive, you shall perfume it with Juniper, and rub it all within with Fennel, Hyssop, and Time-flowers; and also the stone upon which the hive shall stand.

Now for the placing of your hive, you shall take three long thick The placing of Hives. stakes, cut smooth and plain upon the heads, and drive them into the earth triangular wise, so that they may be about two foot above the ground; then lay over them a broad smooth paving stone, which may extend every way over the stakes above half a foot; and upon the stone set your hive, being less in compass than the stone by more than six inches every way; and see the door of your hive stand directly upon the rising of the morning Sun, inclining a little unto the Southward; and be sure to have your hives well sheltered from the North winds, and generally from all tempestuous weather: for which purpose, if you have sheads to draw over them in the winter, it is so much the better. And you shall place your hives in orderly rows one before another, keeping clean allies between them every way, so as you may walk and view each by it self severally.

Now for the casting of your Bees, it is earlier or later in the year, according to the strength and goodness of the Stock, or the warmth of the weather. The usual time for casting, is, from the beginning of May, till the middle of July: and in all that time you must have a vigilant eye, or else some servant, to watch their rising, lest they fly away, and knit in some obscure place far from

from your knowledge: yet if you please, *you may know which hives are ready to cast, a night before they do cast, by laying your ear after the Sun-set to the hive, and if you hear the Master Bee above all the rest, in a higher and more solemn note, or if you see them lye forth upon the stone, and cannot get into the hive, then be sure that stock will cast within few hours after.*

As soon as you can perceive the swarm to rise, and are got up into the Air (*which will commonly be in the height and heat of the Sun*) you shall take a brass *Bason, Pan, or Candlestick*, and make a tinkling noise thereupon, for they are so delighted with musick, that by the sound thereof they will presently knit upon some branch or bough of a tree. Then when they are all upon one cluster, you shall take a new sweet hive, well drest, and rubb'd with Hony and Fennel, and shake them all into the hive; then having spread a fair sheet upon the ground, set the hive thereon, and cover it all clean over close with the sheet, and so let it stand till after Sun-set; at which time the Bees being gathered up to the top of the hive (*as their nature is*) you shall set them upon the stone, having rubb'd it with Fennel; and then daub it close round about with lime and dung mixt together, and only leave them a door or two to issue out and in at. There be some stocks which will cast twice or thrice, and four times in a year; but it is not good, for it will weaken the stock too much; therefore to keep your stocks in strength and goodness, it is not good to suffer any to cast above twice at the most.

Again, you shall with pieces of brick, or other smooth stones, raise the stock in the night, three or four inches above the stone, and then daub it close again; and the Bees finding house-room, will fall to work within, and not cast at all; and then will their stocks be worth two others: And in the same manner, if you had the year before any small swarms, which are likely to cast this year, or if you have any early swarms this year, which are likely to cast at the latter end of the year; both which are often found to be the destruction of stocks; in either of these cases, you shall enlarge the hive, as it is before said, by raising it up from the stone, and it will not only keep them from casting, but make the stock better, and of much more profit; for that hive which is of the most weight, is of the best price.

Now

Now when you have mark't out those old Stocks, which you intend to sell (*for the oldest is fittest for that purpose*), you shall know that the best time to take them is at Michaelmas, before any frosts hinder their labour: and you shall take them ever from the stone in the dark of night, when the air is cold, and either drown them in water, or smother them with Fusbals; for to chase them from their Hives as some do, is naught; because all such Bees as are thus frighted from their Hives, do turn robbers, and spoyle other Stocks, because that time of the year will not suffer them to labour, and get their own livings.

Now if you have any weak Swarms which, coming late in the year, cannot gather sufficient of Winter provision; in this case you shall feed such Stocks by daily smearing the stone, before the place of their going in and out, with Honey and Rose-water mixt together, and so you shall continue to do all the strength of Winter, till the warmth of the Spring, and the Sun-shine, bring forth store of flowers for them to labour on. You shall continually look that no Mice, and such like Vermine breed about Hives, for they are poysonous, and will make Bees forsake their Hives.

Now lastly, if any of your Stocks happen to dye in the Winter (as amongst many, some must quail) you shall not by any means stir the stock, but let it remain till the Spring; and when you see your Bees begin to grow busie, then take up the dead stock, and trim it clean from all filth, but by no means stir, or crush any of the Combs, then dash the Combs, and besprinkle them, and besmear all the inside of the Hive with Honey, Rose-water, and the juice of Fennel mixt together, and daub also the stone therewith. Also then set down the Hive again, and daub it as it in had never been stirred, and be well assured, that the first Swarm that shall rise, either of your own, or of any Neighbours of yours within the compass of a mile, will knit in no place, but within that Hive, and such a stock will be worth five others; because they find half their work finished at their first entrance into the Hive; and this hath been many time approved of those of the most approved experience. And thus much touching the Bee and his Nature.

*A Plat-form for Ponds, which the Printer hath added to this ensuing discourse for the better satisfaction and delight of such as having a convenient Plat of ground for the same purpose, shall be desirous to make any Ponds for the increase and store of Fish.*

G. The Gate.

D. The Ditch and Quickset Hedge.

W. The Walks.

B The Bridge.


Br. The Brook.

P. The Ponds.

I. The Peniles.

M. The Mount.

S. The Spring.



The Walks about the Ponds may be planted with Fruit trees, or Willows,

Of



## Of Fishing.

### CHAP. I.

*Of Fishing in general : and first of the making of the Fish-Pond.*



Orasmuch as great Rivers do generally belong either to the King, or the particular Lords of severall Marinors, and that it is only the Fish-pond which belongeth to private persons; I will, as a thing most belonging to the general profit, here treat of Fish-ponds. And first, touching the making of them, you shall understand that the grounds most fit to be cast into Fish-ponds, are those which are either marsh, boggy, or full of Springs; and indeed most unfit either for grazing, or any other use of better profit. And of these grounds, that which is full of clear Springs will yield the best water; that which is marsh will feed Fish best; and that which is boggy will defend the Fish from being stolne.

Having then such a piece of wast ground, and being determined to cast it into a Fish-pond: you shall first by small trenches, draw all the Springs or moist veins into one place, and so drain the rest of the ground, and then having markt out that part which you mean to make the head of your pond; which although it be the lowest part in the true level of the ground, yet you shall make it the highest in the eye; you shall first cut the trench of your flood-gate, so as the water may have a swift fall, when you mean at any time to let it out; and then on each side of the trench drive in great stakes of six foot in length, and six inches square, of Oak, Ash, or Elm, but Elm is the best, and these you must drive in rows within four foot one of another, at least four foot into the earth as broad and as farr off each side the Flood-gate as you intend the head of your Pond shall go; then begin to dig your Pond of such compass as your ground will conveniently give you leave, and all the earth you dig out of the

Pond, you shall carry and throw amongst the stakes, and with strong rammers ram the earth hard between them, till you have covered all the stakes; then drive in as many more new stakes besides the heads of the first, and then ram more earth over and above them also; and thus do with stakes above stakes, till you have brought the head sides to such a convenient height as is fitting. And in all this work have a special care, that you make the inside of your bank so smooth, even, and strong, that no current of the water may wear the earth from the stakes.

You shall digg your Fish-pond not above eight foot deep, and so as it may carry not above six foot water.

You shall pave all the bottom and banks of the Pond with large sods of Flor-grass, which naturally grows under water, for it is a great feeder of Fish: and you shall lay them very close together, and pinn them down fast with small stakes and windings. You shall upon one side of the Pond, in the bottom, stake fast divers Bavens or Faggots of Brush-wood, wherein your Fish shall cast their Spawn, for that will defend it from destruction; and at another place you shall lay sods upon sods, with the grass sides together, in the bottom of the Pond; for that will nourish and breed Eels: And if you stick sharp stakes likewise by every side of the Pond, that will keep theevs from robbing them. When you have thus made your Ponds, and have let in the water, you shall then store them; Carp, Bream, and Tench by themselves; and Pike, Pearch, Eel, and Tench by themselves: for the Tench being the Fishes Physician is seldome devoured: also in all Ponds you shall put good store of Roch, Dace, Loch, and Menew; for they are both food for the great Fishes, and also not uncomely in any good man's dish.

You shall to every Mester put three Spawners, and some put five, and in three years the increase will be great, but in five hardly to be destroyed. And thus much for Ponds and their storings.

## CHAP. II.

*Of the taking of all sorts of Fish, with Nets or otherwise.*

**I**F you will take Fish with little or no trouble; you shall take of *Salarmonack* a quarter of an ounce, of young *Chives*, and as much of a *Calves-Kell*, and beat them in a mortar untill it be all

one



one substance, and then make Pellets thereof, and cast them into any corner of the Pond, and it will draw thither all the Carp, Bream, Cheven, or Barbell, that are within the water; then cast your shove-net beyond them, and you shall take choice at your pleasure. If you will take Roch, Dace, or any small kind of Fish, take Wine-les, and mix it with Oyl, and hang it in a Chimney corner till it be dry, or look black; and then putting it into the water, they will come so abundantly to it, that you may take them with your hand. If you will take Trout, or Grailing, take two pound of Wheat-brann, half so much of White-Pease, and mixing them with strong brine, beat it in till it come to a perfect paste: then put Pellets thereof into any corner of the water, and they will resort thither, so as you may cast your Net about them at your pleasure. But if you will take either Pearch or Pike, you shall take some of a Beasts Liver, black Snails, yellow Butter-flies, Hoggs-blood, and Opoponax, beat them altogether, and having made a paste thereof, put it into the water, and be assured that as many as are within forty paces thereof, will presently come thither, and you may take them at your pleasure.

Lastly, If you take either two drams of Cock-stones, or twice so much of the Kernels of Pine-apple-tree burnt; and beat them well together, and make round balls thereof, and put it into the water, either fresh or salt, and Salmon or great Fish will presently resort thither; you may take them either with Net or otherwise.

Also it is a most approved experiment, that if you take bottles made of Hay, or green Ouzels, or Willows mixt together, and sink them down in the middle of your Pond, or by the bank-sides, and so let them stand two or three dayes, having a cord so fastned unto them, that you may twitch them up on Land at your pleasure: and believe it, all the good Eels which are in the Pond will come unto these bottles; and you shall take them most abundantly: and if you please to bait those Bottles, by binding up Sheeps-guts, or other garbage of beast within them, the Eels will come sooner, and you may draw them oftner, and with better assurance. There be other wayes besides these to take Eels, as with Weels, with the Eel-spear, or with bobbing for them with great worms; but they are so generally known and practised

fed, and so much inferiour to this already shewed, that I hold it a needless and vain labour to trouble your ears with the repetitions of the same; and the rather, sith in this work I have laboured only to declare the secrets of every knowledge, and not to run into any large circumstance of those things which are most common and familiar to all men. And thus much of Fish and Fish-ponds, and their general knowledge. Now as touching the Angle, and the secrets thereto belonging, you shall find it at large handled in the next Book called *Country Contentments*.

FINIS.



# The Table of the first Book.

## Of Beasts.

### Of the Horse.

<b>O</b> F the Horse in general p. 1	His first backing	ib
Nature of Horses 2	Three main points of a Horse- mans skill.	12
Choice of Horses, and their shapes	ib	ib
Colours of Horses	ib	ib
Horses for a Princes seat	3	ib
Horses for travell	ib	14
Hunting Horses	ib	Of the Musrole and Maringale
Running Horses	ib	ib
Coach Horses	4	Of treading the large rings
Pack Horses	ib	Choice of grounds
Cart Horses	ib	Of galloping large rings
Of Mares	ib	Helps in the large ring turns
Ordering of Horses for service 5	Corrections in the ring turns	ib
Ordering Horses for a Princes seat	ib	Cherishing in the ring turns
Ordering travelling Horses	ib	Of stopping and going back
Ordering of Hunting Horses	6	Helps
Ordering of Running Horses	ib	Corrections
Ordering of Coach Horses	7	Cherishings
Ordering of the Pack or Cart- Horses	ib	Of advancing before
The preservation of Horses	ib	Helps
Of riding in general	8	Corrections
Imperfect use of this recreation.	ib	Cherishings
The pleasure of riding	ib	The use of advancing
The Authors Apology	9	Of jerking behind
The taming of a young Colt.	ib	Helps
His saddling and bridling	10	Corrections
		Cherishings
		Of turning
		Helps

# The Table.

Helps	23	Of Horses for travell, and how to	
Corrections	ib	make them amble	ib
Cherishings	ib	The marks of a good travelling	
Of the turning post	24	Horse	ib
Of managing	25	To make a Horse amble	ib
Diversities of manages	26	Divers waies of ambling	37
Of the Carriere	ib	Of travelling	ib
Horses for pleasure	27	Of wisping	ib
Of bounding aloft	ib	Helps in ambling	ib
Of the Corvet	ib	The ordering and dieting of the	
Of the Gallop Galliard	28	Hunting Horse	38
Of the Capriolle	29	Taking up the Hunting horse	ib
Of going aside	ib	Cloathing the Hunting horse	ib
Of riding before a Prince	30	Dressing the Hunting horse	39
Of the Caragolo	ib	Of waiting and feeding the Hun-	
To ride for recreation	31	ting horse	40
Of breeding of all sorts of Horses,		The exercise of the horse	42
fit for the Husbandmans use.	ib	The scouring of the horse	ib
	32	Ordering a horse after exercise	ib
Grounds to breed on	33	Of ordering, dieting, taking up,	
Division of Grounds	ib	cloathing, dressing, watering,	
Choice of the Stallion	ib	and feeding the Running horse	
Choice of Mares	ib		42
When to put them together	ib	Of his exercise by ayring and	
Of covering Mares	ib	coursing	45
To know if a Mare hold	34	Of sweats	ib
To conceive Male foals	ib	Of scouring him	ib
To provoke lust	ib	Ordering after exercise	ib
To keep Mares from barrennesse	ib	Generall rules for a running horse	
	ib		46
Ordering Mares after covering	ib	Generall rules for a travelling	
	35	horse	47
A help for Mares in foaling	36	How to cure all inward sicknesses	
Ordering Mares after foaling.	ib		48
Weaning of foals	ib	Of the head-ach, frenzie, or Stag-	
Ordering after weaning	ib	gers	ib
Gelding of Colts	36	Of the sleeping evill	49
		Of the falling-evill, Planet	
		struck	

# The Table.

struck Night-mare, or Palsie	ib	shedding of seed	56
Of the general cramp, or convulsion of sinews	50	Of the particular diseases of Mares, as barrenness, consumption, rage of love, casting foals, hardness to foal, and to make a Mare cast her foal	ib
Of any cold or cough, wet or dry, or for any consumption or putrefaction of the Lungs whatsoever	ib	Of drinking Venome, &c.	57
Of the running Glaunders, or mounning of the chins	ib	Of Suppositories, Clusters, and Purgations	ib
Of hide-bound, or consumption of the flesh	51	Of neezing and frictions	58
Of the breast-pain, or any sickness of the heart	ib	Of all the diseases in the eyes	ib
Of tired horses	ib	Of the impostume in the ear, Pole-evil, Fistula, swelling after blood-letting, any gall'd back, Canker, sitfast, wens, navel-gall, &c.	ib
Of diseases of the stomach, as surfeits, loathing of meat, or drink	52	Of the Vives	59
Of foundring in the body	ib	Of the strangle, bile, botch, or Impostume	ib
Of the Hungry evil	ib	Of the Canker in the nose, or any other part	ib
Of diseases in the Liver, &c.	53	Of stanching blood in any part	ib
Of the Yellows, and diseases of the Gall	ib	Of the diseases in the mouth, as bloody rifts, Figs, Lampas, Camery, Inflammation, Tongue-hurt, or the Barbs	60
Of the sickness of the spleen	ib	Of pain in the teeth, or loose teeth	ib
Of the dropsie, or evil habit of the body	54	Of the crick in the neck	ib
Of the Chollick, belly-ake, or belily bound	ib	Of the falling of the Crest, manginess in the main, or shedding of hair	61
Of the lax, or bloody flux	ib	Of pain in the Withers	ib
Of the falling of the Fundament	55	Of swaying the back, or weakness in the back	ib
Of Bots, and Worms of all sorts	ib	Of the itch in the tayl, scab, manginess, farcy	ib
Of pain in the Kidneys, pain to piss, and stone	ib	X	Of
Of the strangullion	ib		
Of pissing blood	ib		
Of the Colt-evil, mattering of the yard, falling of the yard,			

## The Table.

Of any halting whatsoever, &c.	ib	pricking, fig, reitrait, or cloying	66
Of foundring in the feet	62	To draw out Stab, or thorn	ib
Of the splent, curb, bone-spaven,		Of any Ambury, or Tetter	ib
or any knob, or bony excresson,		Of the cords, or string-halt	ib
or ring-bone	63	Of spur-galling, &c.	67
Of the Mallander, Sellander,		To heal any sore or wound	ib
Pains, Scratches, Mallat,		Of sinews cut	ib
Mules, Crown-cab, &c.	ib	Of eating away dead flesh	ib
Of any upper attain, or neather,		Of knots in joynts	ib
or any over reaching	ib	Of venomous wounds, &c.	ib
Of all the infirmities of, in, or a-		Of Lice or Nits	ib
bout the hoofs, &c.	64	To defend a horse from flies	68
Of the blood-spaven, hough, bo-		Of bones broken, or out of joynt	ib
ny, or any other unnatural			
swelling.	ib	Of drying or skinning sores,	
Of wind galls	65	when they are almost whole	ib
Of enterfearing, shackle-gall, &c.		A most famous receipt, to make a	
	ib	horse that is lean, and that is	
Hurts on the cronet, as quiter-		full of inward sickness, sound,	
bone, or matlong	ib	and fat in fourteen dayes	ib
Of wounds in the foot, gravelling,		To make a white star	69

### Of the Bull, Calf, Cow, or Ox.

Of the Bull, Cow, Calf, or		To preserve Cattel in health	ib
Ox, &c.	69	Of the Feaver in Cattel	73
The Countries for breed	70	Of any inward sickness	ib
Of not mixing, and mixing		Of the diseases in the head, as the	
breeds	ib	sturdy, &c.	ib
The shape of the Bull	ib	Of all the diseases in the eyes of	
The use of the Bull	ib	cattel, &c.	ib
The shape of the Cow	ib	Of diseases in the mouth, as barbs,	
The use of the Cow	71	bleans, &c.	74
Of Calves, and their nourishing		Of diseases in the neck, as being	
	ib	galled, bruised, swoln, closh,	
Observations for Calves	ib	&c.	75
Of the Ox, and his use	ib	Of the Pestilence, Gargill, or	
Of the Oxes food for labour	72	Murrain	ib
Oxen to feed for the Butcher	ib		Of



### Of the Sheep.

Of misliking, or leanness	76	soal, &c.	ib
Of diseases in the guts, as flux, costiveness	ib	Of all kind of bruising	80
Of pissing blood	ib	Of swallowing hens-dung, or any poison	ib
Of dropping nostrils, or any cold	ib	Of killing Lice or Ticks	ib
Of all manner of swellings	77	Of the d-w-bowle	ib
Of the worms in the tayl	ib	Of the loss of the Cud	81
Of any cough, or shortness of breath	ib	Of the killing of all sorts of worms	ib
Of any Impostume, Bile, or Botch	ib	Of vomiting blood	ib
Of diseases in the sinews, as weakness, stiffness, or soreness	ib	Of the Gout	ib
Of the general scab, particular scab, or scurf	78	Of the milking	ib
Of the hide-bound, or dry skin	ib	Of provoking a beast to piss	82
Of diseases in the lungs, as lung-grown, &c.	ib	Of the over-flowing of the gall	ib
Of the biting with a mad dog, or other venomous beasts	79	Of a beast that is goared	ib
Of the falling down of the palate	ib	Of the Cow that is withered	ib
Of any pain in the hoof, as the		Of drawing out of thorns, or stubs	ib
		Of purging cattel	ib
		Of being shrew-run	83
		Of faintness	ib
		Of breeding milk in a Cow	ib
		Of bones out of joint, or broken	ib
		Of the rot in Beasts	ib
		Of the Pantas	84
		Of all manner of wounds	ib

<b>O</b> <i>F. Sheep, their use, choice,</i>		<i>and an unsound</i>	88
<i>Shape and preservation</i>	84	<i>Of sickness in Sheep, as the fea-</i>	
<i>Of the staple of wool</i>	ib	<i>ver, &amp;c.</i>	ib
<i>Of the Lear of sheep</i>	ib	<i>Of the general scab</i>	ib
<i>The shape of sheep</i>	86	<i>Of killing Maggots</i>	89
<i>When Ewes should bring forth</i>	ib	<i>Of the Red water</i>	ib
<i>Ordering of Lambs</i>	ib	<i>Of lung-sick, or any cough, or</i>	
<i>Needful observations</i>	87	<i>cold</i>	ib
<i>The preservation of sheep</i>	ib	<i>Of the worm in the claw, or in</i>	
<i>The signs to know a sound sheep,</i>		<b>X 2</b>	<i>any</i>

## The Table.

any other part	ib	Of making an Ewe love her own	
Of wild fire	ib	Lamb, or any other Ews Lamb	
Of the diseases of the Gall, as			ib
Choler, Jaundies, &c.	90	Of licking up poison	ib
Of the tough flegm, or stoppings	ib	Of Lambs, yeaned sick	93
		Of making an Ewe to be easily	
Of the bones broken, or out of		delivered	ib
joynt	ib	Of seeth loose	ib
Of any sickness in Lambs	ib	Of increasing milk	ib
Of the sturdy turning-evil, or		Of the Staggers, or leaf-sickness	
more-found	91		ib
Of all diseases in the eyes in ge-		Of all sorts of worms	ib
neral	ib	Of the loss of the cud	94
Of water in a Sheeps belly	ib	Of saving sheep from the rot	ib
Of the tag'd or belis Sheep	ib		ib
Of the Pox in Sheep	92	A few precepts for the Shepherd	ib
Of the wood-evil or cramp	ib		

### Of Goats.

<b>O</b> F Goats, and their natures	96	Of stopping the Teats	98
The shape of Goats	ib	Of Goats that cannot kid	ib
The ordering of Goats	ib	Of the Tetter, or dry Scab	ib
Of any inward sickness, as the		Of gelding Kids	ib
pestilence, &c.	97	Of the itching goats	99
Of the dropsie	ib	Of the snel stopping	ib
		Of the Staggers	ib

### Of Swine.

<b>O</b> F all manner of Swine	99	Catarrhe	ib
The nature of Swine	ib	Of the Gall in Swine	ib
Of the choice and shape of Swine	ib	Of the Meazles	103
		Of the Impostumes in any part	ib
Of the use and profit of Swine	101	Of vomiting	ib
Of the Fever, or any hidden		Of leanness, mislike, scurf, or	
sickness in Swine	102	manginess	ib
Of Murrain, Pestilence, or			Of

## The Table.

<i>Of the sleeping evil</i>	104	<i>Of feeding Swine either for Bacon or Lard</i>	ib
<i>Of pain in the Milt</i>	ib	<i>Of feeding Swine in wood Countries</i>	106
<i>Unnaturalness in Swine</i>	ib	<i>Of feeding at the reek</i>	ib
<i>Of the lax or flux</i>	ib	<i>Of feeding of Swine in or about great Cities</i>	ib
<i>Of the lugging of Swine with dogs</i>	106	<i>Of feeding Hogs for Lard, or Boars for Brawn</i>	ib
<i>Of the pox in Swine</i>	ib		
<i>Of killing Maggots in any part</i>	ib		

### Of Conies.

<b>O</b> <i>F Tame Conies in general</i>	conies	108
<i>The nature of the cony</i>	ib	<i>Of the feeding and preservation of conies</i>
<i>Of boxes for tame conies</i>	ib	<i>Of the rot amongst conies</i>
<i>Of the choice and profit of rich</i>	ib	<i>Of madness in conies</i>

### The Table of the Second Pook.

#### Of Poultry.

<b>O</b> <i>F the Dunghill Cock, Hen, Chicken, and Capon</i>	111	<i>Of the Capon to lead Chickens.</i>	ib
	to 112	<i>Of feeding and cramming Capons</i>	ib
<i>Of the Dunghill cock</i>	ib	<i>Of the pip in Poultry</i>	116
<i>Of the choice and shape of the cock</i>	ib	<i>Of the roup</i>	ib
<i>Of the Hen, her choice and shape</i>	ib	<i>Of the flux</i>	ib
<i>Of setting Hens</i>	112	<i>Of stopping in the belly</i>	ib
<i>Of the choice of Eggs</i>	ib	<i>Of lice in Poultry</i>	ib
<i>Of Chickens</i>	114	<i>Of stinging with venomous worms</i>	117
<i>Of feeding &amp; cramming chickens</i>	ib	<i>Of all sore eyes</i>	ib
<i>Of preserving eggs</i>	ib	<i>Of Hens which crow</i>	ib
<i>Of gathering eggs</i>	115	<i>Of Hens which eat their eggs</i>	ib
<i>Of the Capon, and when to carve him</i>	ib	<i>Of keeping a Hen from sitting</i>	ib
		<i>Of making Hens lay soon and oft</i>	ib

## The Table.

Of making Hens lean	118	Of the Henne-house scituation	ib
Of the Crow-trodden	ib		

### Of Geese.

Of the Goose in general	119	Of Ganders	ib
Of the choice of Geese	ib	Of fattening of elder Geese	ib
Of laying eggs, and sitting	ib	Of gathering of Geese feathers	ib
Of the ordering of Goslings	120	Of the gargel in Geese	ib
Of green Geese, and their fattening	ib		

### Of Turkies.

Of Turkies in general	121	Of the Turkie Hen, and her sitting	ib
Of the choice of the Turkey Cock	ib	Of the feeding of Turkies	122

### Of Water-fowl, and others.

Of the tame Duck	122	Herns, Pnetts, Guls, and Bit- ters	125
Of wild Ducks, and their ordering	ib	Of feeding Partridge, Pheasant, and Quail.	126
Of Swans, and their feeding	123	Of Godwits, Knots, Gray Plover or Curlews	ib
Of Pea-Cocks and Pea-Hens	ib	Of black Herns, Thrushes, Fares	ib
Of the tame Pigeon, or rough-footed	124		
Of nourishing and fattening			

### Of Hawks.

Of Hawks in general, of all kinds	127	Of all swelling in Hawks feet	130
Of scowrings	ib	Of the breaking of a Pounce	ib
Impostumes in Hawks	129	Of bones broke or out of joynt	ib
Of sore eyes in Hawks	ib	Of all inward bruising	131
Of the Pantas	ib	Of killing Lice	ib
Of casting the Gorge	ib	Of the Rie	ib
Of all sorts of Worms or Pilan-			Of

## The Table.

Of the Frounce	132	Of a Hawk that cannot muse	ib
Of the Rheums	ib	The assuredst signs to know when	
Of the Fornicas	ib	a Hawk is sick	136
Of the Fistula	133	Of the Fever in Hawks	ib
Of the privy-evil	ib	Of helping a Hawk that cannot	
Of all sorts of wounds	134	digest	ib
Of the Apoplexy, or falling evil	ib	Of the Gout in Hawks	137
		Of the stanching of blood	ib
Of the purging of Hawks	135		


### Of Bees.

OF Bees in general	138	dering the swarms	ib
Of the nature of Bees	ib	Of setting hives	140
Of the Bee-hive	ib	Of the preservation of weak	
Of the trimming of the hive	139	stocks	ib
Of the placing of hives	ib	An excellent secret concerning	
Of the casting of Bees, and or-		Bees	141

### Of Fishing.

A Platforms for Fish-ponds	142	Of the taking of all sorts of Fish	
		with Nets, or otherwise	144
Of Fishing in general	143		

The



## The Division of the Titles intreated of in these Books.

- F**irst, Of the *Horse*, his Nature, his Diseases, and Cures; with the whole Art of Riding, and ordering all sorts of *Horses*, from fol. 1. to 70.
2. Of the *Bull, Cow, Calf*, or *Ox*, their breeding, feeding, and curing, from fol. 70. to 83.
3. Of *Sheep*, their choice, use, shape, infirmities, and preservation, from fol. 83. to 96.
4. Of *Goats*, their nature, shape, ordering, and curing, from fol. 96. to 100.
5. Of *Swine*, their choice, breeding, curing, and feeding, in either champian, or wood Countries, from fol. 100. to 107.
6. Of tame *Conies*, from fol. 109. to 111.
7. Of *Poultry*, their ordering, fattening, cramming, and curing all the diseases to them incident, from fol. 111. to 128.
8. Of *Hawks*, either short-winged, or long-winged; the general cures for their diseases and infirmities, from fol. 128. to 138.
9. Of *Bees*, their ordering, profit, and preservation, from fol. 138. to 142.
10. Of *Fishing*, and making *Fish-ponds*, from fol. 143. to the end.

FINIS.